

LSEG Quantitative Analytics

Database Schema for LSEG ESG Data

Version 1.1



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Zero Values and Nulls.....	3
Service and Support	3
Feedback	4
Your Personal Information	4
2 LSEG ESG Data	5
ESG2StmntDet: Financial Period.....	5
ESG2Item: Data Items	5
ESG2EnvDataPoint: Environmental Data Points	6
ESG2EnvIndicator: Environmental Indicators	7
ESG2EnvValScore: Environmental Data Points	7
ESG2SocDataPoint: Social Data Points	8
ESG2SocIndicator: Social Indicators	8
ESG2SocValScore: Social Data Points	9
ESG2GovDataPoint: Governance Data Points	9
ESG2GovIndicator: Governance Indicators	10
ESG2GovValScore: Governance Data Points	10
ESG2AsRepMap: As Reported Data Links	11
ESG2AsRepData: As Reported Data.....	11
ESG2SourceMap: Data Item to Source Mapping.....	12
ESG2SourceData: Source Information	12
ESG2SourceCtrvData: Controversy Counts	13
ESG2Scores: ESG Category, Pillar, and Summary Scores	13
ESG2DnlScores: Diversity and Inclusion Scores.....	13
ESG2Code: Integer Code Descriptions	14
ESG2Desc: Character Codes Descriptions.....	14
ESG2OrgPerMap: Organization and Period Mapping.....	14

1 Introduction

In This Document

This document provides schema information about the **LSEG ESG** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
Note: Indexes are not applicable for Snowflake.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **LSEG ESG** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with **ESG2*** are the **LSEG ESG** data tables.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue **Get Support** button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2 LSEG ESG Data

ESG2StmtDet: Financial Period

This table contains financial period details.

Update Cycle: Weekly

Adjusted: N/A

Indexes		Index Fields	
pkey_ESG2StmtDet (Clustered)		OrgPermID, FY	

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
FY	int	No	The particular fiscal year for which the data is defined.
PerEndDt	datetime2	Yes	The period end date of the ESG report.
PerIsIncomplete	char(1)	Yes	PerIsIncomplete can take one of the following values: "Y" or "N". If "Y", not all ESG information has been collected for the whole Financial Period. LSEG publish ESG collected data as soon as it is published. Once all data has been collected for a period, this field will be marked as "N".
PerTypeCode	tinyint	Yes	This is the type of the financial period of the ESG Value. LSEG ESG data is collected annually. Corresponding code description in the ESG2Code table. Cross-reference OrgCovCode with ESG2Code.Code where Type_ = 9.
OrgCovCode	tinyint	Yes	ESG indicates a full coverage company. ATD indicates an organization for which there is a limited population of shareholders datapoints. 'Limited' indicates a privately owned organization. Scores and indicators will not be calculated for private organizations. Corresponding code description in the ESG2Code table. Cross-reference OrgCovCode with ESG2Code.Code where Type_ = 10.

ESG2Item: Data Items

An itemized table for all the ESG metrics. This table stores the metadata of all ESG metrics and the table where the values reside.

Update Cycle: Weekly

Adjusted: No

Indexes		Index Fields	
pkey_ESG2Item (Clustered)		Item	

Field	Type	Nullable	Description
Item	smallint	No	An item code to uniquely identify each ESG metric that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item
FeedFieldName	varchar(100)	Yes	Internal LSEG source feed field name.
Title	varchar(200)	Yes	Description pertaining to the Item.
Description	varchar(2000)	Yes	Detailed description pertaining to the item.
DataTypeCode	tinyint	Yes	The data type determines which table the item will be a part of. Corresponding type code in the ESG2Code table. Cross-reference DataTypeCode with ESG2Code.Code where Type_ = 2.
TableCode	tinyint	Yes	The data table in which the value pertaining to the item resides. Corresponding type code in the ESG2Code table. Cross-reference TableCode with ESG2Code.Code where Type_ = 3.

Field	Type	Nullable	Description
HierarchyCode	tinyint	Yes	This code identifies the hierarchy of the ESG data metric. Corresponding type code in the ESG2Code table. HeirarchyCode can take one of the following values: 1: Data Point 2: Indicator 3: Category Score 4: Score Cross-reference HeirarchyCode with ESG2Code.Code where Type_ = 4.
Units	varchar(100)	Yes	This indicates the unit of the data metric value.
Polarity	varchar(30)	Yes	This indicates whether a higher data measure value is positive or negative.
IncludedInScores	Varchar(50)	Yes	The data type along with the range for the values is defined.
PillarItem	smallint	Yes	The code that defines the specific pillar which the datapoint is associated.. Corresponding type code in the ESG2Code table. Cross-reference PillarItem with ESG2Code.Code where Type_ = 5
CatItem	smallint	Yes	The code that defines the specific category which the datapoint is associated.. Corresponding type code in the ESG2Code table. Cross-reference CatItem with ESG2Code.Code where Type_ = 6
RegLicFlag	tinyint	Yes	This is for future use.
ValueScoreExists	char(1)	Yes	This flag shows if normalized score is generated for the ESG data point. ValueScoreExists can take one of the following values: "Y" or "N".
AsRepExists	char(1)	Yes	This flag shows if as reported data is available for the ESG data point. AsRepExists can take one of the following values: "Y" or "N".
SourceExists	char(1)	Yes	This flag shows if source document(s) are available for the ESG data point. SourceExists can take one of the following values: "Y" or "N".

ESG2EnvDataPoint: Environmental Data Points

This table contains standardized company data for environmental data points.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2EnvDataPoint (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item
FY	int	No	The particular fiscal year for which the data is defined.
ValueRecDt	datetime2	Yes	The date when the ESG value was entered into the ESG data management system.
UnitPct	float	Yes	Percentage of the organization coverage relevant to the ESG measure.
UnitPermID	bigint	Yes	Permanent identifier of the unit of the physical data measure.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueDate	datetime2	Yes	Date value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T- TRUE, F-FALSE.
ValueText	nvarchar(300)	Yes	String value of the ESG measure being tracked.
ValuePrnt	float	Yes	Percent value of the ESG measure being tracked.

ESG2EnvIndicator: Environmental Indicators

This table contains standardized company data for environmental indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2EnvIndicator (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item
FY	int	No	The particular fiscal year for which the data is defined.
ValueCalcDt	datetime2	Yes	The date when the ESG analytics was calculated and entered into the ESG data management system.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T-TRUE, F-FALSE
ValuePrnt	float	Yes	Percentage value of the ESG measure being tracked.

ESG2EnvValScore: Environmental Data Points

This table contains the value scores for the environmental data points and indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2EnvValScore (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ScoreCalcDt	datetime2	Yes	The date when the ESG score was calculated and entered into the ESG data management system .
Score	float	Yes	Relative score of the ESG measure being tracked

ESG2SocDataPoint: Social Data Points

This table contains standardized company data for social data points.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SocDataPoint (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ValueRecDt	datetime2	Yes	The date when the ESG value was entered into the ESG data management system.
UnitPct	float	Yes	Percentage of the organization coverage relevant to the ESG measure.
UnitPermID	bigint	Yes	Permanent Identifier of the unit of the physical data measure.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for the ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueDate	datetime2	Yes	Date value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T- TRUE, F-FALSE.
ValueText	nvarchar(300)	Yes	String value of the ESG measure being tracked.
ValuePrnt	float	Yes	Percent value of the ESG measure being tracked.

ESG2SocIndicator: Social Indicators

This table contains standardized company data for social indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SocIndicator (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ValueCalcDt	datetime2	Yes	The date when the ESG analytics was calculated and entered into the ESG data management system.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T-TRUE, F-FALSE"
ValuePrnt	float	Yes	Percentage value of the ESG measure being tracked.

ESG2SocValScore: Social Data Points

This table contains the value scores for the social data points and indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SocValScore (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ScoreCalcDt	datetime2	Yes	The date when the ESG score was calculated and entered into the ESG data management system.
Score	float	Yes	Relative score of the ESG measure being tracked.

ESG2GovDataPoint: Governance Data Points

This table contains standardized company data for governance data points.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2GovDataPoint (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ValueRecDt	datetime2	Yes	The date when the ESG value was entered into the ESG data management system.
UnitPct	float	Yes	Percentage of the organization coverage relevant to the ESG measure.
UnitPermID	bigint	Yes	Permanent identifier of the unit of the physical data measure.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueDate	datetime2	Yes	Date value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T- TRUE, F-FALSE.
ValueText	nvarchar(300)	Yes	String value of the ESG measure being tracked.
ValuePrcnt	float	Yes	Percent value of the ESG measure being tracked.

ESG2GovIndicator: Governance Indicators

This table contains standardized company data for Governance indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2GovIndicator (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ValueCalcDt	datetime2	Yes	The date when the ESG analytics was calculated and entered into the ESG data management system.
ISOCurrCode	char(3)	Yes	3 character ISO currency code for ESG value, where applicable.
Value_	float	Yes	Number value of the ESG measure being tracked.
ValueFlg	char(1)	Yes	Boolean value of the ESG measure being tracked. T-TRUE, F-FALSE
ValuePrnt	float	Yes	Percentage value of the ESG measure being tracked.

ESG2GovValScore: Governance Data Points

This table contains the value scores for governance data points and indicators.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2GovValScore (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ScoreCalcDt	datetime2	Yes	The date when the ESG score was calculated and entered into the ESG data management system.
Score	float	Yes	Relative score of the ESG measure being tracked.

ESG2AsRepMap: As Reported Data Links

This table contains the as reported data links to the data measures.

Note: This table is currently not available, to be released soon.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2AsRepMap (Clustered)	OrgPermID, Item, FY, Valued

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item. Value scores are calculated for 186 data points and indicators that contribute towards the ESG scoring calculations. These fields can be identified in column 'IncludedInScores' of the ESG2Item table, tagged with the value 'TRESG'.
FY	int	No	The particular fiscal year for which the data is defined.
Valued	Bigint	No	A unique Valued enables identification of each as reported measure. One data measure can map to many as reported measures. This Valued maps to the As Reported data in the ESG2AsRepData table.

ESG2AsRepData: As Reported Data

This table contains the as reported data for the data measures.

Note: This table is currently not available, to be released soon.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2AsRepData (Clustered)	Valued, Item

Field	Type	Nullable	Description
Valued	bigint	No	Value ID is a machine generated number that uniquely identifies each AsReportedValue instance associated with the EsgValue.
ValueRecDt	datetime2	Yes	The date when the AsReported value was entered into the ESG data management system.
ISOCurrCode	Char(3)	Yes	The 3-character ISO code for currency measures.
ScalePermID	bigint	Yes	The scale of the as reported data. Corresponding type code in the ESG2Code table. Cross-reference ScaleCode with ESG2Code.Code where Type_ = 7.
UnitPermID	bigint	Yes	The units of the as reported data. Corresponding type code in the ESG2Code table. Cross-reference UnitCode with ESG2Code.Code where Type_ = 8.
Value_	float	Yes	The value of the as reported data.

ESG2SourceMap: Data Item to Source Mapping

This table contains the source data links to the data measures.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SourceMap (Clustered)	OrgPermID, Item, FY, SourceId

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
SourceId	bigint	No	This is the unique Source ID where the ESG Value was detected. SourceId links to the Sources data. There may be many SourceIds populated for a data measure.

ESG2SourceData: Source Information

This table contains the source data used to build ESG values.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SourceData (Clustered)	SourceId

Field	Type	Nullable	Description
SourceId	bigint	No	The unique SourceId.
Author	nvarchar(300)	Yes	The author of the news article where the ESG value was detected.
Date_	datetime2	Yes	The date of the source where the ESG value was detected.
Page	nvarchar(25)	Yes	The page number or a range of pages in the source where the ESG value was detected.
Publisher	nvarchar(300)	Yes	The publisher of the source where the ESG value was detected.
Scope	varchar(30)	Yes	The coverage scope in the source where the ESG value was detected.
URL	nvarchar(3000)	Yes	The external URL of the source used to collect the ESG value.
TitleLangCode	varchar(35)	Yes	BCP-47 language code used for the ESG source title. Corresponding code description is in the ESG2Desc table. Cross-reference LangCode with ESG2Desc.Code where Type_ = 4."
CommentLangCode	varchar(35)	Yes	BCP-47 language code used for the ESG source comment. Corresponding code description is in the ESG2Desc table. Cross-reference LangCode with ESG2Desc.Code where Type_ = 4.
AbstractLangCode	varchar(35)	Yes	BCP-47 language code used for the ESG source abstract. Corresponding code description is in the ESG2Desc table. Cross-reference LangCode with ESG2Desc.Code where Type_ = 4.
Title	nvarchar(500)	Yes	The source title from which the ESG value was collected.
Comment	nvarchar(max)	Yes	The comment written by the analyst who collected the ESG value.
Abstract	nvarchar(max)	Yes	The abstract from the source where the ESG value was detected.

ESG2SourceCtrvData: Controversy Counts

This table contains the source data related to the controversy counts.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2SourceCtrvData (Clustered)	Sourcelid

Field	Type	Nullable	Description
Sourcelid	bigint	No	The unique Sourcelid.
Author	nvarchar(300)	Yes	The author of the news article where the ESG value was detected.
Date_	datetime2	Yes	The date of the source where the ESG value was detected.
Publisher	nvarchar(300)	Yes	The publisher of the source where the ESG value was detected.
Scope	varchar(30)	Yes	The coverage scope in the source where the ESG value was detected.

ESG2Scores: ESG Category, Pillar, and Summary Scores

This table contains the ESG category scores, pillar scores, and summary scores.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2Scores (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.
FY	int	No	The particular fiscal year for which the data is defined.
ScoreCalcDt	datetime2	Yes	The date when the ESG score was calculated.
Score	float	Yes	The ESG score value between 0 to 1.
ScoreGrade	varchar(5)	Yes	The ESG score converted into a grade.

ESG2DnIScores: Diversity and Inclusion Scores

This table contains the company' diversity and inclusion scores.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2DnIScores (Clustered)	OrgPermID, Item, FY

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
Item	smallint	No	An item code to uniquely identify each and every data point that is a part of the feed. Corresponding code description is in the ESG2Item table. Cross-reference Item with ESG2Item.Item.

Field	Type	Nullable	Description
FY	int	No	The particular fiscal year for which the data is defined.
ScoreCalcDt	datetime2	Yes	The date when the ESG score was calculated.
Score	float	Yes	The D&I score value between 0 to 1.

ESG2Code: Integer Code Descriptions

This table contains descriptions for the integer codes.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2Code (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	bigint	No	Code represents the Value_ data item from any ESG data.
Desc_	varchar(500)	Yes	Contains the coded data item description.

ESG2Desc: Character Codes Descriptions

This table contains descriptions for the character codes.

Update Cycle: Weekly

Adjusted: N/A

Indexes	Index Fields
pkey_ESG2Desc (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	varchar(50)	No	Code represents the Value_ data item from any ESG data.
Desc_	varchar(500)	Yes	Contains the coded data item description.

ESG2OrgPerMap: Organization and Period Mapping

This table contains the Organization and Period Id Mapping.

Update Cycle: Weekly **Adjusted:** N/A

Indexes	Index Fields
pkey_ESG2OrgPerMap (Clustered)	OrgPermID, PerId

Field	Type	Nullable	Description
OrgPermID	bigint	No	LSEG organization identifier.
PerId	int	No	PeriodId is a unique Id associated with the period end date used to report the financial data of the business at the end of the financial period for annual and interim results.
PerEndDt	datetime2	Yes	The fiscal period end date of the ESG report.

Copyright © 2025 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS