

LSEG Quantitative Analytics

Database Schema for S&P GICS

Version 1.0.4



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Pervasive and Oracle.....	3
Zero Values and Nulls.....	4
Service and Support	4
Feedback	5
Your Personal Information	5
2. S&P GICS Data Tables	6
SPG2CmpInfo: S&P GICS Company Information.....	7
SPG2Code: S&P GICS and Exchange Codes.....	7
SPG2Desc: S&P GICS Country and Issue Type Codes	7
SPG2DGICS: S&P GICS Direct Data	8
SPG2HGICS: S&P GICS Industrial Classification Changes	8
SPG2SecInfo: S&P GICS Security-Level Data	8
SPG2SecMktIdent: S&P GICS Security Licenses.....	9
3. S&P GICS History and GICS Direct Data (Legacy).....	10
Spgcode: S&P Code Descriptions for GICS History and Direct Data (Legacy).....	10
4. S&P GICS Direct Data (Legacy)	11
Spgdcomp: S&P GICS Direct Companies (Legacy).....	11
Spgdgics: S&P GICS Direct GICS (Legacy)	11
Spgdsec: S&P GICS Direct Securities (Legacy)	12
5. S&P GICS History Data (Legacy)	13
Spghcomp: S&P GICS History Companies (Legacy)	13
Spghgics: S&P GICS History GICS (Legacy).....	13
Spghsec: S&P GICS History Securities (Legacy)	14

1 Introduction

In This Document

This document provides schema information about the **S&P GICS** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **S&P GICS** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **SPG*** are **S&P GICS** data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback


We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. S&P GICS Data Tables

The following diagram shows the relationships between the S&P GICS tables.



SPG2CmpInfo: S&P GICS Company Information

This table contains all company information, including active and inactive companies.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2CmpInfo (Clustered)		GvKey	
Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
Name_	varchar(255)	Y	Name_ is the company name.
InclISOtryCode	char(3)	Y	InclISOtryCode is the ISO country code of the country of incorporation.
DomISOtryCode	char(3)	Y	DomISOtryCode is the ISO country code of the country of domicile.
IsActive	tinyint	Y	IsActive indicates if the company is currently active. It can be: 0 = Inactive 1 = Active

SPG2Code: S&P GICS and Exchange Codes

This table contains GICS code values and the exchange code values and their descriptions.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2Code (Clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	tinyint	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(240)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

SPG2Desc: S&P GICS Country and Issue Type Codes

This table contains country code values and issue type codes and their descriptions.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2Desc (Clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	tinyint	N	Type_ is a numeric code for a type of data.
Code	varchar(20)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(240)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

SPG2DGICS: S&P GICS Direct Data

This table contains current industrial classification information related to all active companies located globally.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2DGICS (Clustered)		GvKey	
Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
GSubInd	int	Y	GsubInd is the fourth and last level of the Global Industrial Classification.

SPG2HGICS: S&P GICS Industrial Classification Changes

This table contains changes to the industrial classification information related to all North American companies.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2HGICS (Clustered)		GvKey, StartDate	
Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
StartDate	datetime	N	StartDate is the date from which the classification is effective.
EndDate	datetime	Y	EndDate is the date on which the classification is no longer effective. EndDate will be null for the current record only, while all other records associated with GvKey will have a value populated in the EndDate field.
GSubInd	int	Y	GsubInd is the fourth and last level of the Global Industrial Classification.

SPG2SecInfo: S&P GICS Security-Level Data

This table contains the security-level data associated with active and inactive North American securities and active global securities.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SPG2SecInfo (Clustered)		Code	
Field	Type	Nullable	Description
Code	int	N	Code is a unique security identifier generated sequentially by Quantitative Data Warehouse (QDW). Code is derived from GvKey and the issue identifier (IID).
GvKey	int	N	GvKey is the S&P Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
IID	varchar(10)	N	IID is the issue identifier.
Ticker	varchar(20)	Y	Ticker is the S&P security issue ticker.
IssueDesc	varchar(28)	Y	IssueDesc is the security description.
IssueTypeCode	varchar(10)	Y	IssueTypeCode is the security issue type. SPG2SecInfo.IssueTypeCode cross-references with SPG2Desc .Code where Type_ = 1.

Field	Type	Nullable	Description
ExchCode	smallint	Y	ExchCode is the security issue listing exchange. SPG2SecInfo.ExchCode cross-references with SPG2Code .Code where Type_ = 1.
IsActive	tinyint	Y	IsActive indicates if the company is currently active. It can be: – 0 = Inactive – 1 = Active

SPG2SecMktIdent: S&P GICS Security Licenses

This table contains information about the security licenses. This table maps the Code field (security identifier) to the corresponding CUSIP, SEDOL, and ISIN identifiers primarily for entitlement reasons.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SPG2SecMktIdent (Clustered)	Code, Item, StartDate

Field	Type	Nullable	Description
Code	int	N	Code is a unique security identifier generated sequentially by Quantitative Data Warehouse (QDW). Code is derived from GvKey and the issue identifier (IID).
Item	tinyint	N	Item is an item number generated by Quantitative Data Warehouse (QDW) that corresponds to the type of identifier.
StartDate	datetime	N	StartDate is derived from the file's datetime stamp.
EndDate	datetime	Y	EndDate is calculated by subtracting one from the StartDate.
Value_	varchar(20)	Y	Value_ is the identifier value. Note: The CUSIP value will be truncated to eight characters, and the SEDOL value will be truncated to six characters.
LicFlag	int	N	LicFlag is the license flag. It can have the following values: – 1 = Unrestricted content items – 2 = CUSIP – 4 = SEDOL

3. S&P GICS History and GICS Direct Data (Legacy)

Spocode: S&P Code Descriptions for GICS History and Direct Data (Legacy)

This table contains S&P code descriptions for GICS history and direct data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Spgcode (Clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	smallint	N	The combination of Type_ and Code translates codes that are referenced throughout the SPG* tables. Type_ breaks down as follows: – GIC code descriptions – Exchange descriptions – Security type descriptions – ISO country descriptions
Code	varchar(8)	N	The combination of Code and Type_ translates codes that are referenced throughout the SPG* tables.
Desc_	varchar(240)	Y	Desc_ is the description.

4. S&P GICS Direct Data (Legacy)

Spgdcomp: S&P GICS Direct Companies (Legacy)

This table contains information for S&P GICS direct companies.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spgdcomp (Clustered)	GvKey
Spgdcomp_Cusip	Cusip, GvKey
Spgdcomp_Name	Name, GvKey
Spgdcomp_Ticker	Ticker

Field	Type	Nullable	Description
Ticker	varchar(8)	Y	Ticker is the S&P Compustat ticker for the company or SEDOL (MSCI companies).
Cusip	varchar(8)	Y	Note: If you do not have a CUSIP license, this field will be null.
Name	varchar(40)	Y	
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
Sedol	varchar(6)	Y	
Fic	varchar(3)	Y	Fic is the ISO country code of the country of incorporation. Fic references Spgcode .Code where Spgcode.Type_ = 4.
Loc	varchar(3)	Y	Loc is the ISO country code of the country of domicile. Loc references Spgcode where Spgcode.Type_ = 4 and Spgdcomp.Loc = Spgcode.Code.
Active	bit	Y	Active indicates if the company is currently active. It can be: – 0 = Inactive – 1 = Active

Spgdgics: S&P GICS Direct GICS (Legacy)

This table contains information for S&P GICS direct GICS

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spgdgics (Clustered)	GvKey

Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
FromDate	smalldatetime	Y	
ToDate	smalldatetime	Y	
SubInd	int	Y	SubInd is the GICS subindustry. SubInd references Spgcode where Spgcode.Type_ = 1 and Spgdgics.SubInd = Spgcode.Code.

Spgdsec: S&P GICS Direct Securities (Legacy)

This table contains information for S&P GICS direct securities.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spgdsec (Clustered)	GvKey, lid
Spgdsec_Cid	Cid, lid
Spgdsec_Isin	Isin, GvKey, lid
Spgdsec_Sedol	Sedol, GvKey, lid
Spgdsec_Ticker	Ticker, GvKey, lid

Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
Cid	varchar(8)	Y	Cid is the company identifier (S&P Compustat ticker or SEDOL for MSCI companies).
lid	varchar(3)	N	lid is the issue identifier.
Ticker	varchar(8)	Y	Ticker is the S&P Compustat security issue ticker.
Dsci	varchar(28)	Y	Dsci is the security description.
Sedol	varchar(6)	Y	
Isin	varchar(12)	Y	Isin is the security ISIN.
Tpci	varchar(8)	Y	Tpci is the security issue type. Tpci references Spgcode where Spgcode.Type_ = 3 and Spgdsec.Tpci = Spgcode.Code.
Exchg	smallint	Y	Exchg is the security issue listing exchange. Exchg references Spgcode where Spgcode.Type_ = 2 and Spgdsec.Exchg = Spgcode.Code.
Active	bit	Y	Active indicates if the security issue is currently active. It can be: – 0 = Inactive – 1 = Active

5. S&P GICS History Data (Legacy)

Spghcomp: S&P GICS History Companies (Legacy)

This table contains information for S&P GICS history companies.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spghcomp (Clustered)	GvKey
Spghcomp_Cusip	Cusip, GvKey
Spghcomp_Name	Name, GvKey
Spghcomp_Ticker	Ticker

Field	Type	Nullable	Description
Ticker	varchar(8)	Y	Ticker is the S&P Compustat ticker for the company or SEDOL (MSCI companies).
Cusip	varchar(8)	Y	Note: If you do not have a CUSIP license, this field will be null.
Name	varchar(40)	Y	
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
Sedol	varchar(6)	Y	
Fic	varchar(3)	Y	Fic is the ISO country code of the country of incorporation. Fic references Spgcode where Spgcode.Type_ = 4 and Spghcomp.Fic = Spgcode.Code_.
Loc	varchar(3)	Y	Loc is the ISO country code of the country of domicile. Loc references Spgcode where Spgcode.Type_ = 4 and Spghcomp.Loc = Spgcode.Code.
Active	bit	Y	Active indicates if the company is currently active. It can be: – 0 = Inactive – 1 = Active

Spghgics: S&P GICS History GICS (Legacy)

This table contains information for S&P GICS history GICS.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spghgics (Clustered)	GvKey,FromDate

Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
FromDate	smalldatetime	N	
ToDate	smalldatetime	Y	
SubInd	int	Y	SubInd is the GICS subindustry. SubInd references Spgcode where Spgcode.Type_ = 1 and Spghgics.SubInd = Spgcode.Code.

Spghsec: S&P GICS History Securities (Legacy)

This table contains information for S&P GICS history securities.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Spghsec (Clustered)	GvKey, lid
Spghsec_Cid	Cid, lid
Spghsec_Isin	Isin, GvKey, lid
Spghsec_Sedol	Sedol, GvKey, lid
Spghsec_Ticker	Ticker, GvKey, lid

Field	Type	Nullable	Description
GvKey	int	N	GvKey is the S&P Compustat Global Vantage Key for the company. GvKey is also the primary link across SPG* tables.
Cid	varchar(8)	Y	Cid is the company identifier (S&P Compustat ticker or SEDOL for MSCI companies).
lid	varchar(3)	N	lid is the issue identifier.
Ticker	varchar(8)	Y	Ticker is the S&P Compustat security issue ticker.
Dsci	varchar(28)	Y	Dsci is the security description.
Sedol	varchar(6)	Y	
Isin	varchar(12)	Y	Isin is the security ISIN.
Tpci	varchar(8)	Y	Tpci is the security issue type. Tpci references Spgcode where Spgcode.Type_ = 3 and Spghsec.Tpci = Spgcode.Code.
Exchg	smallint	Y	Exchg is the security issue listing exchange. Exchg references Spgcode where Spgcode.Type_ = 2 and Spghsec.Exchg = Spgcode.Code.
Active	bit	Y	Active indicates if the security issue is currently active. It can be: – 0 = Inactive – 1 = Active

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS