

REFINITIV QUANTITATIVE ANALYTICS

DATABASE SCHEMA FOR STARMINE ANALYTICS

VERSION 1.2.1

ISSUED MAY 2022

© [Refinitiv](#) 2022. All Rights Reserved. Republication or redistribution of Refinitiv content, including by framing or similar means, is prohibited without the prior written consent of Refinitiv. Refinitiv and the Refinitiv logo are trademarks of Refinitiv and its affiliated companies.

Contents

1	Introduction	5
	In This Document	5
	Intended Readership	5
	Table Name Conventions	5
	Pervasive and Oracle	5
	Zero Values and Nulls	6
	Service and Support.....	6
	Statement of Service	6
	Subscribe to Support Channels.....	6
	Documentation	6
	Get Support	6
	Online	6
	Telephone	7
	Feedback.....	7
	Your Personal Information.....	7
2	StarMine Analytics Information Tables	8
	SMAIdent.....	8
	SMAMap.....	9
	SMACode	9
	SMAItem.....	9
3	Combined Alpha Model Tables	11
	SMACAMAm	11
	SMACAMAp	12
	SMACAMEa	13
4	Combined Credit Risk Model Tables	14
	SMACCRAM.....	14
	SMACCRAp.....	15
	SMACCREa.....	15
5	Text Mining Credit Risk Model Tables.....	17
	SMATMCRAm	17

	SMATMCRAp.....	18
	SMATMCREa.....	18
6	Structural Credit Risk Model Tables.....	20
	SMASCRAm.....	20
	SMASCRAp.....	21
	SMASCREa.....	21
7	SmartRatios Credit Risk Model Tables	23
	SMASRCRAm	23
	SMASRCRAp	24
	SMASRCREa	24

1 Introduction

In This Document

This document provides schema information about the **StarMine Analytics** data tables in Refinitiv Quantitative Analytics deployed and in the cloud.

Note: For information about the other Refinitiv Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Refinitiv Quantitative Analytics](#) product page on [MyRefinitiv](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Refinitiv Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Refinitiv Quantitative Analytics clients licensed to use **StarMine Analytics** data through Refinitiv. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have.

Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Refinitiv Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016.

If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names “Number”, “Synonym”, and “UID” become “Number_”, “Synonym_”, and “UID_” in Oracle.

Zero Values and Nulls

Null values are usually recorded as “NULL”. A table may contain a value of “–99999” or “–9999”; in these cases, there is no recorded data for that period. (It is null.)

If the table contains a “0” value, the data was reported as having a “0” value.

Service and Support

[MyRefinitiv](#) is the Refinitiv portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The *Refinitiv Quantitative Analytics Service Description* is available on the [Refinitiv Quantitative Analytics](#) product page at [MyRefinitiv](#).

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Refinitiv Quantitative Analytics Service Description* available on the [Refinitiv Quantitative Analytics](#) product page at [MyRefinitiv](#) for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Content Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to Refinitiv Identification Codes.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services and be notified via SMS or email.

Documentation

You can access product documentation on the [Refinitiv Quantitative Analytics](#) product page at [MyRefinitiv](#).

Get Support

For support using Refinitiv Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at [MyRefinitiv](#).

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Refinitiv Quantitative Analytics from the dropdown list.
- In the “How can we help you?” text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

QA Support: 1.866.427.8390

- Option 1 – Product Support
- Option 2 – Technical Support.

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at [MyRefinitiv](#). Your feedback helps us continue to improve our user assistance.

Your Personal Information

Refinitiv is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2 StarMine Analytics Information Tables

SMAIdent			SMAItem			SMACode		
PK	<u>QuotePermID</u>	bigint	PK	<u>Item</u>	int	PK	<u>CodeType</u>	smallint
	InstrumentPermID	bigint		Mnemonic	varchar(80)	PK	<u>Code</u>	varchar(20)
	OrgPermID	bigint		ItemDesc	varchar(100)		Description	varchar(200)
	RIC	varchar(15)		Model	tinyint			
	EstimatePermID	bigint		TableCode	tinyint			
	CmpCtry	char(2)		DataType	tinyint			

SMAMap		
PK	<u>QuotePermID</u>	bigint
	SecID	int
	PriQuotePermID	bigint

SMAIdent

This table contains identifier information for securities included in the CAM model.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMAIdent (clustered)		QuotePermID	

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
InstrumentPermID	bigint	Y	Instrument Perm ID
OrgPermID	bigint	Y	Organization Perm ID
RIC	varchar(15)	Y	Refinitiv Identification Codes
EstimatePermID	bigint	Y	Estimate Perm ID
CmpCtry	char(2)	Y	Country of incorporation for the company. CmpCtry cross-references SMACode where SMACode.Type_ = 3

SMAMap

This table contains mapping data for StarMine SecID to PermID.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMAMap (clustered)		QuotePermID	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote PermID
SecID	int	Y	StarMine Security ID
PriQuotePermID	bigint	Y	Primary Quote Perm ID

SMACode

This table contains metadata for the CAM model.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMACode (clustered)		CodeType, Code	
Field	Type	Nullable	Description
CodeType	smallint	N	Code type lookup
Code	varchar(20)	N	Coded value
Description	varchar(200)	Y	Description

SMAItem

This table contains items relating to the StarMine Credit Risk models.

Update Cycle: N/A

Adjusted: N/A

Indexes		Index Fields	
pkey_SMAItem (clustered)		Item	

Field	Type	Nullable	Description
Item	int	N	Item number
Mnemonic	varchar(80)	Y	Item Mnemonic
ItemDesc	varchar(100)	Y	Item Description
Model	tinyint	Y	StarMine Model containing the item. Cross reference SMACode where Model = SMACode.code and SMACode.Type_ = 6
TableCode	tinyint	Y	Table name where the data can be located. Cross reference SMACode where TableCode = SMACode.code and SMACode.Type_ = 5
DataType	tinyint	Y	Type of data the item holds. Cross reference SMACode where DataType = SMACode.code and SMACode.Type_ = 4

3 Combined Alpha Model Tables

SMACAMAm (16951)			SMACAMEa (16952)			SMACAMAp (16953)		
PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)
	SecCtryPermID	int		SecCtryPermID	int		SecCtryPermID	int
	RegionPermID	int		RegionPermID	int		RegionPermID	int
	CamRegRank	tinyint		CamRegRank	tinyint		CamRegRank	tinyint
	CamCtryRank	tinyint		CamCtryRank	tinyint		CamCtryRank	tinyint
	CamSectRank	tinyint		CamSectRank	tinyint		CamSectRank	tinyint
	CamIndRank	tinyint		CamIndRank	tinyint		CamIndRank	tinyint

SMACAMAm

This table contains StarMine daily CAM Americas data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMACAMAm (clustered)	QuotePermID, CalcDate

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
SecCtryPermID	int	Y	Perm ID for the security's country of listing. Cross reference SMACode where CodeType = 2
RegionPermID	int	Y	Perm ID for the security's region used in the region rank calculations. Cross reference SMACode where CodeType = 1
CAMRegRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMCtryRank	tinyint	Y	1-100 rank, relative to other firms in the same country, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMSectRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC economic sector. There are ten TRBC economic sectors. Higher ranks are more bullish within a given sector

Field	Type	Nullable	Description
CAMIndRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC industry group. There are approximately 53 TRBC industry groups. Higher ranks are more bullish within a given industry group

SMACAMAp

This table contains StarMine daily CAM Asia Pacific data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMACAMAp (clustered)	QuotePermID, CalcDate

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
SecCtryPermID	int	Y	Perm ID for the security's country of listing. Cross reference SMACode where CodeType = 2
RegionPermID	int	Y	Perm ID for the security's region used in the region rank calculations. Cross reference SMACode where CodeType = 1
CAMRegRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMCtryRank	tinyint	Y	1-100 rank, relative to other firms in the same country, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMSectRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC economic sector. There are ten TRBC economic sectors. Higher ranks are more bullish within a given sector
CAMIndRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC industry group. There are approximately 53 TRBC industry groups. Higher ranks are more bullish within a given industry group

SMACAMEa

This table contains StarMine daily CAM Europe, Middle East, and Africa data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMACAMa (clustered)	QuotePermID, CalcDate

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
SecCtryPermID	int	Y	Perm ID for the security's country of listing. Cross reference SMACode where CodeType = 2
RegionPermID	int	Y	Perm ID for the security's region used in the region rank calculations. Cross reference SMACode where CodeType = 1
CAMRegRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMCtryRank	tinyint	Y	1-100 rank, relative to other firms in the same country, representing the StarMine Combined Alpha Model score for a security listing. Higher ranks are more bullish
CAMSectRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC economic sector. There are ten TRBC economic sectors. Higher ranks are more bullish within a given sector
CAMIndRank	tinyint	Y	A 1-100 rank, relative to other firms in the same region and TRBC industry group. There are approximately 53 TRBC industry groups. Higher ranks are more bullish within a given industry group

4 Combined Credit Risk Model Tables

SMACCRaM			SMACCRaP			SMACCRaEa		
PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)
PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint
	Region	varchar(50)		Region	varchar(50)		Region	varchar(50)
	SecCtry	char(2)		SecCtry	char(2)		SecCtry	char(2)
	Sector	char(2)		Sector	char(2)		Sector	char(2)
	Industry	char(6)		Industry	char(6)		Industry	char(6)
	IndustryClass	varchar(10)		IndustryClass	varchar(10)		IndustryClass	varchar(10)
	Value_	float		Value_	float		Value_	float

SMACCRaM

This table contains StarMine daily Combined Credit Risk Americas data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMACCRaM (clustered)	QuotePermID, CalcDate, Item

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMACCRAp

This table contains StarMine daily Combined Credit Risk Asia Pacific data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMACCRAp (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMACCREa

This table contains StarMine daily Combined Credit Risk Europe, Middle East, and Africa data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMACCREa (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations

Field	Type	Nullable	Description
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

5 Text Mining Credit Risk Model Tables

SMATMCRAM			SMATMCRAP			SMATMCREa		
PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)
PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint
	Region	varchar(50)		Region	varchar(50)		Region	varchar(50)
	SecCtry	char(2)		SecCtry	char(2)		SecCtry	char(2)
	Sector	char(2)		Sector	char(2)		Sector	char(2)
	Industry	char(6)		Industry	char(6)		Industry	char(6)
	IndustryClass	varchar(10)		IndustryClass	varchar(10)		IndustryClass	varchar(10)
	Value_	float		Value_	float		Value_	float

SMATMCRAM

This table contains StarMine daily Text Mining Credit Risk Americas data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMATMCRAM (clustered)	QuotePermID, CalcDate, Item

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMATMCRAp

This table contains StarMine daily Text Mining Credit Risk Asia Pacific data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMATMCRAp (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMATMCREa

This table contains StarMine daily Text Mining Credit Risk Europe, Middle East, and Africa data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMATMCREa (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations

Field	Type	Nullable	Description
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

6 Structural Credit Risk Model Tables

SMASCRAM			SMASCRAP			SMASCREa		
PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)
PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint
	Region	varchar(50)		Region	varchar(50)		Region	varchar(50)
	SecCtry	char(2)		SecCtry	char(2)		SecCtry	char(2)
	Sector	char(2)		Sector	char(2)		Sector	char(2)
	Industry	char(6)		Industry	char(6)		Industry	char(6)
	IndustryClass	varchar(10)		IndustryClass	varchar(10)		IndustryClass	varchar(10)
	Value_	float		Value_	float		Value_	float

SMASCRAM

This table contains StarMine daily Structural Credit Risk Americas data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMASCRAM (clustered)	QuotePermID, CalcDate, Item

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMASCRAp

This table contains StarMine daily Structural Credit Risk Asia Pacific data .

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMASCRAp (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMASCREa

This table contains StarMine daily Structural Credit Risk Europe, Middle East, and Africa data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMASCREa (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations

Field	Type	Nullable	Description
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

7 SmartRatios Credit Risk Model Tables

SMASRCRAM			SMASRCRAp			SMASRCREa		
PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)	PK	<u>CalcDate</u>	datetime2(3)
PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint	PK	<u>Item</u>	smallint
	Region	varchar(50)		Region	varchar(50)		Region	varchar(50)
	SecCtry	char(2)		SecCtry	char(2)		SecCtry	char(2)
	Sector	char(2)		Sector	char(2)		Sector	char(2)
	Industry	char(6)		Industry	char(6)		Industry	char(6)
	IndustryClass	varchar(10)		IndustryClass	varchar(10)		IndustryClass	varchar(10)
	Value_	float		Value_	float		Value_	float

SMASRCRAM

This table contains StarMine daily SmartRatios Credit Risk Americas data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_SMASRCRAM (clustered)	QuotePermID, CalcDate, Item

Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMASRCRAp

This table contains StarMine daily SmartRatios Credit Risk Asia Pacific data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMASRCRAp (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

SMASRCREa

This table contains StarMine daily SmartRatios Credit Risk Europe, Middle East, and Africa data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_SMASRCREa (clustered)		QuotePermID, CalcDate, Item	
Field	Type	Nullable	Description
QuotePermID	bigint	N	Quote Perm ID
CalcDate	datetime2(3)	N	Date the data was calculated
Item	smallint	N	StarMine Item - Cross reference SMAItem where item = SMAItem.Item
Region	varchar(50)	Y	Region code used in the region rank calculations

Field	Type	Nullable	Description
SecCtry	char(2)	Y	Two-letter code of the country of the security listing. Cross reference SMACode where SecCtry = SMACode.code and SMACode.Type_ = 10
Sector	char(2)	Y	TRBC Economic Sector, analogous to the GICS Sector.
Industry	char(6)	Y	TRBC Industry Group, analogous to the GICS Industry.
IndustryClass	varchar(10)	Y	Source name for Industry and Sector classifications
Value_	float	Y	Value for the item

© [Refinitiv](#) 2022. All Rights Reserved.
Republication or redistribution of Refinitiv content, including by framing or similar means, is prohibited without the prior written consent of Refinitiv. Refinitiv and the Refinitiv logo are trademarks of Refinitiv and its affiliated companies.

For more information visit us at
www.refinitiv.com