

LSEG Quantitative Analytics

Database Schema for Street Events Data

Version 1.0.2



LSEG DATA &
ANALYTICS

Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Zero Values and Nulls.....	3
Service and Support	3
Feedback	4
Your Personal Information	5
2. Street Events Schema Diagram	6
3. Street Events Data Tables	7
SECmpInfo.....	7
SECmpInfoChg	7
SECmpContact	8
SECmpContactChg.....	8
SECmpCoverage	8
SECmpEarnings	9
SEECInfo	9
SEECDet	10
SEIPO	10
SEDividend	11
SELocation.....	11
SERegistration	12
SESplit	12
SETouchpoint	13
SEAddIMat	13
SEMP3URL.....	14
SEInfo	14
SEHosts.....	15
SETopics.....	15
SEItem	16
SECode	16
SEDesc.....	16

1 Introduction

In This Document

This document provides schema information about the **Street Events** data tables in LSEG Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Street Events** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, tables that begin with **SE*** are **Street Events** data tables.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.
- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	


Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Street Events Schema Diagram



3. Street Events Data Tables

SECmplInfo

This table contains organization-level information.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SECmplInfo (clustered)		Cmpld	
Field	Type	Nullable	Description
Cmpld	int	No	Integer ID of the company.
OrgPermlId	bigint	Yes	Organization Perm ID.
CobrandId	int	Yes	Company ID based on legacy system. From 2005 onwards, most of the orgs should have the ID and CobrandID as the same.
CmpName	varchar(100)	Yes	Company Name.
Cusip	varchar(10)	Yes	Market level identifier of the issue.
Sedol	varchar(8)	Yes	Market level identifier of the issue.
Rank_	int	Yes	StreetEvents Company Rank.
CmpBoardIsClient	varchar(10)	Yes	This field is no longer used and is left in to maintain backwards compatibility.
IR_URL	varchar(500)	Yes	Company investor relations URL.
LicFlag	tinyint	Yes	Placeholder for future use.

SECmplInfoChg

This table contains organization-level information changes.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SECmplInfoChg (clustered)		Cmpld, Item, StartDt	
Field	Type	Nullable	Description
Cmpld	int	No	Integer ID of the company.
Item	int	No	Item is a unique integer code that identifies an item. It joins to the SECmplInfo table.
StartDt	datetime	No	The date from which validity of the Item value begins.
EndDt	datetime	Yes	The date when validity of the Item value ends.
Value_	varchar(1000)	No	Value of the corresponding item.
LicFlag	tinyint	Yes	Placeholder for future use.

SECmpContact

This table contains organization-level contact information.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SECmpContact (clustered)	CmpId

Field	Type	Nullable	Description
CmpId	int	No	Integer ID of the company.
ContactName	varchar(200)	Yes	Contact person's full name.
Email	varchar(100)	Yes	Contact person's email address.
Phone	varchar(50)	Yes	Contact person's phone number.
Title	varchar(200)	Yes	Contact person's title.
LicFlag	tinyint	Yes	Placeholder for future use.

SECmpContactChg

This table contains organization-level contact information changes.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SECmpContactChg (clustered)	CmpId, Item, StartDt

Field	Type	Nullable	Description
CmpId	int	No	Integer ID of the company.
Item	int	No	Item is a unique integer code that identifies an item. It joins to the SECmpContact table.
StartDt	datetime	No	The date from which validity of the Item value begins.
EndDt	datetime	Yes	The date when validity of the item value ends.
Value_	varchar(200)	No	Value of the corresponding item.
LicFlag	tinyint	Yes	Placeholder for future use.

SECmpCoverage

This table contains company coverage event information.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SECmpCoverage (clustered)	CmpId

Field	Type	Nullable	Description
CmpId	int	No	Integer ID of the company.
CobrandId	int	Yes	Company ID based on legacy system. From 2005 onwards, most of the orgs should have the ID and CobrandID as the same.
EvtCov	varchar(50)	Yes	Events Coverage. Which can be either Full, Partial, None, or Rejected.

Field	Type	Nullable	Description
BrfCov	varchar(50)	Yes	Briefs Coverage. Which can be either Full, Partial, None, or Rejected.
TransCov	varchar(50)	Yes	Transcript Coverage. Which can be either Full, Partial, None, or Rejected.
ConfPresTransCov	varchar(50)	Yes	Conference Presentations Transcript Coverage. Which can be either Full, Partial, None, or Rejected.
LicFlag	tinyint	Yes	Placeholder for future use.

SECmpEarnings

This table contains company earnings event information.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SECmpEarnings (clustered)	Cmpld, EarnTypeCode, PerTypeCode, FYE, CalQtrEnd

Field	Type	Nullable	Description
Cmpld	int	No	Integer ID of the company.
EarnTypeCode	int	No	Type attribute indicates the type of EarningsRecord. Type may contain 'Estimate' or 'Actual'.
PerTypeCode	int	No	PerType attribute indicates the time period this earnings data refers to. May contain 'Quarterly' or 'Annual'.
FYE	int	No	End month/year of the fiscal year to which this record applies.
CalQtrEnd	int	No	The month and year representing the end of the current calendar quarter.
CobrandId	int	Yes	Company ID based on legacy system. From 2005 onwards, most of the orgs should have the ID and CobrandID as the same.
FY	int	Yes	Fiscal year to which this record applies.
FQtr	tinyint	Yes	The number of the current quarter (i.e. 1, 2, 3, or 4).
EarnNum	float	Yes	The consensus earnings number, which is either Actual or Estimated, for either the Quarter, or Year, as specified by the attributes of EarningsRecord.
Brokers	smallint	Yes	The number of brokers used in determining the EarningsNumber.
LicFlag	tinyint	Yes	Placeholder for future use.

SEECoinfo

This table contains economic event definition and description.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEECoinfo (clustered)	Ecold

Field	Type	Nullable	Description
Ecold	int	No	Integer ID of the Economic event.
ReleasedFor	varchar(100)	Yes	Time period released for.
EcoName	varchar(255)	Yes	Event name.

Field	Type	Nullable	Description
Description_	varchar(6000)	Yes	Event Description.
EventDef	varchar(2000)	Yes	Event Definition.
LicFlag	tinyint	Yes	Placeholder for future use.

SEECoDet

This table contains economic event details.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEECoDet (clustered)	EcoId, SeqNum

Field	Type	Nullable	Description
EcoId	int	No	Integer ID of the Economic event.
SeqNum	tinyint	No	Incremental sequence number generated based on EcoId and sorted in ascending order for every economic event.
EcoName	varchar(100)	Yes	Details name.
Actual	varchar(50)	Yes	Actual value.
Consensus	varchar(50)	Yes	Consensus value.
Prefix	varchar(10)	Yes	Prefix.
Suffix	varchar(50)	Yes	Suffix.
Status_	char(6)	Yes	Status.
PrimaryValue	bit	Yes	Primary Value.
LicFlag	tinyint	Yes	Placeholder for future use.

SEIPO

This table contains IPO event details.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEIPO (clustered)	IPOId

Field	Type	Nullable	Description
IPOId	int	No	Integer ID of the IPO event.
CmpId	int	Yes	Integer ID of the company.
AmtExpPrcLow	float	Yes	Low end of expected offering price range.
AmtExpPrcHigh	float	Yes	High end of expected offering price range.
AmtOfferSize	float	Yes	Amount/value of the offer.
FilingDt	datetime	Yes	SEC Filing Date.
Exchange	varchar(150)	Yes	Exchange.
FormFiled	varchar(255)	Yes	Form Filed with SEC.
LeadUnderCmpName	varchar(200)	Yes	Lead underwriter company name.
NumOfShs	bigint	Yes	Number of shares offered.
BizDescription	varchar(2000)	Yes	Additional description.
LicFlag	tinyint	Yes	Placeholder for future use.

SEDividend

This table contains dividend event information.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SEDividend (clustered)		DivId, Cmpld	
Field	Type	Nullable	Description
DivId	int	No	Integer ID of the Dividend event.
Cmpld	int	No	Integer ID of the company.
DecDt	datetime	Yes	Date when board of directors approved the dividend payment.
DecDtType	varchar(3)	Yes	Type indicates the date type.
PaymDt	datetime	Yes	The date on which a cash dividend will be paid to stockholders of record.
PaymDtType	varchar(3)	Yes	Type indicates the date type.
RecDt	datetime	Yes	Stockholders of record on this Date are entitled to the dividend payment.
RecDtType	varchar(3)	Yes	Type indicates the date type.
ExDivDt	datetime	Yes	The ExDividend Date is the date on which the security's opening market price reflects a deduction equal to the amount of the dividend payment.
ExDivDtType	varchar(3)	Yes	Type indicates the date type.
PaymISOCurrCode	varchar(3)	Yes	CurrencyCode indicates the currency of the payment amount. Currency codes are ISO 4217 compliant, with the exception of the value 'STK' which indicates a stock dividend.
PaymAmt	float	Yes	Dividend Payment amount.
AnnPaymISOCurrCode	varchar(3)	Yes	CurrencyCode indicates the currency of the payment amount. Currency codes are ISO 4217 compliant, with the exception of the value 'STK' which indicates a stock dividend.
AnnPaymAmt	float	Yes	Annualized indicated annual dividend payment.
Description_	varchar(255)	Yes	Describes the nature or type of dividend.
LicFlag	tinyint	Yes	Placeholder for future use.

SELocation

This table contains event location information.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SELocation (clustered)		LocId	
Field	Type	Nullable	Description
LocId	int	No	Integer ID of the Location event.
LocName	varchar(100)	Yes	Location name.
Cmpld	int	Yes	Integer ID of the company.
AddrLine1	varchar(100)	Yes	Location address line 1.
AddrLine2	varchar(100)	Yes	Location address line 2.

Field	Type	Nullable	Description
City	varchar(50)	Yes	Location city.
State_	varchar(50)	Yes	Location state.
Zip	varchar(50)	Yes	Location zip code.
Country	varchar(50)	Yes	Location country.
LicFlag	tinyint	Yes	Placeholder for future use.

SERegistration

This table contains event registration details.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SERegistration (clustered)	RegId

Field	Type	Nullable	Description
RegId	int	No	Integer ID of the Registration event.
CmpId	int	Yes	Integer ID of the company.
IsRegRequired	varchar(3)	Yes	May contain 'No' or 'Yes' and indicates whether registration is required for this event.
EndDt	datetime	Yes	Registration end date and time.
Phone	varchar(40)	Yes	Registration phone number.
Fax	varchar(40)	Yes	Registration fax number.
URL	varchar(500)	Yes	Registration URL.
Email	varchar(100)	Yes	Registration email address.
LicFlag	tinyint	Yes	Placeholder for future use.

SESplit

This table contains Split event details.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SESplit (clustered)	SplitId

Field	Type	Nullable	Description
SplitId	int	No	Integer ID of the Split event.
CmpId	int	Yes	Integer ID of the company.
DecDt	datetime	Yes	Date when board of directors approved the split.
DecDtType	varchar(4)	Yes	Type indicates the date type.
PaymDt	datetime	Yes	The date on which a stock distribution will be paid to stockholders of record.
PaymDtType	varchar(4)	Yes	Type indicates the date type.
RecDt	datetime	Yes	Stockholders of record on this Date are entitled to the split.
RecDtType	varchar(4)	Yes	Type indicates the date type.
ExDistDt	datetime	Yes	The ExDistribution Date is the date on which the security's opening market price reflects the split-adjusted price.
ExDistDtType	varchar(4)	Yes	Type indicates the date type.
SplitRatio	float	Yes	Split Ratio (i.e. 2 means a 2 for 1 split).

Field	Type	Nullable	Description
Description_	varchar(255)	Yes	Describes the nature or type of the split.
LicFlag	tinyint	Yes	Placeholder for future use.

SETouchpoint

This table contains touch point or access methods for an event.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SETouchpoint (clustered)	TPId, SeqNum

Field	Type	Nullable	Description
TPId	int	No	Integer ID of the TouchPoint event.
SeqNum	tinyint	Yes	Incremental sequence number for every unique touchpoint (Phone and/or URL), which is generated based on TPId and sorted in the ascending order by TPType, Phone and URL.
TPType	varchar(50)	Yes	Type of TouchPoint.
CmpId	int	Yes	Integer ID of the company.
Sponsor	varchar(100)	Yes	Sponsor may identify the sponsoring company.
Permission	varchar(100)	Yes	Permission identifies the permissions associated with all information related to this touch point.
Phone	varchar(40)	Yes	Phone number access point.
URL	varchar(500)	Yes	An online site specifically prepared for the event/location.
URLType	varchar(100)	Yes	Type indicates what type of StreetEvents webcast, or indicates that it is a third-party webcast, not hosted by StreetEvents.
URLFormat	varchar(100)	Yes	Format indicates audio format of webcast. Useful for determining what type of media player should be used.
PwdRequired	varchar(3)	Yes	Is password required.
Pwd	varchar(50)	Yes	Access password.
StartDateType	varchar(4)	Yes	Type indicates the date type.
StartDate	datetime	Yes	Start Date to access touch point.
EndDateType	varchar(4)	Yes	Type indicates the date type.
EndDate	datetime	Yes	End Date to access touch point.
Description_	varchar(6000)	Yes	Touchpoint Description.
LicFlag	tinyint	Yes	Placeholder for future use.

SEAddlMat

This table contains any additional materials used for the event, e.g. presentation materials.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEAddlMat (clustered)	EventId, SeqNum

Field	Type	Nullable	Description
EventId	int	No	Integer ID of the Event.

Field	Type	Nullable	Description
SeqNum	tinyint	Yes	Incremental sequence number for every unique Content or Media URL, which is generated based on EventId and sorted in the ascending order by URL.
CmpId	int	Yes	Integer ID of the company.
ContentType	varchar(100)	Yes	Any additional materials used for the event, e.g. presentation materials.
MediaType	varchar(50)	Yes	This tells the user in what media type the additional materials can be accessed, e.g. a link.
URL	varchar(500)	Yes	This is the exact URL link to the additional material.
LicFlag	tinyint	Yes	Placeholder for future use.

SEMP3URL

This is the MP3 recording of the event. This only applies to events with public audios.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEMP3URL (clustered)	EventId

Field	Type	Nullable	Description
EventId	int	No	Integer ID of the Event.
CmpId	int	Yes	Integer ID of the company.
MP3URL	varchar(500)	Yes	Contains the MP3 Audio URL.
LicFlag	tinyint	Yes	Placeholder for future use.

SEInfo

This parent table contains information for all events e.g., global transcripts, briefs, events, guidance, filings and others.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEInfo (clustered)	EventId

Field	Type	Nullable	Description
EventId	int	No	Integer ID of the Event.
TypId	int	Yes	Integer code for various type of Event.
ParentId	int	Yes	Integer ID of the parent Event.
Permission	varchar(50)	Yes	Permission attribute that controls whether the event will be included in the feed.
PermissionDet	varchar(50)	Yes	Permission identifies the permissions associated with all information related to this event.
SEMIId	bigint	Yes	New strategic PermID for Events.
EventName	varchar(255)	Yes	Event Name.
StartDt	datetime	Yes	Event start date and time.
StartDtType	varchar(4)	Yes	Type indicates the date type.
StartDtIsEst	varchar(3)	Yes	IsEstimated may contain 'No' or 'Yes' and indicates whether the date information is an estimate. The implied value is 'No'.
EndDt	datetime	Yes	Event end date and time.

Field	Type	Nullable	Description
EndDtType	varchar(4)	Yes	Type indicates the date type.
EndDtIsEst	varchar(3)	Yes	IsEstimated may contain 'No' or 'Yes' and indicates whether the date information is an estimate. The implied value is 'No'.
LocPhoneVoice	varchar(200)	Yes	Location voice phone number.
SponsorCmpld	int	Yes	Integer ID of the company.
TransMDStatus	varchar(20)	Yes	Status of the transcript attached to the event (Expected, Cancelled, Modified, Approved).
TransMDDelivery	varchar(20)	Yes	How the transcript will be processed (Live, Near-live, Regular).
LastUpdatedAt	datetime	Yes	Date when event record was last updated.
CreationDt	datetime	Yes	Date when event record was created.
Source_	varchar(20)	Yes	Source for the event information.
EventNotes	varchar(max)	Yes	Event notes and details. Additional information about the event. This could also contain special instructions from the host of the event.
FY	int	Yes	Fiscal year for a quarterly event.
Qtr	int	Yes	Quarter for a quarterly event.
BriefMDStatus	varchar(20)	Yes	Status of the brief related to the transcript attached to the event (Expected, Cancelled, Modified, Approved).
LicFlag	tinyint	Yes	Placeholder for future use.

SEHosts

This is a child table of [SEInfo](#) that captures multiple (hosts) Cmpld for a given event.

Update Cycle: Hourly

Adjusted: N/A

Indexes	Index Fields
PK_ SEHosts (clustered)	EventId, Cmpld

Field	Type	Nullable	Description
EventId	int	No	Integer ID of the Event.
Cmpld	int	Yes	Integer ID of the company.
LicFlag	tinyint	Yes	Placeholder for future use.

SETopics

This is a child table of [SEInfo](#) that captures multiple topics in a given event.

Update Cycle: Hourly **Adjusted:** N/A

Indexes	Index Fields
PK_ SETopics (clustered)	EventId, SeqNum

Field	Type	Nullable	Description
EventId	int	No	Integer ID of the Event.
SeqNum	tinyint	Yes	Incremental sequence number for every unique Topic. It's generated based on EventId and sorted in the ascending order by Topic.
Topic	varchar(500)	Yes	May contain one or more Event topics.
LicFlag	tinyint	Yes	Placeholder for future use.

SEItem

This table contains item codes assigned to each individual attribute in the [SECmplInfoChg](#) and [SECmpContactChg](#) tables.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SEItem (clustered)		Item	
Field	Type	Nullable	Description
Item	smallint	No	Item is a unique integer code that identifies an item. It joins to the SECmplInfoChg and SECmpContactChg tables.
Mnemonic	varchar(100)	Yes	Mnemonic is a single-word, alphanumeric coded name for the item.
Description_	varchar(500)	Yes	Desc_ is a short description of the item.
Data Type	varchar(10)	Yes	Data type of the underlying Item value_.
Data Tables	varchar(20)	Yes	Numeric code for the Table that corresponding Item joins to.
Code Numb	tinyint	Yes	Corresponding Type_ code in the SECode table.
Desc Numb	tinyint	Yes	Corresponding Type_ code in the SEDesc table.

SECode

This table contains descriptions for the integer codes.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SECode (clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	int	No	Code represents the Value_ data item from any StreetEvents data or change table.
Desc	varchar(100)	Yes	Contains the coded data item description.

SEDesc

This table contains descriptions for the character codes.

Update Cycle: Hourly

Adjusted: N/A

Indexes		Index Fields	
PK_ SEDesc (clustered)		Type_, Code	
Field	Type	Nullable	Description
Type_	int	No	Enlists types of codified data items.
Code	varchar(50)	No	Code represents the Value_ data item from any StreetEvents data or change table.
Desc_	varchar(200)	Yes	Contains the coded data item description.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS