

LSEG Quantitative Analytics

Database Schema for Symbology

V1.1.9 (May 2022)



LSEG DATA &
ANALYTICS

Contents

- 1. Introduction3
 - In This Document.....3
 - Intended Readership3
 - Table Name Conventions3
 - Pervasive and Oracle3
 - Zero Values and Nulls3
 - Service and Support4
 - Feedback.....4
 - Your Personal Information5
- 2. Symbology6
 - Schema Diagram6
 - PermOrgRef7
 - PermOrgInfo8
 - PermInstrRef9
 - PermInstrInfo10
 - PermQuoteRef.....11
 - PermQuoteInfo12
 - PermCode13
 - PermCusipData13
 - PermCinCusipData13
 - PermISINData14
 - PermSedolData14
 - PermRICData14
 - PermSecMapX.....15

1. Introduction

In This Document

This document provides schema information about the **Symbology** data tables in LSEG Quantitative Analytics.

Note: For information about the other LSEG Quantitative Analytics tables, refer to the other Database Schema documents posted on the [LSEG Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for LSEG Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for LSEG Quantitative Analytics clients licensed to use Symbology data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have.

Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In LSEG Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables beginning with Perm* are Symbology data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016.

If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". A table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.)

If the table contains a "0" value, the data was reported as having a "0" value.

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The *LSEG Quantitative Analytics Service Description* is available on the [LSEG Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *LSEG Quantitative Analytics Service Description* available on the [LSEG Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Content Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to LSEG Identification Codes.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [LSEG Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using LSEG Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue [Get Support](#) button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select LSEG Quantitative Analytics from the dropdown list.
- In the “How can we help you?” text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

QA Support: 1.866.427.8390

- Option 1 – Product Support
- Option 2 – Technical Support.

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at [MyAccount](#). Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy and Cookie Statement | LSEG](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Symbology

Schema Diagram

PermOrgRef			PermInstrRef			PermSecMapX		
PK	<u>OrgPermID</u>	bigint	PK	<u>InstrPermID</u>	bigint	PK	<u>RegCode</u>	tinyint
	Status	varchar(50)		IsPrimary	bit	PK	<u>SecCode</u>	int
	TypeCode	varchar(50)		Status	varchar(400)	PK	<u>EntType</u>	smallint
	DomCntryPermID	bigint		TypeCode	varchar(400)	PK	<u>Rank</u>	smallint
	IncCntryPermID	bigint		ComName	varchar(400)		EntPermID	bigint
	PriInstrPermID	bigint		CurrPermID	bigint		StartDate	datetime2(3)
	ValQuotePermID	bigint		OrgPermID	bigint		EndDate	datetime2(3)
	ComName	nvarchar(1000)		PrimTrdQuotePermID	bigint	PermSINData		
	ImmediateParentOrgPermID	bigint		ValQuotePermID	bigint	PK	<u>InstrPermID</u>	bigint
	UltimateParentOrgPermID	bigint		WorldscopeCmplD	varchar(12)	PK	<u>StartDate</u>	datetime
	PriEstPermID	bigint		PriRptEntityCode	varchar(5)		EndDate	datetime
	WorldscopeCmplD	varchar(12)		PriEstPermID	bigint		ISIN	varchar(12)
	PriRptEntityCode	varchar(5)		LipperID	bigint			
	LEI	varchar(20)		EJVAssetID	varchar(20)			
	CIK	char(10)		ADRRatio	varchar(30)			
	LipperID	bigint						
	OrganizationPI	bigint						

PermOrgInfo			PermQuoteRef			PermQuoteInfo		
PK	<u>OrgPermID</u>	bigint	PK	<u>QuotePermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
	AddrTypeCode	smallint		Status	varchar(2)		Category	varchar(400)
	IsPublic	bit		IsPrimary	bit		RCSAssetCla	varchar(400)
	IPODate	datetime		TypeCode	varchar(400)		Opol	varchar(4)
	ISO2CntryCode	char(2)		CurrPermID	bigint		ShortName	varchar(400)
	LegalName	nvarchar(1000)		ExchCode	varchar(400)		TrdWhenIssued	bit
	AddrLine1	nvarchar(150)		InstrPermID	bigint		Is144aReg	bit
	AddrLine2	nvarchar(150)		Mic	varchar(4)		RetireDate	datetime
	City	varchar(255)		Ticker	varchar(25)			
	StateProv	nvarchar(100)		ComName	varchar(400)			
	PostalCode	varchar(100)		PriEstPermID	bigint			
	PriTRBCIndPermID	bigint		LotSize	float			
	CntryGeoID	bigint		DsQuoteNumber	char(6)			

PermCode			PermInstrInfo			PermRICData		
PK	<u>CodeType</u>	int	PK	<u>InstrPermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>Code</u>	varchar(100)		RCSAssetCla	varchar(30)	PK	<u>StartDate</u>	datetime
	Description	varchar(300)		Category	varchar(400)		EndDate	datetime
				ShortName	varchar(400)		RIC	varchar(400)

PermCinCusipData			PermCusipData			PermSedolData		
PK	<u>InstrPermID</u>	bigint	PK	<u>InstrPermID</u>	bigint	PK	<u>QuotePermID</u>	bigint
PK	<u>StartDate</u>	datetime	PK	<u>StartDate</u>	datetime	PK	<u>StartDate</u>	datetime
	EndDate	datetime		EndDate	datetime		EndDate	datetime
	CinCusip	varchar(9)		CinCusip	varchar(9)		Sedol	varchar(7)

PermOrgRef

This table provides detailed reference information about organizations.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ OrgRef (clustered)		OrgPermID	

Field	Type	Nullable	Description
OrgPermID	bigint	No	Organization Perm ID
Status	varchar(50)	Yes	Has the following possible values: – Active (Act) – Inactive (InAct)
TypeCode	varchar(50)	Yes	Organization Type. TypeCode cross references with PermCode.Code where CodeType=1. Values available are: CBNK - Central Bank CINV - Collective Investment CLGUN - Academic Institutions COM - Business Organization GVT - Government GVTDA - Government Department/Agency MKP - Market Participant NGO - Non-Government Organization (NGO) SUPN - Supranational UNK - Unknown
DomCntryPermID	bigint	Yes	Geographical Headquarters of the organization
IncCntryPermID	bigint	Yes	Country in which the party received its charter allowing it to operate as a corporation. If the country of incorporation is not disclosed, or if the company is not a corporation, then this would be populated same as current country or where the company was formed.
PrilnstrPermID	bigint	Yes	Primary Instrument ID.
ValQuotePermID	bigint	Yes	This is the main 'primary' Quote for a multi-listed share line that is used to calculate Market Cap. In the US, for example, this will be the consolidated quote on NYSE, AMEX or NASDAQ. It is set for EVERY share line, because Market Cap can be calculated on the whole company or on each issue.
ComName	nvarchar(1000)	Yes	The name of the organization in mixed case, manually limited to 80 characters to meet OptionX requirements. The organization legal name is used to populate this field when the legal name does not exceed 80 characters. Applied to all organizations.
ImmediateParentOrgPermID	bigint	Yes	Immediate Parent Organization ID.
UltimateParentOrgPermID	bigint	Yes	Ultimate Parent Organization ID.

Field	Type	Nullable	Description
PriEstPermID	bigint	Yes	Primary Estimate ID.
WorldscopeCmplD	varchar(12)	Yes	Worldscope Company ID.
PriRptEntityCode	varchar(5)	Yes	Primary Reporting Entity Code.
LEI	varchar(20)	Yes	Legal Entity ID.
CIK	char(10)	Yes	A Central Index Key or CIK number is a number given to an individual or company by the United States Securities and Exchange Commission.
LipperID	bigint	Yes	Lipper Identifier.
OrganizationPI	bigint	Yes	OrganizationPI. Can be used to cross reference "OrgID" in RDC.

PermOrgInfo

This table provides information on the organization, including its physical location and contact details.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes	Index Fields
pkey_ OrgInfo (clustered)	OrgPermID, AddrTypeCode

Field	Type	Nullable	Description
OrgPermID	bigint	No	Organization Perm ID
AddrTypeCode	smallint	No	Code representing the type of address: – 1 – HEA: Headquarters – 2 – LREG: Registered Address – 3 – BRA: Branch – 4 – MAI: Mailing – 5 – UNK : Unknown
IsPublic	bit	Yes	Is the organization public
IPODate	datetime	Yes	Date the company went public
ISO2CntryCode	char(2)	Yes	Organization Country Iso31661 Alpha Code
LegalName	nvarchar(1000)	Yes	Full registered legal name of the company or official name of the institution (including upper and lower case characters). Reserved for the primary language version of the name. Where a Body Group legal or official name exists in more than one language - for example, Switzerland where an organization may be registered in up to four languages - the language most commonly used in the area where the head office is based is used for Legal Name purposes.
AddrLine1	nvarchar(150)	Yes	Text representing the first lines of an address - excluding county, zip code and country.
AddrLine2	nvarchar(150)	Yes	Text representing the first lines of an address - excluding county, zip code and country.

Field	Type	Nullable	Description
City	varchar(255)	Yes	Text representing the town, neighborhood, or municipality of an address.
StateProv	nvarchar(100)	Yes	Text representing the state or province part of an address.
PostalCode	varchar(100)	Yes	Text representing the first lines of an address - excluding county, zip code and country.
PriTRBCIndPermID	bigint	Yes	Current primary TRBC assignment.
CntryGeoID	bigint	Yes	Country or Geography Perm ID.

PermlnstrRef

This table provides detailed reference information at the financial instrument level.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ InstrRef (clustered)		InstrPermID	

Field	Type	Nullable	Description
InstrPermID	bigint	No	PermID of the financial instrument.
IsPrimary	bit	Yes	Indicates if it is a primary instrument.
Status	varchar(400)	Yes	For non debt issues if an Issue Asset/Instrument has at least one Quote which is Active (Asset State = 'AC'), then AssetState is Active 'AC', else, if all Quote Assets are Deactivated (Asset State = 'DC') then AssetState becomes Deactivated 'DC'. AssetState is derived for all Asset types except DEBT Issues which are maintained by the DBS forward feed. AssetState is 'NA' (Not Applicable) when no Quote Asset is found against the Issue/Instrument, in particular new Issues will get 'NA' status as soon as they get created and until a Quote is assigned to them. NA also applies to instruments not properly classified. States other than AC, DC and NA are only set for FI issues. The full set of states is: – CA – Called – DE – Defaulted – EX – Exchanged – ME – Merged – MA – Matured – RE – Redenominated – AC – Active – DC – De-activated – NA – Not applicable
TypeCode	varchar(400)	Yes	This is a legacy field. Reference the RCSAssetCla field in the PermQuoteInfo and PermlnstrInfo tables.
ComName	varchar(400)	Yes	Population of this field is not mandatory. In most instances the field will not be populated, except for Equity Indices, and Warrants sourced from DBS.

Field	Type	Nullable	Description
CurrPermID	bigint	Yes	The Issue Currency ID.
OrgPermID	bigint	Yes	The id of the origination or body group to which an issuer relationship exists between the instrument and organization.
PriTrdQuotePermID	bigint	Yes	This field identifies the quote for an instrument on the primary exchange it is traded on. This is applicable to multi-listed US-based companies.
ValQuotePermID	bigint	Yes	This is the main 'primary' Quote for a multi-listed share line that is used to calculate Market Cap. In the US, for example, this will be the consolidated quote on NYSE, AMEX or NASDAQ. It is set for EVERY share line, because Market Cap can be calculated on the whole company or on each issue.
WorldscopeCmpID	varchar(12)	Yes	Worldscope Company ID.
PriRptEntityCode	varchar(5)	Yes	Primary Reporting Entity Code.
PriEstPermID	bigint	Yes	Primary Estimate ID.
LipperID	bigint	Yes	Lipper Identifier.
EJVAssetID	varchar(20)	Yes	Fixed Income EJV Asset ID.
ADRRatio	varchar(30)	Yes	ADR Ratio.

PermlnstrInfo

This table provides information about the financial instrument.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ InstrInfo (clustered)		InstrPermID	

Field	Type	Nullable	Description
InstrPermID	bigint	No	PermID of the financial instrument.
RCSAssetCla	varchar(30)	Yes	LSEG Classification Scheme classification. Cross-reference RCSAssetCla with RDCDesc.Code where RDCDesc.Type_ = 60.
Category	varchar(400)	Yes	This is a legacy field. Use the RCSAssetCla field to identify the correct classification of a security.
ShortName	varchar(400)	Yes	This field is not mandatory for Issue Assets. The field may hold a value for some Debt and Commodities instruments (sourced from DBS and CMI respectively). No formal standard has been set.

PermQuoteRef

This table provides detailed reference information about quotes.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes	Index Fields
pkey_ QuoteRef (clustered)	QuotePermID

Field	Type	Nullable	Description
QuotePermID	bigint	No	PermId of the quote.
Status	varchar(2)	Yes	Indicates the status assigned to a given financial instrument. For example, 'Active', 'De-activated.' Population of this field is mandatory for an Asset, which cannot be edited manually. The field should hold a valid status classification for the Asset in question: – AC – Active – CA – Called – DC – De-activated – DE – Defaulted – EX – Exchanged – MA – Matured – ME – Merged – NA – Not applicable – RE – Redenominated
IsPrimary	bit	Yes	Indicates if it is a primary financial instrument.
TypeCode	varchar(400)	Yes	This is a legacy field. Reference the RCSAssetCla field in the PermQuoteInfo and PermInstrInfo tables.
CurrPermID	bigint	Yes	The currency in which the quote asset is quoted.
ExchCode	varchar(400)	Yes	Exchange code for the given quote asset – includes both real world and pseudo exchange codes (allocated on IDN).
InstrPermID	bigint	Yes	The field should hold a correct, valid PermId representing the correct Issue Asset for the instrument in question. An Issue Asset can have zero or many Quote Assets. A Quote Asset can have zero or a maximum of one Issue Assets.
Mic	varchar(4)	Yes	Market Identifier Code. This is a four-character alpha code assigned by the London Stock Exchange that indicates the exchange or market where an instrument is traded. It is delivered in conjunction with the SEDOL and all RIC codes reporting a SEDOL should have a MIC code.
Ticker	varchar(25)	Yes	Tickers and Symbols will be stored in this property against Quotes. No other storage will be provided for Tickers and Symbols. Local exchange quote identifier.
ComName	varchar(400)	Yes	For instruments sourced from IDN, the Common Name field will be populated in most instances by the value found in the DISPLAY NAME field on IDN (FID 3), as processed by the PEN feed. This value may be overwritten by Data Operations according to a detailed set of standards.
PriEstPermID	bigint	Yes	Primary Estimate ID.
LotSize	float	Yes	Lot Size.

Field	Type	Nullable	Description
DsQuoteNumber	char(6)	Yes	Datastream Quote Number.

PermQuoteInfo

This table provides information about the quote.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes	Index Fields
pkey_ QuoteInfo (clustered)	QuotePermID

Field	Type	Nullable	Description
QuotePermID	bigint	No	PermId of the quote
Category	varchar(400)	Yes	This is a legacy field. Use the RSCAssetCla field to identify the correct classification of a security.
RCSAssetCla	varchar(400)	Yes	LSEG Classification Scheme classification. Cross-reference RCSAssetCla with RCDDesc.Code where RCDDesc.Type_ = 60.
Opol	varchar(4)	Yes	Official Place of Listing. This is the same as the MIC code and is assigned to the financial instrument decreed by the LSE to be the Official Place of Listing in a particular country. For countries with one exchange, users will see SEDOL, MIC, and OPOL but for countries with regional exchanges (e.g. Japan, Germany, USA) DataScope users will see SEDOL and MIC for all RICs on an issue but only see an OPOL code attached to one RIC only.
ShortName	varchar(400)	Yes	This field is not mandatory. It is populated principally for Quote Asset records sourced from IDN and should hold the contents of the DISPLAY NAME field (FID 3). No formal standard has been set for this field other than: the name must be a maximum 20 characters (minimum 2); the name is normally upper case (but mixed case entries are acceptable); nonstandard, non-English and/or accented characters are not acceptable.
TrdWhenIssued	bit	Yes	Indicates whether a Security is traded when issued or not. This flag is for Equity Assets only. (Values: Y/NULL) for 'active' quote assets of type EQUITY.
Is144aReg	bit	Yes	144A Registered Flag. 144a Registered securities are 'controlled and restricted' securities that are allowed to be sold for a particular length of time before Registration. (Values: Y/NULL) for 'active' quote assets of NDA asset sub-categories: CPR, UNT, EIW, ORD, DRC, PRF.
RetireDate	datetime	Yes	Retire Date.

PermCode

This lookup table contains translations for codes of both integer and string datatype.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ SymCode (clustered)		CodeType, Code	
Field	Type	Nullable	Description
CodeType	integer	No	The type of code (e.g. Org, Address); full list available under CodeType = 0.
Code	varchar(100)	No	The coded value.
Description	varchar(300)	Yes	The full description of the coded value.

PermCusipData

This table provides information on all the current and historic Cusip values for a financial instrument.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ CusipData (clustered)		InstrPermID, StartDate	
Field	Type	Nullable	Description
InstrPermID	bigint	No	PermId of the Entity.
StartDate	datetime	No	The date from which validity of the attribute value begins.
EndDate	datetime	Yes	The date when validity of the attribute value ends.
Cusip	varchar(9)	Yes	Cusip.

PermCinCusipData

This table provides information on all current and historic CinCusip values for an instrument.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ CinCusipData (clustered)		InstrPermID, StartDate	
Field	Type	Nullable	Description
InstrPermID	bigint	No	PermId of the Entity.
StartDate	datetime	No	The date from which validity of the attribute value begins.
EndDate	datetime	Yes	The date when validity of the attribute value ends.
CinCusip	varchar(9)	Yes	A CINS number is an extension to the CUSIP numbering system, which is used to uniquely identify securities offered outside of the United States and Canada.

PermISINData

This table provides information on all the current and historic ISIN values for a financial instrument.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ ISINData (clustered)		InstrPermID, StartDate	
Field	Type	Nullable	Description
InstrPermID	bigint	No	PermId of the Entity
StartDate	datetime	No	The date from which validity of the attribute value begins
EndDate	datetime	Yes	The date when validity of the attribute value ends
ISIN	varchar(12)	Yes	ISIN

PermSedolData

This table provides information on all the current and historic Sedol values for a Quote.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ SedolData (clustered)		QuotePermID, StartDate	
Field	Type	Nullable	Description
QuotePermID	bigint	No	PermId of the Entity
StartDate	datetime	No	The date from which validity of the attribute value begins
EndDate	datetime	Yes	The date when validity of the attribute value ends
Sedol	varchar(7)	Yes	Sedol

PermRICData

This table provides information on all the current and historic RIC values for a Quote.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ RICData (clustered)		QuotePermID, StartDate	
Field	Type	Nullable	Description
QuotePermID	bigint	No	PermId of the Entity
StartDate	datetime	No	The date from which validity of the attribute value begins
EndDate	datetime	Yes	The date when validity of the attribute value ends
RIC	varchar(400)	Yes	LSEG Instrument Code - market level identifier key, used to identify instruments and pricing sources.

PermSecMapX

This table provides mapping to vendor codes including ranking and time series.

Update Cycle: Every 15 minutes, Monday to Friday

Indexes		Index Fields	
pkey_ RICData (clustered)		RegCode, SecCode, EntType, Rank	

Field	Type	Nullable	Description
RegCode	tinyint	No	Indicates the region where 0 is Global and 1 is NA/CAN.
SecCode	int	No	Security Code that links across the master tables. This is same as SecCode from SecMapX GSecMapX tables.
EntType	smallint	No	Indicates whether the security is Quote (55) or Instrument (49).
Rank	smallint	No	EntPermID/SecCode is ranked based on StartDate/EndDate time series of SecCode.
EntPermID	bigint	Yes	Based on EntType, the PermID will either be QuotePermID or InstrPermID.
StartDate	datetime2(3)	Yes	StartDate is the first date issuer information is valid.
EndDate	datetime2(3)	Yes	EndDate is the last date issuer information is valid.

Copyright © 2023 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com