

LSEG Quantitative Analytics

Database Schema for LSEG Worldscope Point in Time

Version 1.0.6



Contents

1 Introduction.....	3
In This Document.....	3
Intended Readership.....	3
Table Name Conventions	3
Pervasive and Oracle.....	3
Zero Values and Nulls.....	4
Service and Support	4
Feedback	5
Your Personal Information	5
2. Worldscope Point in Time (PIT) Schema	6
WSPITCalPrd: Worldscope PIT Calendar Information.....	6
WSPITCmplssDData: Worldscope PIT Company and Security-Level Data	7
WSPITCmplssFData: Worldscope PIT Company and Security-Level Float Data.....	7
WSPITCmplssFtNote: Worldscope PIT Company and Security-Level Footnotes.....	7
WSPITCmplssIData: Worldscope PIT Company and Security-Level Integer Data.....	8
WSPITCmplssSData: Worldscope PIT Company and Security-Level String Data	8
WSPITCode: Worldscope PIT Numeric Codes	8
WSPITDesc: Worldscope PIT Character Code Descriptions	9
WSPITFinFtNote: Worldscope PIT Company Financial-Level Footnotes	9
WSPITFinVal: Worldscope PIT Financial Values.....	10
WSPITInfo: Worldscope PIT Issue-Level Information	10
WSPITItem: Worldscope PIT Data Items.....	11
WSPITLicMrktID: Worldscope PIT Industrial Class Benchmark Codes	12
WSPITPrcFtNote: Worldscope PIT Monthly Pricing Footnote Data	13
WSPITPrcRetVol: Worldscope PIT Pricing, Return, and Volume Data.....	14
WSPITRatios: Worldscope PIT Ratios Data	14
WSPITRepPrd: Worldscope PIT Fiscal Period Data.....	15
WSPITSeg: Worldscope PIT Segment Data.....	16
WSPITSegFtNote: Worldscope PIT Segment Footnotes.....	17
WSPITStmtdData: Worldscope PIT Filing and Statement-Level Data.....	18
WSPITStmtdIData: Worldscope PIT Filing and Statement-Level Integer Data	18
WSPITStmtdSData: Worldscope PIT Filing and Statement-Level String Data.....	19
WSPITSupp: Worldscope PIT Supplementary Data	20

1 Introduction

In This Document

This document provides schema information about the **Worldscope Point in Time** data tables in Quantitative Analytics.

NOTE

For information about the other Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Quantitative Analytics](#) product page on [MyAccount](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Quantitative Analytics clients licensed to use **Worldscope Point in Time** data through LSEG. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have. Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **WSPIT*** are **Worldscope Point in Time** data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016. If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types. Please note that references to Pervasive and Actian are synonymous.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names "Number", "Synonym", and "UID" become "Number_", "Synonym_", and "UID_" in Oracle.

Zero Values and Nulls

Null values are usually recorded as "NULL". Occasionally, a table may contain a value of "-99999" or "-9999"; in these cases, there is no recorded data for that period. (It is null.) If the table contains a "0" value, the data was reported as having a "0" value.

Not Reported

The Worldscope Point in Time tables may include the following values to indicate data that is not reported:

Value in SQL Database	Description
-1e38	Not reported floating point
-2147483647	Not reported 32-bit integer
-32767	Not reported 16-bit integer
19000101	Not reported date
"" (non-NULL empty string)	Not reported text

Service and Support

[MyAccount](#) is the LSEG portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The [Quantitative Analytics Service Description](#) is available on the [Quantitative Analytics](#) product page at MyAccount.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Quantitative Analytics Service Description* available on the [Quantitative Analytics](#) product page at MyAccount for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Data Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to RICs. RIC is the market level identifier key unique to LSEG used to identify securities.
- **Service Alerts**
 - Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Quantitative Analytics](#) product page at MyAccount.

Get Support

For support using Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue **Get Support** button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at MyAccount.

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Quantitative Analytics from the dropdown list.

- In the **How can we help you?** text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

Region	Telephone	Options
AMERS	+01 866 427 8390	Option 1 – Product Support Option 2 – Technical Support
EMEA	+44 203 341 1036	
APAC	+65 6403 7436	

Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at MyAccount. Your feedback helps us continue to improve our user assistance.

Your Personal Information

LSEG is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2. Worldscope Point in Time (PIT) Schema

WSPITCalPrd: Worldscope PIT Calendar Information

This table contains calendar information about a fiscal period, such as the period end date and the corresponding calendar period value based on the period end date.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITCalPrd (Clustered)		Code, PointDate, FreqCode, FiscalPrd	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
CalFiscalPrd	int	Y	CalFiscalPrd is the calendar period value.
PrdEndDate	datetime	Y	PrdEndDate is the fiscal period end date.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the fiscal period end month.
UpdTypeCode	smallint	Y	UpdTypeCode is the update type. WSPITCalPrd.UpdTypeCode cross-references with WSPITCode.Code where Type_ = 13.
SrcDate	datetime	Y	SrcDate is the document source date.

WSPITCmplssDDData: Worldscope PIT Company and Security-Level Data

This table contains company and security-level data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
WSPITCmplssDDData_PK (Clustered)		Code, StartDate, Item	
Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
StartDate	int	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
EndDate	int	Y	EndDate is the point date.
Value_	int	Y	Value_ is the value for the corresponding Item.

WSPITCmplssFData: Worldscope PIT Company and Security-Level Float Data

This table contains company and security-level float data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITCmplssFData (Clustered)		Code, StartDate, Item	
Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
StartDate	datetime	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
EndDate	datetime	Y	EndDate is the point date.
Value_	float	Y	Value_ is the value for the corresponding Item.

WSPITCmplssFtNote: Worldscope PIT Company and Security-Level Footnotes

This table contains company and security-level footnotes.

Update Cycle: Daily **Adjusted:** N/A

Indexes		Index Fields	
WSPITCmplssFtNote_PK (Clustered)		Code, StartDate, Item, SeqNo	
Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
StartDate	int	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
SeqNo	tinyint	N	SeqNo is the sequence number for every distinct footnote.
EndDate	int	Y	EndDate is the point date.
FtNoteCode	varchar(20)	Y	FtNoteCode is the footnote for the corresponding Item.

WSPITCmplssIData: Worldscope PIT Company and Security-Level Integer Data

This table contains company and security-level integer data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
WSPITCmplssIData_PK (Clustered)	Code, StartDate, Item

Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
StartDate	int	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
EndDate	int	Y	EndDate is the point date.
Value_	int	Y	Value_ is the value for the corresponding Item.

WSPITCmplssSData: Worldscope PIT Company and Security-Level String Data

This table contains company and security-level string data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITCmplssSData (Clustered)	Code, StartDate, Item

Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
StartDate	datetime	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
EndDate	datetime	Y	EndDate is the point date.
Value_	varchar(127)	Y	Value_ is the value for the corresponding Item.

WSPITCode: Worldscope PIT Numeric Codes

This table contains descriptions of Worldscope numeric codes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITCode (Clustered)	Type_, Code

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	int	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(121)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

WSPITDesc: Worldscope PIT Character Code Descriptions

This table contains descriptions of Worldscope character codes.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITDesc (Clustered)		Type_, Code	

Field	Type	Nullable	Description
Type_	int	N	Type_ is a numeric code for a type of data.
Code	varchar(5)	N	Code is a coded value for an element of Type_. When Type_ = 0, Code is the numeric code for each Type_ other than 0 and Desc_ is a description of each Type_.
Desc_	varchar(121)	Y	Desc_ is a plain-language description of the element defined by Type_ and Code.

WSPITFinFtNote: Worldscope PIT Company Financial-Level Footnotes

This table contains company fiscal, filing, and financial-level footnotes.

Update Cycle: Daily **Adjusted:** N/A

Indexes		Index Fields	
WSPITFinFtNote_PK (Clustered)		Code, PointDate, FreqCode, FiscalPrd, Item, SeqNo	

Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem.Item .
SeqNo	tinyint	N	SeqNo is the sequence number for every distinct footnote.
FtNoteCode	varchar(20)	Y	FtNoteCode is the footnote for the corresponding Item.

WSPITFinVal: Worldscope PIT Financial Values

This table contains the PIT financial values that are dependent on a frequency and fiscal period.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITFinVal (Clustered)		Code, PointDate, FreqCode, FiscalPrd, Item	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	Item is a Worldscope PIT data item. Refer to WSPITItem.Item for a list of available Worldscope PIT items. For split ratio, use Item = 5576 (Stock Split/Dividend Ratio).
Value_	float	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the calendar period value.

WSPITInfo: Worldscope PIT Issue-Level Information

This table stores issue-level information, such as market identifiers, for concordance purposes. This table also generates a unique integer code for every Worldscope ID.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITInfo (Clustered)		Code	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
WSID	char(9)	N	WSID is the Worldscope unique identifier. This ID does not change.

Field	Type	Nullable	Description
CmpCode	int	Y	CmpCode maps every security (EntityTypeCode = S) to its corresponding company (EntityTypeCode = C).
EntityTypeCode	char(1)	Y	EntityTypeCode indicates whether the Worldscope identifier represents an average, company, exchange rate, ADR, security, or a stock index. EntityTypeCode can be: – A = ADR/Foreign Filer – C = Company – E = Exchange Rate – F = Country Average – G = Industry Average – I = Index – S = Security
IsPrimary	char(1)	Y	IsPrimary is provided on the security level and is the identifier for the share type selected as the primary issue of the company. The prices and dividends for this share type are shown at the company level. An “X” is provided in this field on the security identifier selected as the primary issue.
CmpInacDate	datetime	Y	CmpInacDate is the date on which the company ceases to exist.
IssInacDate	datetime	Y	IssInacDate is the date on which the share of a company ceases to exist.
NameShort	varchar(20)	Y	NameShort is an abbreviated company name no longer than twenty characters.
NameLong	varchar(64)	Y	NameLong is the legal name of the company as reported in the 10-K for U.S. companies and the annual report for non-U.S. companies.
ShareType	varchar(25)	Y	ShareType is the name of the security that has prices and dividends showing with the fundamental data of the company. This item is provided for all share types at the security level. The share names are generally shown in the language of the country in which the company is domiciled.
Ticker	varchar(20)	Y	Ticker is a symbol used to identify the company on the stock exchanges where it is listed. Local Ticker symbols are used for non-U.S. corporations. Quick Code is used for Japanese companies.
NationCode	smallint	Y	NationCode represents the country under which the company is followed on Worldscope. The currency of analysis is the currency of the nation indicated by NationCode. WSPITInfo.NationCode cross-references with WSPITCode .Code where Type_ = 12.
ISOCurrCode	char(3)	Y	ISOCurrCode is the currency code. WSPITInfo.ISOCurrCode cross-references with WSPITDesc .Code where Type_ = 4.

WSPITItem: Worldscope PIT Data Items

This table contains information about Worldscope PIT data items.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITITEM (Clustered)	Item
WSPITITEM_1	Name_

Field	Type	Nullable	Description
Item	int	N	Item is a unique integer code that cross-references all the items in the data tables.
Name_	varchar(60)	Y	Name_ is the name of the data item.
DataType	char(1)	Y	DataType may be: – A = Alphanumeric – N = Numeric

Field	Type	Nullable	Description
			– D = Date – F = Float – T = String
Length_	smallint	Y	Length_ is the string length and is applicable for a DataType of A.
SplitFlag	char(1)	Y	SplitFlag indicates whether the operation performed to adjust the data is multiplication or division. An asterisk character (*) indicates multiplication; a slash character (/) indicates division.
TableCode	char(2)	Y	TableCode is described in the TableCode section on page 12.
CodeNumb	int	Y	CodeNumb maps Item to type_code in either WSPITCode or WSPITDesc .

TableCode

TableCode associates the data item with a specific Worldscope data table. TableCode can be:

Code	Table
A	WSPITStmtdData
B	WSPITFinVal
C	WSPITSupp
D	WSPITRatios
E	WSPITSeg
F	WSPITPrcRetVol
G	WSPITCmplssSData
H	WSPITCmplssFData
I	WSPITLicMrktID
K	WSPITCmplssIData
L	WSPITCmplssDData
M	WSPITCmplssFtNote
N	WSPITStmtdData
O	WSPITStmtdData
P	WSPITFinFtNote
Q	WSPITSegFtNote
R	WSPITPrcFtNote

WSPITLicMrktID: Worldscope PIT Industrial Class Benchmark Codes

This table stores current and historic Industrial Class Benchmark (ICB) Codes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITLicMrktID (Clustered)	Code, StartDate, Item

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
StartDate	datetime	N	StartDate is the Worldscope Point in Time start date.
Item	int	N	This field cross-references with WSPITItem .Item.
EndDate	datetime	Y	EndDate is the point date.
Value_	varchar(12)	Y	Value_ is the value for the corresponding Item.
LicFlag	int	Y	LicFlag is the licensing flag based on which appropriate data will be distributed:

Field	Type	Nullable	Description
			– 1 = CB Code – 2 = Cusip – 4 = Sedol – 8 = ISIN – 16 = Cusip-based ISIN WSPITLicMrktID.LicFlag cross-references with WSPITCode.Code where Type_ = 16.

NOTE

For ICB Codes (Item = 7040) in the WSPITLicMrktID table, please note that the codes changed from strings to integers on June 9, 2005. When returning descriptions for Item = 7040, the following tables should be joined.

Pre-6/9/2005: select * from WSPITDesc where Type_ = 7040.

Post-6/9/2005: select * from WSPITCode where Type_ = 7040.

WSPITPrcFtNote: Worldscope PIT Monthly Pricing Footnote Data

This table contains monthly pricing footnote data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
WSPITPrcFtNote_PK (Clustered)		Code, PointDate, FreqCode, Item, SeqNo	
Field	Type	Nullable	Description
Code	int	N	Code is the unique integer sequential code generated for every unique Worldscope ID.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
Item	int	N	This field cross-references with WSPITItem .Item.
SeqNo	tinyint	N	SeqNo is the sequence number for every distinct footnote.
FtNoteCode	varchar(20)	Y	FtNoteCode is the footnote for the corresponding Item.

WSPITPrcRetVol: Worldscope PIT Pricing, Return, and Volume Data

This table contains all the monthly/weekly pricing, monthly returns, and weekly volume data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITPrcRetVol (Clustered)		Code, PointDate, FreqCode, Item	
Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
Item	int	N	This field cross-references with WSPITItem.Item .
Value_	float	Y	Value_ is the value for the corresponding Item.

WSPITRatios: Worldscope PIT Ratios Data

This table contains all Ratios data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_WSPITRatios (Clustered)		Code, PointDate, FreqCode, FiscalPrd, Item	
Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B)

Field	Type	Nullable	Description
			– 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem .Item.
Value_	float	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the calendar period value.

WSPITRepPrd: Worldscope PIT Fiscal Period Data

This table contains fiscal period data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITRepPrd (Clustered)	Code, PointDate, FreqCode
WSPITRepPrd_1	Code, FreqCode, PointDate

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.

Field	Type	Nullable	Description
FinalPrd	int	Y	FinalPrd is the most recently reported period with final data as of the point date.
AnnPrd	int	Y	AnnPrd is the most recently reported period with either final or preliminary data as of the point date.

WSPITSeg: Worldscope PIT Segment Data

This table contains product and geographic segment data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_WSPITSeg (Clustered)	Code, PointDate, FreqCode, FiscalPrd, SegTypeCode, SegNum, Item
WSPITSeg_1	Code, Item, FreqCode, SegTypeCode, PointDate
WSPITSeg_2	Code, FreqCode, Item, CalPrdEndDate
WSPITSeg_3	Code, Item, FreqCode, SegTypeCode, SegNum, FiscalPrd, PointDate
WSPITSeg_4	Code, Item, FreqCode, SegTypeCode, SegNum, CalPrdEndDate, PointDate

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
SegTypeCode	tinyint	N	SegTypeCode is the segment type (product or geographic): – 1 = P = Product – 2 = G = Geographic WSPITSeg.SegTypeCode cross-references with WSPITCode.Code where Type_ = 15. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 6.
SegNum	smallint	N	SegNum is the segment number.
Item	int	N	This field cross-references with WSPITItem.Item .

Field	Type	Nullable	Description
Value_	varchar(40)	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the calendar period value.

WSPITSegFtNote: Worldscope PIT Segment Footnotes

This table contains segment footnotes.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
WSPITSegFtNote_PK (Clustered)	Code, PointDate, FreqCode, FiscalPrd, SegTypeCode, SegNum, Item, SeqNo

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
SegTypeCode	tinyint	N	SegTypeCode is the segment type (product or geographic): – 1 = P = Product – 2 = G = Geographic WSPITSegFtNote.SegTypeCode cross-references with WSPITCode.Code where Type_ = 15. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 6.
SegNum	smallint	N	SegNum is the segment number.
Item	int	N	This field cross-references with WSPITItem.Item .
SeqNo	tinyint	N	SeqNo is the sequence number for every distinct footnote.
FtNoteCode	varchar(20)	Y	FtNoteCode is the footnote for the corresponding Item.

WSPITStmtdData: Worldscope PIT Filing and Statement-Level Data

This table contains all filing and statement-level data.

Update Cycle: Daily **Adjusted:** N/A

Indexes		Index Fields	
WSPITStmtdData_PK (Clustered)		Code, PointDate, FreqCode, FiscalPrd, Item	
Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem.Item .
Value_	int	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	int	Y	CalPrdEndDate is the calendar period value.

WSPITStmtdData: Worldscope PIT Filing and Statement-Level Integer Data

This table contains all filing and statement-level integer data.

Update Cycle: Daily **Adjusted:** N/A

Indexes		Index Fields	
pkey_WSPITStmtdData (Clustered)		Code, PointDate, FreqCode, FiscalPrd, Item	
WSPITStmtdData_1		Code, Item, FreqCode, PointDate, CalPrdEndDate	
WSPITStmtdData_2		Code, FreqCode, Item, FiscalPrd, PointDate	
WSPITStmtdData_3		Code, FreqCode, Item, CalPrdEndDate, PointDate	
Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics.

Field	Type	Nullable	Description
			The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem.Item .
Value_	int	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the calendar period value.

WSPITStmtSData: Worldscope PIT Filing and Statement-Level String Data

This table contains all filing and statement-level string data.

Update Cycle: Daily **Adjusted:** N/A

Indexes	Index Fields
WSPITStmtSData_PK (Clustered)	Code, PointDate, FreqCode, FiscalPrd, Item

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T)

Field	Type	Nullable	Description
			– 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem .Item.
Value_	varchar(3)	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	int	Y	CalPrdEndDate is the calendar period value.

WSPITSupp: Worldscope PIT Supplementary Data

This table contains all supplementary data like KPIs, Pension, and Health plan data.

Update Cycle: Daily **Adjusted:** N/A

Indexes	Index Fields
pkey_WSPITSupp (Clustered)	Code, PointDate, FreqCode, FiscalPrd, Item

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all WSPIT* tables.
PointDate	datetime	N	PointDate is the date the record was created in the content database upstream of LSEG Quantitative Analytics. The record will then be picked up by RQA in the next daily update (6AM CT, M-F), assuming no processing delays. There is no time associated with the PointDate. All timestamps are 00:00:00.000.
FreqCode	tinyint	N	FreqCode is the frequency: – 1 = Annual (A) – 2 = Restated – Annual (B) – 3 = Restated – Quarterly (C) – 4 = Restated – Quarterly Cumulative (E) – 5 = Restated – Semi-Annual (F) – 6 = Restated – Trimester (K) – 7 = Restated – Trimester Cumulative (L) – 8 = Quarterly (Q) – 9 = Quarterly – Cumulative (R) – 10 = Semi-Annual (S) – 11 = Trimester (T) – 12 = Trimester – Cumulative (U) – 13 = Weekly (W) – 14 = Monthly (M) This field cross-references with WSPITCode.Code where Type_ = 11. Cross-reference the alphabetic codes with WSPITDesc.Code where Type_ = 5 for descriptions.
FiscalPrd	int	N	FiscalPrd is the fiscal period.
Item	int	N	This field cross-references with WSPITItem .Item.
Value_	float	Y	Value_ is the value for the corresponding Item.
CalPrdEndDate	datetime	Y	CalPrdEndDate is the calendar period value.

Copyright © 2024 London Stock Exchange Group plc and its group of companies (LSEG) and/or its affiliates. All rights reserved. The LSEG content received through this service is the intellectual property of LSEG or its third party suppliers. Republication or redistribution of content provided by LSEG is expressly prohibited without the prior written consent of LSEG, except where permitted by the terms of the relevant LSEG service agreement. Neither LSEG nor its third party suppliers shall be liable for any errors, omissions or delays in content, or for any actions taken in reliance thereon. LSEG and its logo are trademarks of LSEG.

For more information visit us at www.lseg.com



LSEG DATA &
ANALYTICS