

REFINITIV QUANTITATIVE ANALYTICS

DATABASE SCHEMA FOR WORLDSCOPE

VERSION 1.2.5

ISSUED SEPTEMBER 2022

© [Refinitiv](#) 2022. All Rights Reserved. Republication or redistribution of Refinitiv content, including by framing or similar means, is prohibited without the prior written consent of Refinitiv. Refinitiv and the Refinitiv logo are trademarks of Refinitiv and its affiliated companies.

Contents

1	Introduction	5
	In This Document	5
	Intended Readership	5
	Table Name Conventions	5
	Pervasive and Oracle	5
	Zero Values and Nulls	6
	Service and Support.....	6
	Statement of Service	6
	Subscribe to Support Channels.....	6
	Documentation	6
	Get Support	6
	Online	6
	Telephone	7
	Feedback.....	7
	Your Personal Information.....	7
2	Worldscope Schema Diagram.....	8
3	Wordscope Schema: Data Tables.....	9
	Wscode: Worldscope Numeric Code Descriptions	9
	Wscurr: Worldscope Currency Data	9
	Wsddata: Worldscope Date-Related Data.....	10
	Freq	10
	Wsfnote: Worldscope Footnotes	11
	Wsftext: Worldscope Custom Footnote Text	12
	Wsfye: Worldscope Fiscal Year End Dates	12
	Wsidata: Worldscope Integer Data	13
	Wsinfo: Worldscope Entity Information.....	13
	Wsitem: Worldscope Data Items	14
	Wsldata: Worldscope Long String Data.....	16
	Wsmdata: Worldscope Medium String Data.....	17
	Wsndata: Worldscope Numeric Data Items.....	17

	Wssdata: Worldscope Short String Data	18
	Wstext: Worldscope Text Code Descriptions	18
	Wsxdata: Worldscope Extra Long String Data	19
4	SQL Views	20
	vw_WSItemUnits	20
	Example Use Case:	20
	vw_WSItemData.....	21
	Example Use Case:	22
	vw_WSCompanyInfo	23
	Example Use Case:	24
	vw_WsFXAdjustment	25
	Example Use Case:	26
	vw_wsCompanyMapping.....	27
	Example Use Case:	27

1 Introduction

In This Document

This document provides schema information about the **Worldscope** data tables in Refinitiv Quantitative Analytics.

Note: For information about the other Refinitiv Quantitative Analytics tables, refer to the other Database Schema documents posted on the [Refinitiv Quantitative Analytics](#) product page on [MyRefinitiv](#).

The documentation for each table includes these main elements:

- **Vendor Database or License Name** – This element provides the vendor database or license name. Vendor databases generally correspond to vendor licensing options.
- **Table Name: Table Title** – This element provides the table name and title, followed by a description of the table contents.
- **Update Cycle** – This element indicates the frequency of updates from the data vendor. (For specific information about when this update is posted for your use, refer to your update logs. The update log schema description is available in the Database Schema for Refinitiv Quantitative Analytics Core Tables document.)
- **Adjusted** – This element indicates whether the data is stored adjusted, unadjusted, or if adjustment is not applicable (N/A).
- **Indexes, Index Fields** – This element lists the table's index(es) (for example, pkey_CSGCAD) and the index fields. The primary index contains a "pkey_" or "PK_" prefix. Clustered indexes are noted.
- **Field, Type, Nullable, Definition** – This element describes the table's fields, including field names, data types, and whether each field is nullable. The data types in Snowflake have equivalents available. For example, an *int* in SQL Server is a *number* in Snowflake.

Intended Readership

This document is intended for Refinitiv Quantitative Analytics clients licensed to use **Worldscope** data through Refinitiv. Note that the tables described in this document may be covered by several licenses; your access to the data in these tables is dependent on the licenses you have.

Readers should have basic knowledge of Microsoft SQL Server 2016.

Table Name Conventions

In Refinitiv Quantitative Analytics, database tables are grouped by name. Generally, the first few letters of the table name refer to the data vendor or licensing group. For example, all tables that begin with **WS*** are **Worldscope** data tables.

Pervasive and Oracle

This document is specific to Microsoft SQL Server 2016.

If you are accessing the data directly through the Pervasive database, you may encounter slight differences in index names and data types.

If you are accessing the data through Oracle, note that field names that correspond to Oracle reserved words are appended with an underscore. For example, field names “Number”, “Synonym”, and “UID” become “Number_”, “Synonym_”, and “UID_” in Oracle.

Zero Values and Nulls

Null values are usually recorded as “NULL”. Occasionally, a table may contain a value of “-99999” or “-9999”; in these cases, there is no recorded data for that period. (It is null.)

If the table contains a “0” value, the data was reported as having a “0” value.

Service and Support

[MyRefinitiv](#) is the Refinitiv portal that provides a single access point for timesaving support services, along with billing, user management, and information.

Statement of Service

The *Refinitiv Quantitative Analytics Service Description* is available on the [Refinitiv Quantitative Analytics](#) product page at MyRefinitiv.

Subscribe to Support Channels

You are encouraged to [subscribe](#) to the following support channels to keep informed of changes to products and data, and to be notified of any service issues or change. Please see the *Alerts and Notifications* section in the *Refinitiv Quantitative Analytics Service Description* available on the [Refinitiv Quantitative Analytics](#) product page at MyRefinitiv for detailed instructions.

- **Change Notifications**
 - **Product Change Notifications (PCNs)** detail new, enhanced, or changed functionality, which may require your action, in products that you use.
 - **Content Notifications (DNs)** alert you to upcoming changes to real-time and historical data across all asset classes that are relevant to you.
 - **RIC Change Events** inform you of planned changes to Refinitiv Identification Codes.
- **Service Alerts**

Alert you about planned maintenance and unplanned service issues affecting your products and services, and be notified via SMS or email.

Documentation

You can access product documentation on the [Refinitiv Quantitative Analytics](#) product page at MyRefinitiv.

Get Support

For support using Refinitiv Quantitative Analytics, please use one of the following methods:

Online

Access [Get Support](#) either via the blue **Get Support** button at the top right of each page or by selecting *Get Support* located under *Help and Support* on the left navigation pane at [MyRefinitiv](#).

From the *Get Support* page, choose *Get Product and Content Support* and then select the appropriate category from the next page. Complete the request making sure to include the following:

- Under Product, select Refinitiv Quantitative Analytics from the dropdown list.
- In the “How can we help you?” text box, include the following information:
 - Content set name (i.e. Worldscope)
 - Date applicable to a content inquiry
 - Table names and relevant fields
 - Security code (i.e. QA-ID, PermID, Sedol, InfoCode, etc.)
 - Script used to generate the output
 - Any other supporting detail

Telephone

QA Support: 1.866.427.8390

- Option 1 – Product Support
- Option 2 – Technical Support.


Feedback

We invite your comments, corrections, and suggestions about this document: access the [Feedback](#) option under [Get Support](#) at [MyRefinitiv](#). Your feedback helps us continue to improve our user assistance.

Your Personal Information

Refinitiv is committed to the responsible handling and protection of personal information. We invite you to review our [Privacy Statement](#), which describes how we collect, use, disclose, transfer, and store personal information when needed to provide our services and for our operational and business purposes.

2 Worldscope Schema Diagram



3 Wordscope Schema: Data Tables

Wscore: Worldscope Numeric Code Descriptions

This table contains descriptions of Worldscope numeric codes.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wscore (Clustered)		Section_, Field, Value_	
Field	Type	Nullable	Description
Section_	varchar(1)	N	Section_ may be: - A: Accounting Standards and Industry Codes - C: SIC Codes - D: Stock Exchanges, Stock Indexes - F: Country Information
Field	int	N	Field cross-references with the Wsndata or Wsidata tables where Field = Ws*data.Item.
Value_	int	N	Value_ cross-references with the Wsndata or Wsidata tables where Value_ = Ws*data.Value_."
Desc_	varchar(120)	Y	Desc_ is the translation of Field + Value_.

Wscurr: Worldscope Currency Data

Use this table to identify a country's former and current currency.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wscurr (Clustered)		NatCode	
Wscurr_IsoCode		IsoCode	
Wscurr_IsoDesc		IsoDesc	
Wscurr_NatDesc		NatDesc	
Field	Type	Nullable	Description
NatCode	int	N	NatCode is the nation code.
NatDesc	varchar(30)	Y	NatDesc is country name corresponding to NatCode.
EuroFlag	tinyint	Y	EuroFlag indicates whether the corresponding country uses the euro as its currency.
IsoCode	varchar(3)	Y	IsoCode is the legacy ISO currency code.

Field	Type	Nullable	Description
IsoDesc	varchar(30)	Y	IsoDesc is the textual description of the legacy ISO currency.
IsoUsed	varchar(3)	Y	IsoUsed is the country's current currency.

Wsddata: Wordscope Date-Related Data

Use this table to retrieve Wordscope date-related data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wsddata (Clustered)	Code, Item, Freq, Year_, Seq

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	smalldatetime	Y	Value_ is the date associated with period end date or reference observation period. In Wstext , Value_ cross-references with Wsndata , Wsldata , Wsmdata , or Wsddata where Value_ = Ws*data.Value_.

Freq

Freq is the frequency. It can be:

Code	Description
A	Annual
B	Restated – Annual
C	Current
D	Daily
E	Restated – Quarterly Cumulative
F	Restated – Semi-Annual
G	Annual U.S. GAAP Data (ADRs only)
H	Quarterly U.S. GAAP Data (ADRs only)

Code	Description
I	Quarterly – Cumulative U.S. GAPP Data (ADRs only)
J	Adjustment Period
K	Restated – Trimester
L	Restated – Trimester Cumulative
M	Monthly
Q	Quarterly
R	Quarterly – Cumulative
S	Semi-Annual
T	Trimester
U	Trimester – Cumulative
W	Weekly
@	Restated – Quarterly

Wsfnote: Worldscope Footnotes

Use this table to retrieve Worldscope footnote data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wsfnote (Clustered)	Code, Item, Freq, Year_, Seq, Note

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Worldscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Note	varchar(4)	N	Note cross-references with Wsftext where Note = Wsftext.Note_, and with Wstext where Item = Wstext.Field and Wstext.Section_ = E.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
HasText	tinyint	Y	HasText is a bit flag that signals the availability of a description in Wsftext . A value of 1 indicates the description is available, and a value of 0 indicates that no description is available.

Wsftext: Wordscope Custom Footnote Text

Use this table to retrieve Wordscope custom footnote text.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wsftext (Clustered)		Code, Item, Freq, Year_, Seq, Note	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Note	varchar(4)	N	Note is the code associated with the description Text.
Text	varchar(253)	Y	Text contains the custom footnote text.

Wsfye: Wordscope Fiscal Year End Dates

This table returns fiscal year end dates for a given Wordscope entity ID.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wsfye (Clustered)		Code, Year_	
Wsfye_Date_		Code, Date_	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.

Wsidata: Wordscope Integer Data

Use this table to retrieve Wordscope integer data.

Update Cycle: Daily

Adjusted: Yes, where applicable to Item.

Indexes		Index Fields	
pkey_Wsidata (Clustered)		Code, Item, Freq, Year_, Seq	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	int	Y	Value_ is the value of the specified item.

Wsinfo: Wordscope Entity Information

This table contains information on Wordscope entities.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wsinfo (Clustered)	WsId
Wsinfo_Code	Code
Wsinfo_CuSed	CuSed, WsId
Wsinfo_Cusip	Cusip, WsId
Wsinfo_IsoCtry	IsoCtry, WsId
Wsinfo_Name	Name, WsId
Wsinfo_Sedol	Sedol, WsId

Field	Type	Nullable	Description
WsId	varchar(9)	N	WsId is the Wordscope unique identifier. This ID does not change.
Cusip	varchar(8)	Y	Cusip is the entity CUSIP identifier.
Sedol	varchar(6)	Y	Sedol is the entity Sedol identifier.
CuSed	varchar(8)	Y	CuSed will contain the CUSIP if present, otherwise it contains the SEDOL.
Name	varchar(152)	Y	Name is the entity name.
Entity	varchar(1)	Y	Entity describes the entity type and may be: • A: ADR • C: Company • E: Exchange rate • F: Country average • G: Industry average • I: Index • S: Security
Country	smallint	Y	Country is the Wordscope country code.
IsoCtry	varchar(3)	Y	IsoCtry is the ISO country code.
Code	int	Y	Code is the primary link across all Ws* tables.

Wsitem: Wordscope Data Items

This table contains information on Wordscope data items.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wsitem (Clustered)	Number
Wsitem_name	Name

Field	Type	Nullable	Description
Number	int	N	Number cross-references with all Ws*DATA tables where Number = Ws*data.Item.
Name	varchar(55)	Y	Name is the name of the data item.
Frequency	varchar(1)	Y	Frequency may be: • C: Current, meaning this item represents a current value • H: Historical, meaning this item is available on a historical basis
DataType	varchar(1)	Y	DataType may be: • A: Data item is Alphanumeric. • N: Data item is Numeric.

Field	Type	Nullable	Description
Length_	smallint	Y	Length_ represents the string length and is applicable for a DataType of A.
QType	varchar(1)	Y	QType is the designation assigned to the data item by Refinitiv. This field corresponds to the table where the data is stored. For example, a QType of N indicates that the data item is Numeric and is found in the Wsndata table. QType may be: • A: Alphanumeric (Wssdata, Wsmdata, Wslidata, Wsxdata, and depends on Length_) • D: Date (Wsddata) • F: Flag (Wsfnote) • I: Integer (Wsidata) • N: Numeric (Wsndata)
SplitFlag	varchar(1)	Y	SplitFlag indicates whether the operation performed to adjust the data is multiplication or division. A star character ("*") indicates multiplication; a slash character ("/") indicates division.
Industry	varchar(6)	Y	This field indicates the industry category using 0 and/or 1 to indicate the industry out of 6 possibilities. Reading the values listed below from left to right: Industrial farthest on the left and Other Financial farthest right. Examples: • An Industry of '111' means it is available in Industrial, Utility, and Transportation. • An Industry of '000101' means it is available in Bank and Other Financial. Position 1 = INDUSTRIAL Position 2 = UTILITY Position 3 = TRANSPORTATION Position 4 = BANK Position 5 = INSURANCE Position 6 = OTHER FINANCIAL
Units	tinyint	Y	Units may be: • The item is U.S. dollar denominated (0) • The item is non-U.S. dollar denominated (1)
RefSect	varchar(1)	Y	RefSect cross-references with Wscore where RefSect = WSCORE.Section_.
RefNumb	int	Y	RefNumb cross-references with Wscore and Wstext depending on whether the QType is A, N, or I. For example, QTypes of N or I cross-reference with Wscore where RefNumb = Wscore.Field and RefSect = Wscore.Section_.

Field	Type	Nullable	Description
Table_	varchar(1)	Y	Table_ associates the data item with a specific Ws*data table. Table_ may be: - D: Wsddata - I: Wsidata - L: Wslidata - M: Wsmdata - N: Wsndata - S: Wssdata - X: Wsxdata
UsBasis	varchar(1)	Y	UsBasis indicates whether the item is on a United States calendar basis (C) or a United States fiscal basis (F).
NonUsBasis	varchar(1)	Y	NonUsBasis indicates whether the item is on a Non-United States calendar basis (C) or Non-United States fiscal basis (F).
Month_	tinyint	Y	Month_ indicates the calendar month, denoted by 1 (for January) through 12 (for December). A Month_ value of 0 indicates that Month_ is not applicable to the data item.

Wslidata: Worldscope Long String Data

This table contains information on Worldscope long string data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wslidata (Clustered)	Code, Item, Freq, Year_, Seq

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Worldscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	varchar(80)	Y	Value_ is the value of the specified item.

Wsmdata: Wordscope Medium String Data

This table contains information on Wordscope medium string data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wsmdata (Clustered)		Code, Item, Freq, Year_, Seq	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	varchar(40)	Y	Value_ is the value of the specified item.

Wsndata: Wordscope Numeric Data Items

This table contains information on Wordscope numeric data items.

Update Cycle: Daily

Adjusted: Yes (depending on the item)

Indexes		Index Fields	
pkey_Wsndata (Clustered)		Code, Item, Freq, Year_, Seq	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	float	Y	Value_ is the value of the specified item.

Wssdata: Wordscope Short String Data

This table contains information on Wordscope short string data.

Update Cycle: Daily

Adjusted: N/A

Indexes		Index Fields	
pkey_Wssdata (Clustered)		Code, Item, Freq, Year_, Seq	

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	varchar(12)	Y	Value_ is the value of the specified item.

Wstext: Wordscope Text Code Descriptions

Use this table to retrieve descriptions of Wordscope text code data.

Update Cycle: Rarely

Adjusted: N/A

Indexes		Index Fields	
pkey_Wstext (Clustered)		Section_, Field, Value_	

Field	Type	Nullable	Description
Section_	varchar(1)	N	Section_ may be: • A: Accounting Standards and Industry Codes • C: SIC Codes • D: Stock Exchanges, Stock Indexes • E: Everything else. (General) • F: Country Information
Field	int	N	Field cross-references with Wsxdata , Wsldata , Wsmdata , or Wssdata where Field = Ws*data.Item.
Value_	varchar(4)	N	Value_ is the date associated with period end date or reference observation period. In Wstext , Value_ cross-references with Wsndata , Wsldata , Wsmdata , or Wssdata where Value_ = Ws*data.Value_.

Field	Type	Nullable	Description
Desc_	varchar(120)	Y	Desc_ is the translation of Field + Value_.

Wsxddata: Wordscope Extra Long String Data

This table contains Wordscope extra long string data.

Update Cycle: Daily

Adjusted: N/A

Indexes	Index Fields
pkey_Wsxddata (Clustered)	Code, Item, Freq, Year_, Seq

Field	Type	Nullable	Description
Code	int	N	Code is the primary link across all Wordscope (Ws*) tables.
Item	int	N	Item cross-references with Wsitem where Item = Wsitem.Number.
Freq	varchar(1)	N	Freq is described in the Freq section on page 10.
Year_	smallint	N	Year_ represents the fiscal year for the period end date or reference observation period.
Seq	smallint	N	Seq represents the order of Item + Freq where Item and Freq are constant.
Date_	smalldatetime	Y	Date_ represents the period end date, such as the fiscal year end, or reference observation period.
Value_	varchar(8000)	Y	Value_ is the value of the specified item.

4 SQL Views

A library of sophisticated SQL Views, developed by the Refinitiv Support Team, are available to customers. The SQL Views provide simplified calls that run complex SQL code and address key data nuances and mapping requests in the Refinitiv Quantitative Analytics database, making it much easier to access data through Refinitiv Quantitative Analytics.

Customers are able to see the underlying SQL code and modify/customize it as required. Customers are also able to save the modified code as their proprietary code.

The Support Team provides training to users on the library structure and how to use the SQL Views.

Note: Contact Support via one of the methods under [Get Support](#) for access to the SQL Views.

vw_WSItemUnits

This view shows whether a Worldscope item measure shares, people, currency or currency per share.

Index Fields			
code (part of compound index)			
item			
itemName			

Field	Type	Nullable	Description
code	Int	N	code is the primary link across all Worldscope (Ws*) tables.
item	Int	N	item cross-references with all Ws*DATA tables where item = Ws*data.Item.
itemName	varchar(55)	Y	itemName is the name of the data item.
itemUnits	varchar(9)	Y	itemUnits describes the units this item is stored in and can be: • 'Shares' • 'Persons' • currency eg 'USD' • currency per share eg 'CHF/share' Note: This is the Worldscope currency and not the reported currency

Example Use Case:

```

select
itemName, itemUnits
from vw_WSItemUnits
where item = 1001 -- net sales or revenues
and code = 51904 -- Thomson Reuters

```

vw_WSItemData

This view presents the Worldscope numeric items.

Index Fields			
Code, Item, Freq, Year_, Seq (compound index) periodUpdateFlag (part of compound index)			
Field	Type	Nullabl e	Description
code	Int	N	Code is the primary link across all Worldscope (Ws*) tables.
item	Int	N	item cross-references with all Ws*DATA tables where item = Ws*data.Item.
Freq	Varchar(1)	N	Freq describes the periodicity of the data item, as described in "Quantitative Analytics Database Schema - Worldscope" eg 'A' means annual, 'Q' means quarterly, 'C' means current etc
year_	smallInt	N	Year_ represents the fiscal year for the period end date or reference observation period.
seq	smallInt	N	Seq represents the order of Item + Freq where Item and Freq are constant
fiscalPeriodEndDate	smalldatetime	Y	fiscalPeriodEndDate contains the month, day and year on which the company's fiscal period ended
epsReportDate	smalldatetime	Y	epsReportDate represents the source date for the earnings reported by the company for the corresponding period
periodUpdateFlag	varchar(12)	Y	periodUpdateFlag is a code for the periodUpdateDescription, below. It can be: 1. Preliminary 2. FAST 3. Final 4. Only Specified Unconsolidated Data Fields are available. 5. Preliminary – Flash 6. Final – Flash
periodUpdateDescription	varchar(120)	Y	periodUpdateDescription indicates the status of data provided in the annual and interim time series, as detailed in "Worldscope Data Definition Guide".
currencyOfDocument	varchar(12)	Y	currencyOfDocument represents the ISO currency code in which the company's financial statements are filed. currencyOfDocument is not the currency used to represent the data in Worldscope

Field	Type	Nullable	Description
periodSource	varchar(3)	N	periodSource indicates time series which have had data sourced from the Refinitiv Financials product. An item meeting this criterion will have 'RKD' in this field; otherwise it will have 'WS'
Value_	float	Y	Value_ is the value of the specified item.
itemUnits	Varchar(9)	Y	units describes the units this item is stored in and can be: • 'Shares' • 'Persons' • currency eg 'USD' • currency per share eg 'CHF/share' Note: This is the Worldscope currency, not the currency of document, above

Example Use Case:

```

select
  m.id as
  qaID,m.sedol,m.name,d.fiscalPeriodEndDate,d.epsReportDate,d.periodUpdateFlag,d.periodU
pdateDescription,
  d.currencyOfDocument,d.periodSource,d.value_,d.itemUnits
from vw_SecurityMasterX m
join vw_WSCompanyMapping w
  on w.code = m.seccode
  and w.type_ = m.typ
left join vw_WSItemData d
  on d.code = w.vencode
  and d.item = 5476 -- BOOK VALUE PER SHARE
  and d.freq = 'a' -- ANNUAL
where m.id = 'ibm'

```

ww_WSCompanyInfo

This view contains one record per-company and shows commonly used Worldscope meta data items.

Index Fields			
code WsId worldscopeNationCode Sedol (part of compound index) Cusip (part of compound index) companyName (part of compound index) icbIndustryId (part of compound index) icbSuperSectorId (part of compound index) icbSectorId (part of compound index) icbSubSectorId (part of compound index)			
Field	Type	Nullable	Description
code	int	N	Code is the primary link across all Worldscope (Ws*) tables.
WsId	varchar(9)	N	WsId is the Worldscope unique identifier. This ID does not change.
Sedol	varchar(6)	Y	Sedol is the entity Sedol identifier.
Cusip	varchar(8)	Y	Cusip is the entity CUSIP identifier.
companyName	Varchar(152)	Y	companyName is the entity name.
worldscopeNationCode	int	Y	NATION CODE represents the country under which the company is followed on Worldscope. The currency of analysis is the currency of the nation indicated by NATION CODE. NATION CODE usually corresponds to the country of domicile but there are some exceptions.
nationCodeDescription	Varchar(30)	Y	nationCodeDescription is the name of the country name of this company
worldscopeCurrency	Varchar(3)	Y	worldscopeCurrency is the ISO code of the country's current currency.
icbIndustryDescription	Varchar(120)	Y	icbIndustryDescription gives the text corresponding to the icbIndustryId eg 0001 is "Oil & Gas"
icbIndustryId	int	Y	The industry code is the highest level in the hierarchical structure.
icbSuperSectorDescription	Varchar(120)	Y	icbSuperSectorDescription gives the text corresponding to the icbSuperSector eg 0500 is "Oil & Gas"
icbSuperSectorId	int	Y	The SuperSector code is the second highest level in the hierarchical structure.

Field	Type	Nullable	Description
icbSectorDescription	Varchar(120)	Y	icbSectorDescription gives the text corresponding to the icbSector eg 0530 is "Oil & Gas Producers"
icbSectorId	int	Y	The Sector code is the second lowest level in the hierarchical structure.
icbSubSectorDescription	Varchar(120)	Y	icbSubSectorDescription gives the text corresponding to the icbSubSector eg 0533 is "Exploration & Production"
icbSubSectorId	int	Y	The SubSector code is the lowest level in the hierarchical structure.
active	int	N	the active field represents whether a company is active. Can be: 0: a company that became privately held, merged, liquidated, or otherwise became inactive. 1: an active company
dataSource	varchar(3)	N	dataSource indicates time series which have had data sourced from the Refinitiv Financials product. A company meeting this criterion will have 'RKD' in this field; otherwise it will have 'WS'

Example Use Case:

```

Select
wsid, sedol, Cusip, companyName,
worldscopeNationCode, nationCodeDescription, worldscopeCurrency,
icbIndustryDescription, icbIndustryId,
icbSuperSectorDescription, icbSuperSectorId,
icbSectorDescription, icbSectorId,
icbSubSectorDescription, icbSubSectorId,
active, dataSource
from vw_wsCompanyInfo
where Code = 51904 -- Thomson Reuters

```


vw_WsFXAdjustment

This view illustrates Worldscope values converted back into their reported currency values using the Worldscope supplied exchange rates.

Index Fields			
Code, Item, Freq, Year_, Seq (compound index)			
periodUpdateFlag (part of compound index)			
Field	Type	Nullable	Description
code	Int	N	Code is the primary link across all Worldscope (Ws*) tables.
item	Int	N	item cross-references with all Ws*DATA tables where item = Ws*data.Item.
Freq	Varchar(1)	N	Freq describes the periodicity of the data item, as described in "Quantitative Analytics Database Schema - Worldscope" eg 'A' means annual, 'Q' means quarterly, 'C' means current etc
year_	smallInt	N	Year_ represents the fiscal year for the period end date or reference observation period.
seq	smallInt	N	Seq represents the order of Item + Freq where Item and Freq are constant
fiscalPeriodEndDate	smalldatetime	Y	fiscalPeriodEndDate contains the month, day and year on which the company's fiscal period ended
epsReportDate	smalldatetime	Y	epsReportDate represents the source date for the earnings reported by the company for the corresponding period
periodUpdateFlag	varchar(12)	Y	periodUpdateFlag is a code for the periodUpdateDescription, below. It can be: 1. Preliminary 2. FAST 3. Final 4. Only Specified Unconsolidated Data Fields are available. 5. Preliminary – Flash 6. Final – Flash
periodUpdateDescription	varchar(120)	Y	periodUpdateDescription indicates the status of data provided in the annual and interim time series, as detailed in "Worldscope Data Definition Guide".
currencyOfDocument	varchar(12)	Y	currencyOfDocument represents the ISO currency code in which the company's financial statements are filed. currencyOfDocument is not the currency used to represent the data in Worldscope

Field	Type	Nullable	Description
periodSource	varchar(3)	N	periodSource indicates time series which have had data sourced from the Refinitiv Financials product. An item meeting this criterion will have 'RKD' in this field; otherwise it will have 'WS'
rate	float	Y	rate is the exchange rate from the Worldscope currency to the currency of document
reportedValue	float	Y	Value_ is the value of the specified item in the currency of document rather than the Worldscope currency (This field is calculated by taking the original value from WSItemDataVw and dividing by rate)
itemUnits	Varchar(9)	Y	units describes the units this item is stored in and can be: • 'Shares' • 'Persons' • currency eg 'USD' • currency per share eg 'CHF/share' Note: This is the currency of document above, not the Worldscope currency

Example Use Case:

```

select
m.id as
qaID,m.sedol,m.name,d.fiscalPeriodEndDate,d.epsReportDate,d.periodUpdateFlag,d.periodUpdateDescription,
    d.currencyOfDocument,d.periodSource,d.rate,d.reportedValue,d.itemUnits
from vw_SecurityMasterX m
join vw_wsCompanyMapping w
    on w.code = m.seccode
    and w.type_ = m.typ
left join vw_wsFXAdjustment d
    on d.code = w.vencode
    and d.item = 1001 -- NET SALES
    and d.freq = 'A' -- ANNUAL
where m.id = '@TRANS302'

```

vw_wsCompanyMapping

This view implements a company-level mapping logic for linking security master securities to Worldscope (ventype = 10). If a security has a direct mapping that is used. If not, the mapping for the primary issue of that company is used instead.

Index Fields

isrCode, code, type_

Field	Type	Nullable	Description
Isrcode	Int	N	IsrCode is the issuer code. Cross-reference with prc.PRCISS where prc.PRCISR.isrcode = prc.PRCISS.isrcode.
seccode	smallint	N	Seccode is the code links across the master tables.
typ	Int	N	Typ is the security type and can be: 1 (North American Equities) 6 (Global Equities)
vencode	Int	Y	VenCode is the corresponding vendor's unique code.

Example Use Case:

```
select
  m.id,m.cusip,
  p.isrCode,p.vencode
from vw_securityMasterX m
  join vw_wsCompanyMapping p
    on p.seccode = m.seccode
   and p.typ = m.typ
where m.id in ('45920030','@INTLB1','ibm') -- These QA Id's are all securities for the
IBM Company
```

© [Refinitiv](#) 2022. All Rights Reserved.
Republication or redistribution of Refinitiv content, including by framing or similar means, is prohibited without the prior written consent of Refinitiv. Refinitiv and the Refinitiv logo are trademarks of Refinitiv and its affiliated companies.

For more information visit us at
www.refinitiv.com

