Section A – Multiple Choice (1 mark each, 18 total)

- 1. Which of the following elements go in the <head> tag?
 - a. body
 - b. title
 - c. h1
 - d. img
- 2. How can I reproduce THIS in HTML?
 - a. <b<u><i>THISM<math></i></u>
 - b. <a><u><i>THISM</i></u>
 - c. $\langle b \rangle \langle u \rangle \langle$
 - d. <b<i>THISM</i>
- 3. What does HTML stand for?
 - a. Hyperspace Transit Markup Language
 - b. Hyperbole Transfer Machine Language
 - c. HyperText Markup Language
 - d. Hyperlinks and Text Markup Language
- 4. Choose the largest heading
 - a. <head>
 - b. <h1>
 - c. <h6>
 - d. <heading>
- 5. Which tag inserts a line break?
 - a. <lb>
 - b. <break>
 - c. <newline>
 - d.

- 6. Which tag defines important text?
 - a. <i>
 - b.
 - c.
 - d. <important>
- 7. What is the correct HTML for an hyperlink?
 - a. <a>http://google.ca
 - b. Google

- c. Google
- d. Google
- 8. Which one of these is NOT an input type?
 - a. head
 - b. text
 - c. radio
 - d. checkbox
- 9. Images must have this attribute
 - a. scr
 - b. src
 - c. rsc
 - d. csr

- 10. HTML comments look like
 - a. // A comment
 - b. <!-- A comment -->
 - c. /* A comment */
 - d. */ A comment /*
- 11. Which element defines the title of a document?
 - a. <head>
 - b. <meta>
 - c. <title>
 - d. <document>
- 12. Which attribute specifies the alternative text for an image?
 - a. src
 - b. alt
 - c. title
 - d. longdesc
- 13. A fieldset is usually accompanied by a
 - a. Hero
 - b. Legend
 - c. Title
 - d. Pokemon
- 14. A form consists of
 - a. Images
 - b. Inputs
 - c. Lists
 - d. Tables
- 15. Which element represents emphasised text
 - a.
 - b.
 - c.
 - d. <i>
- 16. A number input can have which two attributes?
 - a. min, max
 - b. maximum, minimum
 - c. minlength, maxlength
 - d. selected, unselected
- 17. How can you make a numbered list?
 - a.
 - b. <dl>
 - c. <list>
 - d.
- 18. How can you make a bulleted list
 - a.
 - b. <dl>
 - c. <list>
 - d.

Section B – Fill in the Blank (1 mark each, 12 total)

An example of an absolute URL is	an	
example of a relative URL is		
dropdown list consists of one	tag and multiple	
tags. To use a datalist,	you must define the	
attribute of an input, and create a datalist with		
multiple tags. A button u	sually calls a	
function when it is clicked, an example is		
. To use capital Roman Numerals in ordered		
lists, we use the type. To	use unfilled circles in	
unordered lists, we use the	type. Images	
should always have a attri		
attribute.		

Section C – Full Solution (10 marks each, 20 total)

Recreate the following table using HTML:

Name	Email	Student ID
Alex	alex@name.com	01
Bob	bob@name.com	02
Charles	charles@name.com	03

Recreate this form using HTML:

Tell me about you!		
First Name:		
Last Name:		
Enter your birthday: yyyy-mm-dd		
Your favourite type of music:	Other ▼	
Do you own a pet?	Country	
What kind of pet do you prefe Pop		
• Dogs	Rock	
Cats	Other	
○ Fish		
Other		
Your favourite colour?		
Enter		