## Bibliographie

cité pages 89

cité page 89

[129] McLaughlin Jr RN, Poelwijk FJ, Raman A, Gosal WS und Ranganathan R (2012)

The spatial architecture of protein function and adaptation. Nature, Band 458, Seite 859–864.

[128] Kong Y und Karplus M (2009) Signaling pathways of PDZ2 domain: A molecular dynamics interaction correlation analysis. Proteins, Band 74, Seite 145–154.

- [130] Melero C, Ollikainen N, Harwood I, Karpiak J und Kortemme T (2014) Quantifcation of the transferability of a designed protein specificity switch reveals extensive epistasis in molecular recognition. Proc Natl Acad Sci USA, Band 111, Seite 15426–15431. cité page 89
- [131] Reina J, Lacroix E, Hobson SD, Fernandez-Ballester G, Rybin V, Schwab MS und et al (2002) Computer-aided design of a PDZ domain to recognize new target sequences. Nat Struct Mol Biol, Band 9, Seite 621–627. cité page 89
- [132] Smith CA und Kortemme T (2010) Structure-Based Prediction of the Peptide Sequence Space Recognized by Natural and Synthetic PDZ Domains. J Mol Biol, Band 402, Seite 460–474.
  cité page 89
  [133] Baker D (2006) Prediction and design of macromolecular structures and interactions. Phil Trans R Soc Lond, Band 361, Seite 459–463.
- cité pages 89 et 100

  [134] Kleinman CL, Rodrigue N, Bonnard C, Philippe H und Lartillot N (**2006**) A maximum likelihood framework for protein design. BMC Bioinf, Band 7, Seite Art. 326.

  cité pages 91 et 92
- cité pages 91 et 92

  [135] Druart K, Palmai Z, Omarjee E und Simonson T (**2016**) Protein: ligand binding free energies: a stringent test for computational protein design. J Comput Chem,
  - free energies: a stringent test for computational protein design. J Comput Chem Band 37, Seite 404–415. cité page 93

    136] Pieper U. Eswar N. Marti-Renom M. A. Webb B. Madhusudhan M. S. Eramian
- [136] Pieper U. Eswar N. Marti-Renom M. A. Webb B. Madhusudhan M. S. Eramian D. Shen M. und Sali M (2006) Comparative Protein Structure Modeling With MODELLER. Curr. Prot. Bioinf., Band Suppl. 15, Seiten 5.6.1–5.6.30.
- MODELLER. Curr. Prot. Bioinf., Band Suppl. 15, Seiten 5.6.1–5.6.30.
  cité page 99
  [137] Jaramillo A, Wernisch L, Hery S und Wodak S (2002) Folding free energy function selects nativelike protein sequences in the core but not on the surface. Proc Natl
- Acad Sci USA, Band 99, Seite 13554–13559.
  cité page 103

  [138] Druart K., Le Guennec M., Palmai Z. und Simonson T. (2017) Probing the stereospecicity of tyrosyl- and glutaminyl-trna synthetase with molecular dynamics simu-

lations. Journal of Molecular Graphics and Modelling, Band 71, Seite 192–199.

146

cité page 117