

Power

Archivo: Power.kicad_sch

Buffers_Out

Archivo: Buffers_Out.kicad_sch

Codec

Archivo: Codec.kicad_sch

Buffers_In

Archivo: Buffers_In.kicad_sch


TOOLING



MOUNTING



MICROCONTROLLER



DavidMolTor


Sheet: /
File: PicoFX.kicad_sch

Title: PICO FX

Size: A4 Date: 2026-04-08
KiCad E.D.A. 10.0.2


Rev: 1.0
Id: 1/5

POWER INPUT




DIGITAL REGULATOR
LDO 3V3/1000mA

Tantalum capacitor required for stability.
Minimum capacitance 22uF.
Alternative placing of a series resistor.




POWER FLAGS



ANALOG REGULATOR
LDO 5V/1000mA

Tantalum capacitor required for stability.
Minimum capacitance 22uF.
Alternative placing of a series resistor.



DavidMolTor

Sheet: /Power/
File: Power.kicad_sch

Title: PICO FX


Size: A4
KiCad E.D.A. 10.0.2

Date: 2026-04-08


Rev: 1.0

Id: 2/5


INPUT JACK




LEFT CHANNEL BUFFER



INPUT OPAMP POWER



RIGHT CHANNEL BUFFER



DavidMolTor

Sheet: /Buffers_In/

File: Buffers_In.kicad_sch

Title: PICO FX

Size: A4


Date: 2026-04-08

KiCad E.D.A. 10.0.2


Rev: 1.0

Id: 3/5


LEFT CHANNEL BUFFER




RIGHT CHANNEL BUFFER



OUTPUT OPAMP POWER



OUTPUT JACK



DavidMolTor

Sheet: /Buffers_Out/
File: Buffers_Out.kicad_sch

Title: PICO FX

Size: A4 Date: 2026-04-08
KiCad E.D.A. 10.0.2

Rev: 1.0
Id: 4/5

