

Group 8 - Lab 7

David Wiley

February 17, 2019

Lab 7

Using data from Problem 2.11 (from textbook). Test whether the true correlation is zero or not. Calculate the 90% CI. Interpret.

```
# Estimating the correlation coefficient
```

```
r = Sxy / sqrt(Sxx * SSt)
```

```
r
```

```
## [1] 0.7734903
```

```
R2 = SSr / SSt
```

```
R2
```

```
## [1] 0.5982872
```

```
summary(lm(y~x))
```

```
##
```

```
## Call:
```

```
## lm(formula = y ~ x)
```

```
##
```

```
## Residuals:
```

```
##      Min       1Q   Median       3Q      Max
```

```
## -17.182  -6.485  -2.519   8.926  12.143
```

```
##
```

```
## Coefficients:
```

```
##              Estimate Std. Error t value Pr(>|t|)
```

```
## (Intercept) 69.10437    12.91013     5.353 1.71e-05 ***
```

```
## x           0.41942     0.07015     5.979 3.59e-06 ***
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
```

```
## Residual standard error: 8.681 on 24 degrees of freedom
```


```
## Multiple R-squared:  0.5983, Adjusted R-squared:  0.5815
```

```
## F-statistic: 35.74 on 1 and 24 DF,  p-value: 3.591e-06
```


```
#summary(lm(y~x-1))
```

Testing true correlation

```
plot(x,y)
```



```
qqnorm(resid(lm(y~x)))  
qqline(resid(lm(y~x)))
```



```
cor.test(x,y, conf.level = .9)
```

```
##
## Pearson's product-moment correlation
##
## data:  x and y
## t = 5.9786, df = 24, p-value = 3.591e-06
## alternative hypothesis: true correlation is not equal to 0
## 90 percent confidence interval:
##  0.5953951 0.8791323
## sample estimates:
##      cor
## 0.7734903
```

Interpretation:

Using the Pearson's product-moment correlation test, we can see that the true correlation is not equal to 0. The bounds for the %90 CI is 0.5954 to 0.8791. The correlation of 0.7735 falls within these bounds.