

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for index.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `windows-1252`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```
- Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one

is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** **Bad value** `/api/books/viewBook/{ { $book->bookid } }` for attribute `href` on element `a`: **Illegal character in path segment: `{` is not allowed.**

From line 20, column 5; to line 20, column 54

```
ext">↵
                                <a href="/api/books/viewBook/{ { $book->bookid
}}">↵
```

6. **Error** **Bad value** `{{ $book->bookContentid($book->bookid($book->bookid)->bookcontentid)->bookcover }}` for attribute `src` on element `img`: **Illegal character in path segment: `{` is not allowed.**

From line 21, column 6; to line 22, column 32

```
}}">↵
                                </a>↵
```

7. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 21, column 6; to line 22, column 32

```
}}">↵
                                </a>↵
```

8. **Error** **Bad value** `/api/books/viewBook/{ { $book->bookid } }` for attribute `href` on element `a`: **Illegal character in path segment: `{` is not allowed.**

From line 25, column 9; to line 25, column 59

```
↵
                                <h2><a href="/api/books/viewBook/{ {
$book->bookid } }" > { { $b
```

9. **Error** Element `p1` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 27, column 5; to line 27, column 8

```
-</p>↵
                                <p1>Quanti
```

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

- Total execution time 11 milliseconds.