

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for purchase_history.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `windows-1252`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```
- Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one

is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Element `p1` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 14, column 10; to line 14, column 56

```
<div> <p1 style="padding-top: 30px; color :#860b05;"> Order
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

6. **Error** No `p` element in scope but a `p` end tag seen.

From line 16, column 1; to line 16, column 4

```
}} </p><=</p></div>
```

7. **Error** Element `p1` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 18, column 10; to line 18, column 39

```
<div><p1 style = "color :#860b05;"> Name
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

8. **Error** Stray end tag `p1`.

From line 18, column 142; to line 18, column 146

```
ername }}</p1></div>
```

9. **Error** Element `p1` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 19, column 10; to line 19, column 13

```
<div><p1>
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

10. **Error** Element `p1` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 33, column 5; to line 33, column 33

```
ay">< <p1 style ="color :#860b05;"> Books
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

11.

Error **Bad value** `{{ $orderInformation->`

```
>getBookContent($orderInformation->getBookProduct($orderInformation->bookid)->bookcontentid)->bookcover }}
```

for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 39, column 9; to line 39, column 173

```

```

12.

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 39, column 9; to line 39, column 173

```

```

13.

Error **Bad value** `/api/books/viewBook/{{ $orderInformation->bookid }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 43, column 9; to line 43, column 95

```
<a class="btn btn-primary" href="/api/books/viewBook/{{ $orderInformation->bookid }}"> Add R
```

Document checking completed.

Used the HTML parser.

Total execution time 13 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25

