

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for app.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Bad value `{{ app()->getLocale() }}` for attribute `lang` on element `html`: Subtags must not exceed 8 characters in length.

From line 1, column 16; to line 2, column 38

```
TYPE html><html lang="{{ app()->getLocale() }}"><he
```

2. **Error** Bad value `{{ asset('css/bootstrap.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.

From line 14, column 5; to line 14, column 67

```
s --><link href="{{ asset('css/bootstrap.css') }}" rel="stylesheet"><
```

3. **Error** Bad value `{{ asset('css/app.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.

From line 15, column 5; to line 15, column 61

```
eet"><link href="{{ asset('css/app.css') }}" rel="stylesheet"><
```

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 16, column 5; to line 16, column 35

```
eet"><script type="text/javascript">
```

5. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 20, column 49

```
" src={{ asset('js/app.js') }}
```

6. **Error** A slash was not immediately followed by `>`.

At line 20, column 53

```
c={{ asset('js/app.js') }} def
```

7. **Error** Quote `'` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 20, column 59

```
sset('js/app.js') }} defer></
```

8. **Warning** Attribute `asset('js` is not serializable as XML 1.0.

From line 20, column 5; to line 20, column 70

```
ript>< <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

9. **Warning** Attribute `app.js')` is not serializable as XML 1.0.

From line 20, column 5; to line 20, column 70

```
ript>< <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

10. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 20, column 5; to line 20, column 70

```
ript>< <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

11. **Error** Bad value `{{` for attribute `src` on element `script`: Illegal character in path segment: `{` is not allowed.

From line 20, column 5; to line 20, column 70

```
ript>< <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

12. **Error** Attribute `asset('js` not allowed on element `script` at this point.

From line 20, column 5; to line 20, column 70

```
ript>< <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

13. **Error** Attribute `app.js'` not allowed on element `script` at this point.

From line 20, column 5; to line 20, column 70

```
ript><      <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

14. **Error** Attribute `}}` not allowed on element `script` at this point.

From line 20, column 5; to line 20, column 70

```
ript><      <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

Attributes for element `script`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of script

[nomodule](#) — Prevents execution in user agents that support [module scripts](#)

[async](#) — Execute script when available, without blocking while fetching

[defer](#) — Defer script execution

[crossorigin](#) — How the element handles crossorigin requests

[integrity](#) — Integrity metadata used in *Subresource Integrity* checks [\[SRI\]](#)

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

15. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 20, column 5; to line 20, column 70

```
ript><      <script type="text/javascript" src={{ asset('js/app.js') }}
defer></scr
```

16. **Error** Bad value `{{ url('/home') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

From line 28, column 13; to line 28, column 62

```
<a class="navbar-brand" href="{{ url('/home') }}">
```

17. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 29, column 13; to line 29, column 66

```
<img src= "/images/logo.png" width="200" height="100"> </a>
```

18. **Error** Bad value `{{ url('/home') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

From line 38, column 19; to line 38, column 71

```
<a class="nav-link active" href="{{ url('/home') }}">Home
```

19. **Error** Bad value `{{ url('/about') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

From line 42, column 19; to line 42, column 65

```
<a class="nav-link" href="{{ url('/about') }}">About
```

20. **Error** Bad value `{{ url('/contact') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

From line 45, column 19; to line 45, column 67

```
<a class="nav-link" href="{{ url('/contact') }}">Contac
```

21. **Error** Bad value `{{ url('/faq') }}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.

From line 48, column 19; to line 48, column 63

```
<a class="nav-link" href="{{ url('/faq') }}">FAQ</a>
```

22. **Error** Text not allowed in element `ul` in this context.

From line 50, column 1; to line 50, column 35

```
</li> @if (Auth::check())
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

23. **Error** Text not allowed in element `ul` in this context.

From line 51, column 1; to line 51, column 55

```
:check()) @if (Auth::user()->isAdmin == "True")
```

Zero or more [li](#) and [script-supporting](#) elements.

- Zero or more [li](#) and [script-supporting](#) elements.

- ```
id}}/wishlist">
```

30. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 73, column 87; to line 73, column 185

```
ishlist"> <img src= "https://www.iconpacks.net/icons/1/free-heart-icon-492-
thumb.png" width="20" height="20">
```

31. **Error** Bad value `/users/{{Auth::user()->id}}/cart` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 76, column 21; to line 76, column 80

```
id}}/cart"> <img
```

32. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 76, column 82; to line 76, column 169

```
}}/cart">
```

33. **Error** Text not allowed in element `ul` in this context.

From line 79, column 1; to line 79, column 21

```
< < @else
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

34. **Error** Bad value `{{ url('/logout') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 81, column 21; to line 81, column 68

```
Log in
```

35. **Error** Text not allowed in element `ul` in this context.

From line 84, column 1; to line 84, column 22

```
 @endif
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

36. **Error** No space between attributes.

At line 92, column 101

```
ropdown-toggle" style="backgrou
```

37. **Error** Stray end tag `div`.

From line 114, column 11; to line 114, column 16

```
</div>
```

38. **Warning** Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections](#).

From line 119, column 7; to line 120, column 19

```
<section id="container-fluid" style="margin-left: 12%; max-width: 80%; ">
```

Document checking completed.

Used the HTML parser.

Total execution time 25 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25