



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 012

## Laboratory Analysis Report

### Customer

Facility Name: Atrium  
Address: 307 South Dithridge  
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool

### Sample Collection

Date: 12/9/24  
Time: 10:45 AM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:10 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	5:00 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.7 SU	7.2 - 7.8 SU	12/9/24	10:45 AM	DS	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	12/9/24	10:45 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	10:45 AM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 424

## Laboratory Analysis Report

### Customer

Facility Name: Chatham University  
Address: 1 Woodland Rd.  
Pittsburgh, PA 15232

Matrix: Recreational Water

Source Type: Pool Deep

### Sample Collection

Date: 12/9/24  
Time: 10:00 AM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:55 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:55 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	6:00 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/9/24	10:00 AM	MB	DPD
Chlorine:	2.4 mg/l	1.0 - 5.0 mg/l	12/9/24	10:00 AM	MB	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	10:00 AM	MB	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 425

## Laboratory Analysis Report

### Customer

Facility Name: Chatham University  
Address: 1 Woodland Rd.  
Pittsburgh, PA 15232

Matrix: Recreational Water

Source Type: Pool Shallow

### Sample Collection

Date: 12/9/24  
Time: 10:00 AM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:55 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:55 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	6:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/9/24	10:00 AM	MB	DPD
Chlorine:	2.4 mg/l	1.0 - 5.0 mg/l	12/9/24	10:00 AM	MB	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	10:00 AM	MB	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 121

## Laboratory Analysis Report

### Customer

Facility Name: Hampton Inn  
Address: 301 West Waterfront Dr.  
Pittsburgh, PA 15120

Matrix: Recreational Water

Source Type: Pool

### Sample Collection

Date: 12/9/24  
Time: 2:45 PM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:10 AM	PS	SM 9222B
Standard plate count:	570/ml	200/ml	12/9/24	5:00 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	12/9/24	2:45 PM	DS	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	12/9/24	2:45 PM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	2:45 PM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 379

## Laboratory Analysis Report

### Customer

Facility Name: PPG Paints Arena  
Address: 1001 Fifth Ave  
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Spa

### Sample Collection

Date: 12/9/24  
Time: 12:15 PM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	9/10/24 9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24 9:10 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24 5:00 PM	AS	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	9/10/24 9:55 AM	PS	SM 9230C
---------------------	----------	----------	-----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.3 SU	7.2 - 7.8 SU	12/9/24 12:15 PM	DS	DPD
Chlorine:	2.8 mg/l	1.0 - 5.0 mg/l	12/9/24 12:15 PM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24 12:15 PM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041  
Service

Lab# 380

## Laboratory Analysis Report

### Customer

Facility Name: PPG Paints Arena  
Address: 1001 Fifth Ave  
Pittsburgh, PA 15219  
Matrix: Recreational Water  
Source Type: Therapy Spa

### Sample Collection

Date: 12/9/24  
Time: 12:15 PM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS


Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:10 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	5:00 PM	AS	SM 9215B
Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	9/10/24	9:55 AM	PS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	12/9/24	12:15 PM	DS	DPD
Chlorine:	4.2 mg/l	1.0 - 5.0 mg/l	12/9/24	12:15 PM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	12:15 PM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 381

## Laboratory Analysis Report

### Customer

Facility Name: PPG Paints Arena  
Address: 1001 Fifth Ave  
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Cold Plunge

### Sample Collection

Date: 12/9/24  
Time: 12:15 PM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:10 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	5:00 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/9/24	12:15 PM	DS	DPD
Chlorine:	2.2 mg/l	1.0 - 5.0 mg/l	12/9/24	12:15 PM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	12:15 PM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 313

## Laboratory Analysis Report

### Customer

Facility Name: UPMC Sports Rehab - Cranberry

Address: 8000 Cranberry Springs Drive  
Cranberry Township, PA 16066

Matrix: Recreational Water

Source Type: Spa

### Sample Collection

Date: 12/10/24

Time: 10:30 AM

Method: Grab

### Sample Final Analysis

Date: 12/13/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/11/24	10:50 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/11/24	10:50 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/10/24	4:15 PM	AS	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	12/11/24	11:25 AM	PS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/10/24	10:30 AM	JR	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	12/10/24	10:30 AM	JR	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/10/24	10:30 AM	JR	Visual

### Sample comments

*Andrea Smith*

( When exceeding reporting limit pool or spa is unfit)





Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 314

## Laboratory Analysis Report

### Customer

Facility Name: UPMC Sports Rehab

Address: 200 Lothrop St.  
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Therapy Spa

### Sample Collection

Date: 12/9/24

Time: 1:45 PM

Method: Grab

### Sample Final Analysis

Date: 12/12/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	9/10/24 9:10 AM	PS	SM 9222G
-------------------	--------	--------	-----------------	----	----------

Total coliforms:	0/100mls	2/100mls	9/10/24 9:10 AM	PS	SM 9222B
------------------	----------	----------	-----------------	----	----------

Standard plate count:	0/ml	200/ml	12/9/24 5:00 PM	AS	SM 9215B
-----------------------	------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	9/10/24 9:55 AM	PS	SM 9230C
---------------------	----------	----------	-----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.0 SU	7.2 - 7.8 SU	12/9/24 1:45 PM	DS	DPD
-----	--------	--------------	-----------------	----	-----

Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	12/9/24 1:45 PM	DS	DPD
-----------	----------	----------------	-----------------	----	-----

Turbidity:	1 NTU	1 - 2 NTU	12/9/24 1:45 PM	DS	Visual
------------	-------	-----------	-----------------	----	--------

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas  
1105 Washington Blvd  
Pittsburgh, Pennsylvania 15206  
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 340

## Laboratory Analysis Report

### Customer

Facility Name: Winchester Apts  
Address: 540 N. Neville St.  
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool

### Sample Collection

Date: 12/9/24  
Time: 9:15 AM  
Method: Grab

### Sample Final Analysis

Date: 12/12/24  
Time: 9:00 AM  
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/10/24	9:10 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/10/24	9:10 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/9/24	5:00 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.7 SU	7.2 - 7.8 SU	12/9/24	9:15 AM	DS	DPD
Chlorine:	2.6 mg/l	1.0 - 5.0 mg/l	12/9/24	9:15 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/9/24	9:15 AM	DS	Visual

### Sample comments

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)

Andre Smith




**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**

Lab ID No. 02-04041

**Laboratory Analysis Report**

ID #	Lab customer	Address	City, State, Zip	Source Type	Date	Time	Ph	Chl	Turb	Collet
Service								Field Results		
012	Atrium	307 South Dithridge	Pittsburgh, PA 15213	Pool	12/9/24	10:45 AM	7.7 /SU	3.0 mg/l	1 NTU	DS
424	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Deep	12/9/24	10:00 AM	7.5 /SU	2.4 mg/l	1 NTU	MB
425	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Shallow	12/9/24	10:00 AM	7.5 /SU	2.4 mg/l	1 NTU	MB
432	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Spa						
121	Hampton Inn	301 West Waterfront	Pittsburgh, PA 15120	Pool	12/9/24	2:45 PM	7.2 /SU	0.0 mg/l	1 NTU	DS
379	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Spa	12/9/24	12:15 PM	7.3 /SU	2.8 mg/l	1 NTU	DS
380	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Therapy Sp	12/9/24	12:15 PM	7.4 /SU	4.2 mg/l	1 NTU	DS
381	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Cold Plunge	12/9/24	12:15 PM	7.5 /SU	2.2 mg/l	1 NTU	DS
311	UPMC Lemieux Sp	8000 Cranberry Spr	Cranberry Township, Pa							
312	UPMC Lemieux Sp	8000 Cranberry Spr	Cranberry Township, Pa	Cold Plunge						
313	UPMC Sports Reh:	8000 Cranberry Spr	Cranberry Township, Pa	Spa	12/10/24	10:30 AM	7.5 /SU	3.0 mg/l	1 NTU	JR
314	UPMC Sports Reh:	200 Lothrop St.	Pittsburgh, PA 15213	Therapy Sp	12/9/24	1:45 PM	7.0 /SU	3.0 mg/l	1 NTU	DS
340	Winchester Apts	540 N. Neville St.	Pittsburgh, PA 15213	Pool	12/9/24	9:15 AM	7.7 /SU	2.6 mg/l	1 NTU	DS

*Anaë Smith*



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**

Lab ID No. 02-04041

Fecal Coliform  
Incubation Start

Total Coliform  
Incubation Start


HPC Incubation Start

Fecal Streptococcus  
Incubation Start

## Laboratory Analysis Report

#	Lab customer	Source T	Date	Time	Analyst	Date	Time	Analyst	Date	Time	Analyst	Date	Time	Analyst
Service														
012	Atrium	Pool	9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS			
424	Chatham Univers Pool De		9/10/24	9:55 AM	PS	9/10/24	9:55 AM	PS	12/9/24	6:00 PM	AS			
425	Chatham Univers Pool Sh		9/10/24	9:55 AM	PS	9/10/24	9:55 AM	PS	12/9/24	6:00 PM	AS			
432	Chatham Univers Spa													
121	Hampton Inn	Pool	9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS			
379	PPG Paints Aren: Spa		9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS	9/10/24	9:55 AM	PS
380	PPG Paints Aren: Therapy		9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS	9/10/24	9:55 AM	PS
381	PPG Paints Aren: Cold Plu		9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS			
311	UPMC Lemieux S Spa													
312	UPMC Lemieux S Cold Plunge													
313	UPMC Sports Re Spa		12/11/24	10:50 AM	PS	12/11/24	10:50 AM	PS	12/10/24	4:15 PM	AS	12/11/24	11:25 AM	PS
314	UPMC Sports Re Therapy		9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS	9/10/24	9:55 AM	PS
340	Winchester Apts Pool		9/10/24	9:10 AM	PS	9/10/24	9:10 AM	PS	12/9/24	5:00 PM	AS			

*Anaëlle Smith*



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**

Lab ID No. 02-04041

**Laboratory Analysis Report**

#	Lab customer	Address	City, State, Zip	Source Ty	Final Analysis Date/Time	Coli	Escherichia	Coliforms	HPC	Fecal	Analysis
Service							Laboratory Results				
012	Atrium	307 South Dithridge	Pittsburgh, PA 15213	Pool	12/12/24	9:00 AM	Absent	0/100mls	0/ml		AS
424	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Dec	12/12/24	9:00 AM	Absent	0/100mls	0/ml		AS
425	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool She	12/12/24	9:00 AM	Absent	0/100mls	0/ml		AS
432	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Spa							
121	Hampton Inn	301 West Waterfront	Pittsburgh, PA 15120	Pool	12/12/24	9:00 AM	Absent	0/100mls	570/ml		AS
379	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Spa	12/12/24	9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
380	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Therapy	12/12/24	9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
381	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Cold Plu	12/12/24	9:00 AM	Absent	0/100mls	0/ml		AS
311	UPMC Lemieux Spo	8000 Cranberry Sprin	Cranberry Township, P/	Spa							
312	UPMC Lemieux Spo	8000 Cranberry Sprin	Cranberry Township, P/	Cold Plunge							
313	UPMC Sports Rehat	8000 Cranberry Sprin	Cranberry Township, P/	Spa	12/13/24	9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
314	UPMC Sports Rehat	200 Lothrop St.	Pittsburgh, PA 15213	Therapy	12/12/24	9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
340	Winchester Apts	540 N. Neville St.	Pittsburgh, PA 15213	Pool	12/12/24	9:00 AM	Absent	0/100mls	0/ml		AS

*Anaëe Smith*