



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 012

Laboratory Analysis Report

Customer

Facility Name: Atrium
Address: 307 South Dithridge
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 12/2/24
Time: 10:00 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24 9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24 9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24 5:15 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	12/2/24 10:00 AM	DS	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	12/2/24 10:00 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24 10:00 AM	DS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 424

Laboratory Analysis Report

Customer

Facility Name: Chatham University
Address: 1 Woodland Rd.
Pittsburgh, PA 15232

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 12/2/24
Time: 10:10 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/2/24	10:10 AM	MB	DPD
Chlorine:	3.6 mg/l	1.0 - 5.0 mg/l	12/2/24	10:10 AM	MB	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	10:10 AM	MB	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 425

Laboratory Analysis Report

Customer

Facility Name: Chatham University
Address: 1 Woodland Rd.
Pittsburgh, PA 15232

Matrix: Recreational Water

Source Type: Pool Shallow

Sample Collection

Date: 12/2/24
Time: 10:10 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/2/24	10:10 AM	MB	DPD
Chlorine:	3.6 mg/l	1.0 - 5.0 mg/l	12/2/24	10:10 AM	MB	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	10:10 AM	MB	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 121

Laboratory Analysis Report

Customer

Facility Name: Hampton Inn
Address: 301 West Waterfront Dr.
Pittsburgh, PA 15120

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 12/2/24
Time: 1:45 PM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.3 SU	7.2 - 7.8 SU	12/2/24	1:45 PM	DS	DPD
Chlorine:	1.6 mg/l	1.0 - 5.0 mg/l	12/2/24	1:45 PM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	1:45 PM	DS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 379

Laboratory Analysis Report

Customer

Facility Name: PPG Paints Arena
Address: 1001 Fifth Ave
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 12/2/24
Time: 11:00 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	12/3/24 9:30 AM	AS	SM 9222G
-------------------	--------	--------	-----------------	----	----------

Total coliforms:	0/100mls	2/100mls	12/3/24 9:30 AM	AS	SM 9222B
------------------	----------	----------	-----------------	----	----------

Standard plate count:	0/ml	200/ml	12/2/24 5:15 PM	AS	SM 9215B
-----------------------	------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	12/3/24 9:30 AM	AS	SM 9230C
---------------------	----------	----------	-----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.6 SU	7.2 - 7.8 SU	12/2/24 11:00 AM	DS	DPD
-----	--------	--------------	------------------	----	-----

Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	12/2/24 11:00 AM	DS	DPD
-----------	----------	----------------	------------------	----	-----

Turbidity:	1 NTU	1 - 2 NTU	12/2/24 11:00 AM	DS	Visual
------------	-------	-----------	------------------	----	--------

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041
Service

Lab# 380

Laboratory Analysis Report

Customer

Facility Name: PPG Paints Arena
Address: 1001 Fifth Ave
Pittsburgh, PA 15219
Matrix: Recreational Water
Source Type: Therapy Spa

Sample Collection

Date: 12/2/24
Time: 11:00 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS


Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B
Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	12/2/24	11:00 AM	DS	DPD
Chlorine:	2.8 mg/l	1.0 - 5.0 mg/l	12/2/24	11:00 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	11:00 AM	DS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 381

Laboratory Analysis Report

Customer

Facility Name: PPG Paints Arena
Address: 1001 Fifth Ave
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Cold Plunge

Sample Collection

Date: 12/2/24
Time: 11:00 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	12/2/24	11:00 AM	DS	DPD
Chlorine:	1.6 mg/l	1.0 - 5.0 mg/l	12/2/24	11:00 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	11:00 AM	DS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 311

Laboratory Analysis Report

Customer

Facility Name: UPMC Lemieux Sports Complex

Address: 8000 Cranberry Springs Drive
Cranberry Township, PA 16066

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 12/3/24

Time: 9:00 AM

Method: Grab

Sample Final Analysis

Date: 12/6/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/4/24	9:30 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/4/24	9:30 AM	PS	SM 9222B
Standard plate count:	0/ml	200/ml	12/3/24	3:40 PM	AS	SM 9215B
Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	12/4/24	9:00 AM	PS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	NA	7.2 - 7.8 SU	12/3/24	9:00 AM	JP	DPD
Chlorine:	NA	1.0 - 5.0 mg/l	12/3/24	9:00 AM	JP	DPD
Turbidity:	NA	1 - 2 NTU	12/3/24	9:00 AM	JP	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 312

Laboratory Analysis Report

Customer

Facility Name: UPMC Lemieux Sports Complex

Address: 8000 Cranberry Springs Drive
Cranberry Township, PA 16066

Matrix: Recreational Water

Source Type: Cold Plunge

Sample Collection

Date: 12/3/24

Time: 9:00 AM

Method: Grab

Sample Final Analysis

Date: 12/6/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/4/24	9:30 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/4/24	9:30 AM	PS	SM 9222B
Standard plate count:	190/ml	200/ml	12/3/24	3:40 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	NA	7.2 - 7.8 SU	12/3/24	9:00 AM	JP	DPD
Chlorine:	NA	1.0 - 5.0 mg/l	12/3/24	9:00 AM	JP	DPD
Turbidity:	NA	1 - 2 NTU	12/3/24	9:00 AM	JP	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 313

Laboratory Analysis Report

Customer

Facility Name: UPMC Sports Rehab - Cranberry

Address: 8000 Cranberry Springs Drive
Cranberry Township, PA 16066

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 12/3/24

Time: 9:15 AM

Method: Grab

Sample Final Analysis

Date: 12/6/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/4/24	9:30 AM	PS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/4/24	9:30 AM	PS	SM 9222B
Standard plate count:	190/ml	200/ml	12/3/24	3:40 PM	AS	SM 9215B


Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	12/4/24	9:00 AM	PS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.5 SU	7.2 - 7.8 SU	12/3/24	9:15 AM	JP	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	12/3/24	9:15 AM	JP	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/3/24	9:15 AM	JP	Visual

Sample comments

Anne Smith

(When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 314

Laboratory Analysis Report

Customer

Facility Name: UPMC Sports Rehab

Address: 200 Lothrop St.
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Therapy Spa

Sample Collection

Date: 12/2/24

Time: 7:34 PM

Method: Grab

Sample Final Analysis

Date: 12/5/24

Time: 9:00 AM

Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	12/3/24 9:30 AM	AS	SM 9222G
-------------------	--------	--------	-----------------	----	----------

Total coliforms:	0/100mls	2/100mls	12/3/24 9:30 AM	AS	SM 9222B
------------------	----------	----------	-----------------	----	----------

Standard plate count:	0/ml	200/ml	12/2/24 5:15 PM	AS	SM 9215B
-----------------------	------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	12/3/24 9:30 AM	AS	SM 9230C
---------------------	----------	----------	-----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.2 SU	7.2 - 7.8 SU	12/2/24 7:34 PM	DS	DPD
-----	--------	--------------	-----------------	----	-----

Chlorine:	2.2 mg/l	1.0 - 5.0 mg/l	12/2/24 7:34 PM	DS	DPD
-----------	----------	----------------	-----------------	----	-----

Turbidity:	1 NTU	1 - 2 NTU	12/2/24 7:34 PM	DS	Visual
------------	-------	-----------	-----------------	----	--------

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Service

Lab# 340

Laboratory Analysis Report

Customer

Facility Name: Winchester Apts
Address: 540 N. Neville St.
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 12/2/24
Time: 9:00 AM
Method: Grab

Sample Final Analysis

Date: 12/5/24
Time: 9:00 AM
Analyst: AS

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/24	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/24	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	12/2/24	5:15 PM	AS	SM 9215B


Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	12/2/24	9:00 AM	DS	DPD
Chlorine:	3.6 mg/l	1.0 - 5.0 mg/l	12/2/24	9:00 AM	DS	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/24	9:00 AM	DS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith




Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Laboratory Analysis Report

ID #	Lab customer	Address	City, State, Zip	Source Type	Date	Time	Ph	Chl	Turb	Collo
Service								Field Results		
012	Atrium	307 South Dithridge	Pittsburgh, PA 15213	Pool	12/2/24	10:00 AM	7.4 /SU	0.0 mg/l	1 NTU	DS
424	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Deep	12/2/24	10:10 AM	7.5 /SU	3.6 mg/l	1 NTU	MB
425	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Shallow	12/2/24	10:10 AM	7.5 /SU	3.6 mg/l	1 NTU	MB
432	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Spa						
121	Hampton Inn	301 West Waterfront	Pittsburgh, PA 15120	Pool	12/2/24	1:45 PM	7.3 /SU	1.6 mg/l	1 NTU	DS
379	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Spa	12/2/24	11:00 AM	7.6 /SU	3.0 mg/l	1 NTU	DS
380	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Therapy Sp	12/2/24	11:00 AM	7.2 /SU	2.8 mg/l	1 NTU	DS
381	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Cold Plunge	12/2/24	11:00 AM	7.6 /SU	1.6 mg/l	1 NTU	DS
311	UPMC Lemieux Sp	8000 Cranberry Spr	Cranberry Township, Pa	Spa	12/3/24	9:00 AM	NA	NA	NA	JP
312	UPMC Lemieux Sp	8000 Cranberry Spr	Cranberry Township, Pa	Cold Plunge	12/3/24	9:00 AM	NA	NA	NA	JP
313	UPMC Sports Reh:	8000 Cranberry Spr	Cranberry Township, Pa	Spa	12/3/24	9:15 AM	7.5 /SU	2.0 mg/l	1 NTU	JP
314	UPMC Sports Reh:	200 Lothrop St.	Pittsburgh, PA 15213	Therapy Sp	12/2/24	7:34 PM	7.2 /SU	2.2 mg/l	1 NTU	DS
340	Winchester Apts	540 N. Neville St.	Pittsburgh, PA 15213	Pool	12/2/24	9:00 AM	7.8 /SU	3.6 mg/l	1 NTU	DS

Anne Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Fecal Coliform
Incubation Start

Total Coliform
Incubation Start


HPC Incubation Start

Fecal Streptococcus
Incubation Start

Laboratory Analysis Report

#	Lab customer	Source T	Date	Time	Analyst	Date	Time	Analyst	Date	Time	Analyst	Date	Time	Analyst
Service														
012	Atrium	Pool	12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			
424	Chatham Univers Pool De		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			
425	Chatham Univers Pool Sh		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			
432	Chatham Univers Spa													
121	Hampton Inn	Pool	12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			
379	PPG Paints Aren: Spa		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS	12/3/24	9:30 AM	AS
380	PPG Paints Aren: Therapy		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS	12/3/24	9:30 AM	AS
381	PPG Paints Aren: Cold Plu		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			
311	UPMC Lemieux S Spa		12/4/24	9:30 AM	PS	12/4/24	9:30 AM	PS	12/3/24	3:40 PM	AS	12/4/24	9:00 AM	PS
312	UPMC Lemieux S Cold Plu		12/4/24	9:30 AM	PS	12/4/24	9:30 AM	PS	12/3/24	3:40 PM	AS			
313	UPMC Sports Re Spa		12/4/24	9:30 AM	PS	12/4/24	9:30 AM	PS	12/3/24	3:40 PM	AS	12/4/24	9:00 AM	PS
314	UPMC Sports Re Therapy		12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS	12/3/24	9:30 AM	AS
340	Winchester Apts	Pool	12/3/24	9:30 AM	AS	12/3/24	9:30 AM	AS	12/2/24	5:15 PM	AS			

Anaëlle Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665

Lab ID No. 02-04041

Laboratory Analysis Report

#	Lab customer	Address	City, State, Zip	Source Ty	Final Analysis Date/Time	Escherichia Coli	Coliforms	HPC	Fecal Stepto	Analysis
Service						Laboratory Results				
012	Atrium	307 South Dithridge	Pittsburgh, PA 15213	Pool	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS
424	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool Dec	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS
425	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Pool She	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS
432	Chatham University	1 Woodland Rd.	Pittsburgh, PA 15232	Spa						
121	Hampton Inn	301 West Waterfront	Pittsburgh, PA 15120	Pool	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS
379	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Spa	12/5/24 9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
380	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Therapy	12/5/24 9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
381	PPG Paints Arena	1001 Fifth Ave	Pittsburgh, PA 15219	Cold Plu	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS
311	UPMC Lemieux Spo	8000 Cranberry Sprin	Cranberry Township, P/	Spa	12/6/24 9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
312	UPMC Lemieux Spo	8000 Cranberry Sprin	Cranberry Township, P/	Cold Plu	12/6/24 9:00 AM	Absent	0/100mls	190/ml		AS
313	UPMC Sports Rehat	8000 Cranberry Sprin	Cranberry Township, P/	Spa	12/6/24 9:00 AM	Absent	0/100mls	190/ml	0/100mls	AS
314	UPMC Sports Rehat	200 Lothrop St.	Pittsburgh, PA 15213	Therapy	12/5/24 9:00 AM	Absent	0/100mls	0/ml	0/100mls	AS
340	Winchester Apts	540 N. Neville St.	Pittsburgh, PA 15213	Pool	12/5/24 9:00 AM	Absent	0/100mls	0/ml		AS

Anaë Smith