User Health & Activity Overview

Analysis of activity, sleep, and health metrics, including data completeness

bellabeat

Weight Data Coverage



~75% of users do not log their weight, limiting the depth of health-related insights.

77,81
Average Weight (KG)

27,99
Average BMI

377,65
Average Sleep (Mins.)

7,52K
Average Daily Steps

Distribution of Average Daily Steps



Distribution of Average Daily Calories Burned



Key Takeaway

User activity levels vary significantly, while incomplete weight tracking limits deeper health analysis.

Business Implication

Bellabeat can improve user engagement by encouraging consistent health data tracking.

User Behavior Analysis

Exploring how physical activity impacts calories burned, BMI, and sleep behavior

bellabeat

Select all | Active | Moderate | Sedentary

Average BMI by Activity Level



Sedentary users tend to show higher BMI values.

Key Takeaway

Activity level strongly influences calories burned and is associated with better BMI outcomes, but not necessarily with longer sleep.

Business Implication

Bellabeat can target low-activity users with personalized engagement strategies to increase activity levels.

Average Steps and Average Calories by Activity Level



Higher activity levels are associated with increased calorie expenditure.

Average Steps vs. Average Sleep (minutes)



There is no strong relation between the amount of steps and the sleep duration.

Weight & BMI Insights

Exploring the relationship between body weight, calories and BMI categories

bellabeat



There is no strong correlation between the weight and the calories burned.



Most users do not have complete BMI/weight data, limiting deeper health insights.

Key Takeaways

- Most users lack BMI data.
- Weight alone is not a strong predictor of calories burned.
- Health insights are limited by incomplete data tracking -- mostly weight related.

Category	BMI Range
Underweight	< 18.5
Obese	>= 30
Normal	18.5 - 24.9
Overweight	25 - 29.9