R4EnvChem Project Template

John Q. Public

14/07/2021

Background

This is an example rmarkdown document you can use to complete the R4EnvChem Tutorial. It showcases some important rmarkdown features. Assuming you've downloaded the entire R4EnvChem project template, and downloaded the packages listed in Section 5, it should work out of the box. Remember, there's the PDF (what you'd hand it/present) and the rmarkdown file (what you use to code and generate the PDF); you'll be modifying the latter.

Task 1: Copying project template

See instructions in Section 5 and download a copy of the R4EnvChem Project Template onto your computer.

Task 2: Installing packages

See instructions in Section 5 and install the following packages if you haven't done so already:

- tidyverse
- rmarkdown
- tinytex

Verify that you have everything installed by opening the Rmarkdown-example.rmd file in RStudio and knitting it (knit button top right, or see Section 4). You should recreate this exact document.

Task 3: Importing your dataset

In the rmarkdown file, modify the following code to import a different ECCC National Airborne Pollution Surveillance (NAPS) dataset from Quercus or one already listed in the /data sub-folder:

```
library(tidyverse)

# Pick a different dataset, Toronto is sooooooo passé
airData <- read_csv(file = "data/2018-07-01_60430_Toronto_ON.csv")
head(airData)</pre>
```

```
## # A tibble: 6 x 8
##
                         latitude longitude date.time
                                                                  pollutant
      naps city
                                       <dbl> <dttm>
##
     <dbl> <chr>
                             <dbl>
                                                                  <chr>>
                             43.7
                                       -79.5 2018-07-01 00:00:00 03
## 1 60430 Toronto ON
## 2 60430 Toronto ON
                             43.7
                                       -79.5 2018-07-01 00:00:00 NO2
## 3 60430 Toronto ON
                             43.7
                                       -79.5 2018-07-01 00:00:00 S02
## 4 60430 Toronto ON
                             43.7
                                       -79.5 2018-07-01 01:00:00 D3
                                       -79.5 2018-07-01 01:00:00 NO2
## 5 60430 Toronto ON
                             43.7
## 6 60430 Toronto ON
                              43.7
                                       -79.5 2018-07-01 01:00:00 S02
## # ... with 1 more variable: concentration <dbl>
```

Task 4: Images

Download an image of your chosen city to the /images sub-folder. Then modify the rmarkdown file to display it (your image should reflect the city from your dataset):



Figure 1: Glorious downtown Toronto in the summertime.

Task 5: Visualizations

Modify the rmarkdown file to generate a plot of your data. Remember to change the plot title and figure caption to reflect your new dataset.

```
ggplot(data = airData,
    aes(x = date.time,
        y = concentration,
        colour = pollutant)) +
    geom_line() +
    labs(title = "Toronto 60430 Air Quality")
```

Task 6: Visualizations 2: Redux

Using the same data from Task 5: Visualizations create a new plot to visualization a different aspect of your data.




Figure 2: Time series plot of ambiant airborn pollutant concentrations measured by downtown Toronto NAPS station 60430

Try and make another type of visualization with your data (i.e. box plot, violin plot)
or enhance the default geom_line plot (i.e. marginal histograms, aesthetic changes)