LanguageName: PLPDI Mini-Project

David Tilman
Student ID: 2763839

October 16, 2026

Repository: `https://github.com/DavidTilman/plpdi-mini-project`
Commit: `TODO`

1 Informal Description

2 Literature Review

3 Formal Syntax and Semantics

3.1 Syntax

$\oplus$	::=	$+ \mid - \mid * \mid / \mid \% \mid < \mid <= \mid == \mid != \mid >= \mid >$	binary operators
τ	::=	$\texttt{Nat} \mid \texttt{Int} \mid \texttt{Real}$	base types
	$\mid$	$(\tau_1, \ldots, \tau_n) \to \tau$	function type
	$\mid$	R	record type
e	::=	n	literal
	$\mid$	x	variable
	$\mid$	$e_1 \oplus e_2$	binary operation
	$\mid$	$e.f$	field access
	$\mid$	$e(e_1, \ldots, e_n)$	application
	$\mid$	$R(e_1, \ldots, e_n)$	record construction
	$\mid$	$\texttt{Func}\ (x_1 : \tau_1, \ldots, x_n : \tau_n) : \tau \Rightarrow e$	lambda
s	::=	$\texttt{Var}\ x : \tau = e$	declaration
	$\mid$	$x := e$	assignment
	$\mid$	$\texttt{While}\ (e)\ \{\, s \,\}$	loop
	$\mid$	$\texttt{ret}\ e$	return
	$\mid$	$s_1;\ s_2$	sequence
d	::=	$\texttt{Record}\ R\ (f_1 : \tau_1, \ldots, f_n : \tau_n)$	record declaration
	$\mid$	$\texttt{Func}\ F\ (x_1 : \tau_1, \ldots, x_n : \tau_n) : \tau = \{\, s \,\}$	function declaration

3.2 Type System

3.3 Operational Semantics

4 Implementation

4.1 Architecture

4.2 Correspondence with the Formal Semantics

5 Distinctive-Feature Example Program

6 Reflection on AI and Collaboration

A Remaining Operational Semantics Rules