






里程桩号	坡度(%)		设计高程(m)	地面高程(m)	左线外护栏内侧高程
	坡长(m)				
K199	-0.800 3400.000		129.600	129.661	129.300
+045			+050	+050	
+060			123.591		
+070			119.717		
+080			116.387	129.360	129.060
+090			116.187	+080	+080
+100			113.520		
+110			112.647	129.120	128.820
+120			111.299	+110	+110
+130			110.640		
+140			109.385	128.880	128.580
+150			107.861	+140	+140
+160			108.268		
+170			115.221	128.627	128.327
+180			119.576	+170	+170
+190			119.416		
+200			116.805	128.349	128.049
+210			118.593	+200	+200
+220			122.143		
+230			122.268	128.044	127.744
+240	122.683	+230	+230		
+250	122.653				
+260	123.789	127.714	127.414		
+270	124.425	+260	+260		
+280	122.118				
+290	117.763	127.359	127.059		
+300	113.179	+290	+290		
+310	109.311				
+320	108.817	126.977	126.677		
+330	107.771	+320	+320		
+340	107.010				
+350	105.553	126.570	126.270		
+360	102.856	+350	+350		
+370	101.012				


I-I 左线




II-II 左线




III-III 左线



IV-IV左线



V-V左线



VI-VI左线

