DIGITAL FORENSICS AND INCIDENT RESPONSE REPORT

Suspected bank impersonation smishing campaign | Case 2026-11-09-MBCP

PUBLIC SANITIZED EDITION - ENGLISH TRANSLATION

Attribute	Record
Incident date	9 November 2026
Status	Preliminary documentary investigation completed with stated limitations
Scope	SMS, four website interface states, JavaScript, and network evidence
Methods	Static inspection, local DOM display inspection, packet review, SHA-256
Classification	Public sanitized; no bot credentials or private chat identifiers
Validation	Technical report; not a certified forensic examination or judicial finding

Reading guidance

This report distinguishes direct observation, analyst statements, technical inference, and facts that have not been demonstrated. The described sequence is a logical reconstruction, not a fully synchronized network event timeline. Screenshots of the website were obtained by changing local DOM visibility, not by submitting real data.

1. Executive summary

On 9 November 2026, an SMS displayed as sent by “MILLENNIUM” claimed that a EUR 1,472 bank transfer was pending and directed the recipient to a domain outside the bank’s official domain. Four website screens requested a name, mobile phone number, a response to a purported security alert, and a Portuguese taxpayer identification number (NIF). Separately obtained JavaScript contained code designed to send information to the Telegram Bot API.

Main assessment: The evidence strongly supports an attempted bank impersonation phishing workflow designed to collect personal data. No actual form submission, successful Telegram delivery, account compromise, or financial loss was demonstrated in this investigation.

Evidence claim	Assessment
SMS and suspicious URL	Observed in the supplied SMS image
Personal data collection fields	Present in captured HTML and website screens
JavaScript Telegram transmission routine	Observed in the separately supplied source
QUIC traffic in network evidence	Observed in Wireshark screenshots
Successful Telegram message delivery	Not demonstrated
Campaign operator and number of victims	Not established

2. Purpose, scope and context

The reviewed material comprised one SMS screenshot, four SingleFile HTML files, four website screenshots, three Wireshark screenshots, a separate JavaScript source file named phishing.txt, and a final PCAPNG capture. Earlier PCAPNG files were outside the principal evidence inventory. The analyst described a VirtualBox VM with Firefox and Wireshark behind an OPNsense firewall; the VM and firewall configuration were not independently audited.

3. Acquisition and analysis methodology

The analyst used Firefox Developer Tools to select elements whose IDs started with “screen-” and changed only their CSS display property to show screens 1 through 4. This local manipulation did not enter form values or directly invoke the JavaScript submission handlers. The analyst stated that no real personal data were entered and no form buttons were deliberately submitted. Automatic browser or page traffic cannot be ruled out solely from this statement.

The preserved SingleFile pages represent visual states and have empty script elements; the JavaScript was supplied separately. Accordingly, website screenshots are evidence of locally revealed interface states, not evidence of completing the application flow.

4. Incident sequence


Order	Documented event
01	SMS displayed with an alleged pending transfer
02	Website screen requesting name and mobile number
03	Purported fraud prevention warning
04	Screen requesting NIF
05	Validation complete screen

Order	Documented event
06	Separate QUIC and TLS network observations

The SMS screenshot displays 16:40 on 9 November 2026. SMS clock time must not be directly compared with Wireshark relative timestamps without time source and timezone normalization.

5. Initial SMS evidence - EV-SMS-01

The sender display name “MILLENNIUM” is not proof of authentic origin. The transfer amount does not prove that a real bank transaction existed. The suspicious address is only reproduced in defanged form in the indicator section.



EV-SMS-01 - Sanitized derivative of the received SMS. The original link is obscured.

6. Website visual evidence - EV-VIS-01 through EV-VIS-04

EV-VIS-01 - Name and mobile number



Interface state displayed by local DOM visibility manipulation. No deliberate form submission.

Corroborating material: corresponding preserved SingleFile HTML. Functional navigation and actual data transmission are not established by this image.


EV-VIS-02 - Purported anti-fraud warning



Interface state displayed by local DOM visibility manipulation. No deliberate form submission.

Corroborating material: corresponding preserved SingleFile HTML. Functional navigation and actual data transmission are not established by this image.

EV-VIS-03 - NIF request



Interface state displayed by local DOM visibility manipulation. No deliberate form submission.

Corroborating material: corresponding preserved SingleFile HTML. Functional navigation and actual data transmission are not established by this image.

EV-VIS-04 - Validation completed



Validação Concluída

Agradecemos a sua confirmação. Por favor, aguarde nosso contacto.

Interface state displayed by local DOM visibility manipulation. No deliberate form submission.


Corroborating material: corresponding preserved SingleFile HTML. Functional navigation and actual data transmission are not established by this image.

7. Network evidence - EV-NET-01 through EV-NET-03

The final PCAPNG file was reported as 164,304 bytes and its structural review identified 580 Enhanced Packet blocks. The Wireshark images displayed 198 packets under a QUIC filter, 54 packets involving the investigated IP, and 4 packets matching an SNI-related filter. These are filter-specific packet counts, not counts of requests or transactions.


Frames 136 to 149 showed QUIC traffic over port 443 involving 104[.]21[.]59[.]220. Frame 549 displayed SNI incoming[.]telemetry[.]mozilla[.]org, consistent with Firefox telemetry. Definitive association of each QUIC flow with a hostname would require additional handshake analysis. TLS and QUIC payloads were encrypted. There was no confirmed observation of Telegram exfiltration.

EV-NET-01 - QUIC traffic




Sanitized derivative. Source/destination addresses and detailed traffic information were masked.

EV-NET-02 - Traffic involving investigated IP



Sanitized derivative. Source/destination addresses and detailed traffic information were masked.

EV-NET-03 - SNI filter and Firefox telemetry



Sanitized derivative. Source/destination addresses and detailed traffic information were masked.

8. Technical analysis of the data transmission mechanism

The separately supplied JavaScript defines session data for name, mobile number, alert response, and NIF, as well as a bot credential and destination identifier. The function disparar Telegram(texto) prepares an HTTPS request to the Telegram Bot API by assigning an encoded URL to the src property of an Image object. The existence of this code is not proof that it executed.

Source function	Behavior indicated by the source
processarDadosPessoais1	Prepares name, mobile number and device type
responderAlerta	Prepares selected alert response and device type
processarNifEConcluir	Prepares NIF and an aggregate message containing session fields and User-Agent
window.location.href	Specifies a later redirect to the legitimate bank website

The NIF check in the reviewed script only required nine digits; it did not demonstrate check-digit validation. Bot token, chat ID, and full executable source code are intentionally excluded from this public edition.

9. Indicators of compromise and public disclosure

Indicator type	Defanged value
Suspected campaign URL	hxxps://millennium[.]analisar-pt[.]com/
Observed IP	104[.]21[.]59[.]220 - shared infrastructure, not exclusive attribution
Intended API endpoint	hxxps://api[.]telegram[.]org
Observed SNI in frame 549	incoming[.]telemetry[.]mozilla[.]org - Firefox telemetry
Intended final redirect	hxxps://www[.]millenniumbcp[.]pt/ - legitimate bank website, not a malicious IOC

10. Evidence integrity and chain of custody

SHA-256 digests below were computed for the supplied source artifacts, not for the sanitized derivatives. No continuous external chain-of-custody log covering the period before receipt was available. Prior handling and custody therefore cannot be independently certified.

73445.jpg | 47241 bytes
SHA-256: 0102fd33853fa0f7ceaab5b78861e2be0b2c0a0352adafb4d1c627da436d1ab9

Validação de NIF - Screen_1.html | 4772 bytes
SHA-256: 97cd91cf7b2720e601b91fb1afb0c7d44948db029d294efed70a2379e1191b38

Validação de NIF - Screen_2.html | 5073 bytes
SHA-256: ba41f4aa1dc76f31d0424cd2dfa451f83e27559e1389f9d45ccafb46d3291753

Validação de NIF - Screen_3.html | 4226 bytes
SHA-256: 3226082fc5b9f5cbd6de7de4dbcca2e00fd8cdd7c7fa5c1f45646ae79919bbb1

Validação de NIF - Screen_4.html | 3029 bytes
SHA-256: c437ee8e0ee07c0a885ec61e4812b41c284c9c5f819372977724768babfea98f

phishing.txt | 7668 bytes
SHA-256: 75d0506e273f18e7bad8a8c7a5aabc6525437cfb7be30446eaf9311f603acabc

millennium_Smishing_Final.pcapng | 164304 bytes
SHA-256: 5db8c39f33cd8e23c3b6a1c951ff82993d29b19b188efdf150488d27c108459d

image(5).png | 89056 bytes
SHA-256: f6e2fdf899de61e470e3b69c705be49152834e1efdede33a6588ce654361f0ac

image(6).png | 115302 bytes
SHA-256: fd786e2704c37799d65a7892963a4deddaa3e309e938d867dc13af30e728439c

image(7).png | 64167 bytes
SHA-256: 601424c6364ee62b1ff0d7d4eb1eabc4678c9effbe0315b4013937603714760a

image(8).png | 31103 bytes
SHA-256: 4c846b8de392dca1f647eabbec95f66ae22b1b6a2b259832360181ba4a8dc367

image(10).png | 798537 bytes
SHA-256: 961fea2cbf9d459be3252c790e9445a88a1efdc4a3c73cab46e19bb4f7139fcc

image(20261109-200102).png | 1030651 bytes
SHA-256: d5fa71b329d92f2579a39e78883387c63399846cb5e0a3528d080e3514a2171e

image(20261109-200140).png | 474257 bytes
SHA-256: 492f91d499b7fc2427ed61a6be8d1e8885de1231d40be82a52b6dae86913a05d

Recommended custody records include evidence ID, source, collection time and timezone, operator, tool/version, storage location, hash and every transfer. Originals should be preserved unchanged; redaction must produce separate derivatives.

11. Legal, regulatory and methodological context

GDPR, Regulation (EU) 2016/679: Purpose limitation, data minimization and security principles (Article 5) and appropriate security measures (Article 32) inform evidence handling. A phishing attempt does not, by itself, establish a personal data breach within Article 4(12). Articles 33 and 34 require case-specific assessment by the relevant controller if a personal data breach occurs; they do not automatically impose a 72-hour notification duty on an independent investigator.

Portugal: The Portuguese Data Protection Authority (CNPD) provides guidance on personal data breach notification and documentation. Decree-Law 125/2025 of 4 December establishes the Portuguese cybersecurity legal framework transposing Directive (EU) 2022/2555 (NIS2). Applicability depends on the legal status and scope of the entity concerned and is not presumed here.

ISO guidance: ISO/IEC 27037:2012 concerns identification, collection, acquisition and preservation of digital evidence. ISO/IEC 27035-1:2023 concerns information security incident management. Citing these standards does not imply certification, a court-validated custody chain or legal advice.

Official reference sources

Regulation (EU) 2016/679 - eur-lex[.]europa[.]eu

CNPD breach guidance - www[.]cnpd[.]pt

Portuguese Decree-Law 125/2025 - diariodarepublica[.]pt

ISO/IEC 27037:2012 - www[.]iso[.]org/standard/44381.html

ISO/IEC 27035-1:2023 - www[.]iso[.]org/standard/78973.html

12. Limitations and unproven hypotheses

Issue	Cautious conclusion
SMS sender	Display name does not authenticate the sender
SingleFile HTML	Visual states, not complete functional execution
VM and firewall	Described by analyst; configuration not independently audited
PCAPNG	Encrypted TLS/QUIC; Telegram delivery not confirmed
Personal data	No actual submission demonstrated in the observed session
Victims and impact	Unknown; no evidence of confirmed banking compromise

13. Recommendations and communication

Preserve the original evidence in restricted storage and retain SHA-256 records. Do not expose bot credentials or private identifiers in public repositories or public scanning services. Share the confidential evidence only with appropriate authorized recipients. Consider reporting the suspicious infrastructure to the impersonated bank and to CERT.PT/CNCS, and where appropriate to law enforcement. Any GDPR notification duties must be assessed separately by the relevant controller.

14. Final conclusion

Principal finding. The evidence is consistent with a bank impersonation smishing and phishing attempt. An SMS alleging a pending transfer directed the recipient to a website simulating a security verification process and requesting personal information. The supplied JavaScript contained routines designed to transmit such information through the Telegram Bot API.

Limits of proof. Four website screens were displayed by local DOM manipulation inside the analyst VM. They do not prove that data were submitted. Wireshark captured encrypted traffic involving an IP observed during the investigation, but did not demonstrate successful Telegram delivery. The available material cannot identify the operators, establish the number of victims or confirm financial losses.

Technical judgment. There is strong support for treating the SMS and website as components of an attempted fraudulent collection of personal data. Whether exfiltration occurred in this session, and whether third parties were affected, remains undetermined. These limitations should accompany any public disclosure, report to authorities, or evidentiary use.

Case status: preliminary documentary analysis completed for the supplied artifacts, without confirmed exfiltration or attribution.

Public edition note: original bot credentials, private chat identifiers and unsanitized network images are intentionally excluded. Images retain Portuguese text because they are evidence screenshots, not translated reconstructions.