SOL PROTOCOL

Task & Bug Reporting

How tasks were classified, tracked and tested, with translated examples

Contents

1 Overview 1
2 The task board 2
3 Task types 3
4 Status workflow 3
5 Title prefixes 4
6 Inside a task 4
7 Examples 5

1 Overview

During the development of Sol Protocol, every piece of work was tracked as a **task** on a shared board: bugs, new features, polish, audio, tests and requests from the community. Each task had a **type**, a **status** that followed it through development and testing, a **priority**, one or more **assignees** and a **sprint**.

Clicking a task on the board opened its page, with the full details: the description, the steps to reproduce a bug or the specs of a feature, and linked images or videos.

> **Language note**
>
> The task board was written in **Italian**. The studio was a fully Italian team, so writing tasks in our native language made them quick to write and clear to read for everyone. The labels and examples in this document are translated into English.

2 The task board

The board was a table with one row per task. The screenshot below shows part of it during the Launch sprint (original, in Italian).



№ ID	Type	Task name	Status	Priority	Assignee	Created by	Sprint
1052	Req	Aggiungere il piano inferiore della nave e il generatore di energia	New		Andrea	Davide Garassino	Launch
1051	Pol	Sostituire le nuove mesh per l'inventario del player fatte da symon	New		Andrea	Davide Garassino	Launch
652	Bug	L'inventario della nave non scrolla nella direzione corretta 1	New	Medium	milo	Fabio Trombetta	Launch
1036	SFX	Sfx on/off automa 2	New		milo Davide Ga	Fabio Trombetta	Launch
1030	Lista	Mappa galattica [Lista all'interno]	New		Andrea	Fabio Trombetta	Launch
1028	Req	Ogni sistema dovrebbe consumare repair sphere per buildarsi	New		milo Andrea	Fabio Trombetta	Launch
1027	Bug	Se togli e rimetti un sistema la sua vita sarà di nuovo maxxata	New		milo Andrea	Fabio Trombetta	Launch
1025	Bug	Loot minuscolo nell'olomappa	New		Andrea	Fabio Trombetta	Launch
1024	Lista	Detect [Lista all'interno] 2	New		Davide Garassino	Fabio Trombetta	Launch
1015	Req	Pin shield: shape doesn't seem grababble to many players	New		milo Szymon Wi	Fabio Trombetta	Launch
1012	Req	Pannello di energia: Opzione flat con cursore	New		milo	Fabio Trombetta	Launch
1000	Req	Altezza del player (crouch etc)	New		Andrea	Fabio Trombetta	Launch
869	Bug	Vengono utilizzati valori sbagliati nella formula per il calcolo di un valore dop OPEN l'inserimento di una mod	New		milo	Ludovico Ceciliani	Launch
1018		Ship model issues	New		Szymon Wilczynsk:	Andrea	Launch
1026	Req	Savegame	New		Andrea	Andrea	Launch
1032		Galaxy map - Informazioni sui settori	New		Andrea	Andrea	Launch
1043	Bug	Non viene vista sul system panel la modifica data dalla mod Loaded Duration	New		milo	Ludovico Ceciliani	Launch
1044	Bug	Il bottone interno al cockpit per la porta del cockpit è impossibile da premere	New		Andrea	Davide Garassino	Launch
1045	Req	Fare in modo da permettere al giocatore di far schiantare i nemici contro i pianeti.	New		milo	milo	Launch
1049	Bug	[BUILD] La UI del tunnel del warp al posto del pilota non si vede, è presente solo la maniglia e il punto finale	New		Andrea	Ludovico Ceciliani	Launch
1059	Req	Aggiornare l'inventario della nave rendendolo simile a quello sul polso del player	New		Andrea	Davide Garassino	Launch
764	Req	Aggiungere funzioni inerenti alla voice-chat	Not started	Medium	Andrea	Fabio Trombetta	Launch
757	Req	Aggiungere in lobby un selettore dei character (manichino che faccia vedere la skin e un pulsante che se premuto te la mette addosso)	Not started	Low	Andrea	Davide Garassino	Launch
902	Bug	L'inventario può interagire con oggetti grabbati 6	Test not passed	Medium	Andrea milo	Fabio Trombetta	Launch
941		Buttons color should replicate	Test not passed	High	Andrea	milo	Launch
984	Bug	Far si che gli asteroid build si vedano salla holomappa (per il playtest ci serve almeno BP_Asteroid_Build_Tutorial) sarebbe carino se la struttura si vedesse in giallo e l'asteroide in blu, tipo entrata dungeon e pianeti	Test not passed	Medium	Andrea Davide	Davide Garassino	Launch
981	Bug	[BUILD] Capita che ci sia un piano nero che passa il settore	Test not passed	Medium	Andrea milo	Ludovico Ceciliani	Launch
1035	Test	Controllare che i testi appaiano all'interno della nave	Test not passed		Ludovico Cecilia:	Fabio Trombetta	Launch
1047	Bug	[EDITOR] La UI del tunnel del warp, visibile dal posto del pilota, continua molto oltre il modello del pianeta e la scritta arrivando a toccare il finestrino del cockpit.	Test not passed		Andrea	Davide Garassino	Launch
1031	Req	Stanza generatore con batterie da inserire	In progress		milo Andrea	Fabio Trombetta	Launch
929	ComReq	Aggiungere la possibilità di regolare i volumi del gioco (chat, SFX, Music, breathing ecc…)	In progress	Medium	Andrea milo	Davide Garassino	Launch
634	Pol	Calibrazione corretta holomappa (grandezza oggetti rappresentati, trasformazione in quadrati) 22	In progress	High	Andrea	Davide Garassino	Launch
691	Pol	Bilanciare armi e nemici, scudi, vita nave, bonus dati dalle mod	In progress	High	Ludovico Cecilia:	Davide Garassino	Launch
1029	Req	Ribattezzare le repair sphere in "Nanobot" 2	In progress		Davide Garassino	Fabio Trombetta	Launch
1016	Bug	I nemici sparano attravareso i pianeti	In progress		milo Andrea	Fabio Trombetta	Launch
1038	Req	Lanciamissili non da feedback di lock 3	To be tested ED…		milo	milo	Launch
1040	Bug	Se una mod cambia energy consumption del generatore, questo non deve cambiare la velocità max della nave	To be tested ED…		milo	milo	Launch
1007	BUILD	Testare build Meta Shipping v340 per performance lobby con outline	Rifiutato	High	Ludovico Cecilia:	Andrea	Launch
1003	Req	Non è chiaro cosa sia interagibile 1	Rifiutato			Fabio Trombetta	Launch

The task board during the Launch sprint (original, in Italian).

2.1 Fields

Field	What it holds
ID	Unique progressive number of the task.
Type	Category of the task (see section 3).
Task name	Short title that says what is wrong or what is needed. It can start with a prefix that says where the problem happens (see section 5). The number of comments is shown next to it.
Done (checkbox)	Ticked when the task is approved. Completed tasks are hidden from the board.
Status	Where the task is in the workflow (see section 4).
Priority	Low Medium High The priority also covers how often a bug happens, so frequency was not written separately.
Assignee	Who works on the task. It can be more than one person.

Field	What it holds
Created by	Who opened the task.
Sprint	The sprint the task belongs to, for example Launch.

3 Task types

The type says what kind of work a task is. It is shown as a coloured tag next to the ID.

Type	Original label	Used for
Bug	Bug	Something that doesn't work as intended.
Req	Req	Request for a new feature or a change to an existing one.
Pol	Pol	Polish or balancing of something that already works.
SFX	SFX	Audio work: sound effects and how they behave.
List	Lista	Container task with a checklist of smaller items on one topic.
Test	Test	A check to run, with nothing to develop.
ComReq	ComReq	Community request: a request that came from the players.
BUILD	BUILD	Test of a specific build, for example its performance.

Every task was meant to have a type. The few tasks without one on the board were oversights.

4 Status workflow

The status follows the task from the moment it is opened until it is approved. Each fix was tested twice: first in the Editor, then in a build.

> New → Not started → In progress → To be tested in Editor → To be tested in Build → Approved

Status	Meaning
New	Just created, not picked up yet.
Not started	Assigned, but work hasn't begun.
In progress	Being worked on.
To be tested in Editor	The work is done and is checked in the Editor.
To be tested in Build	It passed the Editor check and is now checked in a build.
Test not passed	It failed one of the two checks and goes back to the assignee to be fixed.
Approved	It passed both checks. The checkbox is ticked and the task disappears from the board.
Rejected	Dropped: it won't be done. This can happen at any stage. On the board this status kept its Italian name, Rifiutato.

Why two checks. Some problems show up only in one environment: a fix can work in the Editor and still break in a build. A task was approved only after it passed both.

5 Title prefixes

A bug title could start with a prefix in square brackets that says where the problem happens.

Prefix	Meaning
[BUILD]	The problem appears in the build of the game.
[EDITOR]	The problem appears in the Editor.

When a problem appeared in both environments, it got one task for each, because the cause, the fix and the test could be different. For example, the warp tunnel UI at the pilot seat had two tasks: **#1049 [BUILD]**, where the UI wasn't visible except for the handle and end point, and **#1047 [EDITOR]**, where the UI went past the planet model.

6 Inside a task

Clicking a task opened its page. The page held the full details, written with a fixed structure for each type, together with linked images or videos.

6.1 Bug report

Section	What to write
Description	What is wrong, in one or two sentences.
Where	Editor or build, map or level, station (pilot, engineer…) and anything else needed to find the problem.
Steps to reproduce	Numbered steps, from a clear starting point to the bug.
Expected result	What should happen.
Actual result	What happens instead.
Media	Screenshots or a short video that show the bug.
Build version	Only when needed, for example when the bug appears only from a certain build.

Frequency was not written in the report: it was reflected in the priority.

6.2 Requests and polish

Req, Pol and ComReq tasks used a simpler structure.

Section	What to write
What's needed	The feature or the change, described clearly.
Why	The reason for it: the problem it solves or what it improves.
How it should work	The expected behaviour, step by step when useful.
References	Images, mockups or videos.

6.3 Comments

Discussion stayed inside the task: questions, clarifications and notes from testing. Long tasks could collect many comments; the holomap calibration task (#634) had 22.

7 Examples

These are tasks I created on the board, translated into English. The ID, type, status, priority, assignee and title come from the board as it was. The content of each task page has been rewritten from memory, following the structure in section 6.

> The original task pages no longer exist, and the bugs shown here have since been fixed. Each example shows the task as it was written at the time it was filed.

7.1 #1044 · Cockpit door button can’t be pressed

ID	Type	Status	Priority	Assignee
#1044	Bug	New	High	Andrea

Title: The button inside the cockpit for the cockpit door is impossible to press

DESCRIPTION

The door button on the inside of the cockpit doesn’t react when pressed, so the player can’t open the cockpit door from inside.

WHERE

Pathfinder, inside the cockpit. Happens in both Editor and build.

STEPS TO REPRODUCE

1. Start a session aboard the ship.
2. Enter the cockpit and let the door close behind you.
3. Try to press the door button on the inside with your hand.

EXPECTED RESULT

The button is pressed and the cockpit door opens.

ACTUAL RESULT

The button doesn’t react: the press isn’t registered. The player stays locked in the cockpit until someone opens the door from outside.

MEDIA

Short video from inside the cockpit showing several attempts to press the button.

7.2 #1047 · [EDITOR] Warp tunnel UI goes past the planet

ID	Type	Status	Priority	Assignee
#1047	Bug	Test not passed	Low	Andrea

Title: [EDITOR] The warp tunnel UI, seen from the pilot seat, goes far beyond the planet model and its label, until it touches the cockpit window.

DESCRIPTION

During the warp jump, the tunnel UI in front of the pilot should end at the destination planet. In the Editor it keeps going well past the planet model and its name label, until it touches the cockpit window.

WHERE

Editor. Pilot station, during the warp jump.

STEPS TO REPRODUCE

1. Sit in the pilot seat.
2. Open the galaxy map and choose a destination sector.
3. Start the warp jump.
4. Look at the warp tunnel UI in front of the cockpit.

EXPECTED RESULT

The tunnel ends at the planet model, with the planet name just after it. Nothing reaches the cockpit window.

ACTUAL RESULT

The tunnel continues past the planet model and the label and touches the cockpit window.

MEDIA

Screenshot from the pilot seat during warp, with the end of the tunnel circled.

RELATED

#1049 [BUILD]: in the build the same UI shows a different problem (only the handle and end point are visible), so it has its own task.

COMMENT FROM TESTING

“Tested in Editor: the tunnel is shorter, but with far destinations it still reaches the window. Moving to Test not passed.”

7.3 #984 · Asteroid builds missing from the holomap

ID	Type	Status	Priority	Assignee
#984	**Bug**	**Test not passed**	**Medium**	Andrea, Davide

Title: Make asteroid builds show up on the holomap (for the playtest we need at least BP_Asteroid_Build_Tutorial). It would be nice if the structure showed in yellow and the asteroid, as an entrance, in blue, like dungeons and planets.

DESCRIPTION

Asteroid builds don’t appear on the holomap, so players can’t find them from the ship. The playtest needs at least BP_Asteroid_Build_Tutorial to be visible.

WHERE

Holomap on the ship, in the sector that contains BP_Asteroid_Build_Tutorial. Editor and build.

STEPS TO REPRODUCE

1. Load the sector with BP_Asteroid_Build_Tutorial.
2. Open the holomap from the ship.
3. Look for the asteroid build in the sector.

EXPECTED RESULT

The asteroid build is shown on the holomap: the structure in yellow and the asteroid (the entrance) in blue, the same way dungeons and planets are shown.

ACTUAL RESULT

Nothing is shown where the asteroid build is.

MEDIA

Holomap screenshot of the sector next to an in-world screenshot of the same asteroid build.

> **Note** I filed this as a Bug and not as a Req because dungeons and planets already appeared on the holomap and the playtest depended on it: a build that didn't show up was something broken, not a new feature.

7.4 #757 · Character selector in the lobby

ID	Type	Status	Priority	Assignee
#757	Req	Not started	Low	Andrea

Title: Add a character selector to the lobby (a mannequin that shows the skin, and a button that puts it on you when pressed)

WHAT'S NEEDED

A character selector in the lobby: a mannequin that shows a skin, a way to browse the available skins, and a button that puts the shown skin on the player.

WHY

Players can see a skin full-size before choosing it, and change it without leaving the lobby.

HOW IT SHOULD WORK

1. The mannequin stands in the lobby wearing the current skin.
2. The player browses the skins and the mannequin updates.
3. Pressing the button puts the shown skin on the player. The other players in the lobby see the change.

REFERENCES

Mockup of the lobby area with the mannequin and the button. Reference: the lobby in **Void Crew**.

7.5 #1050 · Ship inventory like the wrist inventory

ID	Type	Status	Priority	Assignee
#1050	Req	New	Medium	Andrea

Title: Update the ship inventory to make it similar to the one on the player's wrist

WHAT'S NEEDED

Rework the ship inventory so its layout and interaction match the personal inventory on the player's wrist.

WHY

Two inventories that work differently confuse players. With one model, players learn it once and use it everywhere.

HOW IT SHOULD WORK

- Same slot layout and icons as the wrist inventory.
- Same grab and drop interaction.
- Ship-only information (such as capacity) added on top.

REFERENCES

Screenshots of the wrist inventory and the current ship inventory side by side.

RELATED

#652: the ship inventory doesn't scroll in the right direction.

7.6 #634 · Holomap calibration

ID	Type	Status	Priority	Assignee
#634	Pol	In progress	High	Andrea

Title: Correct holomap calibration (size of the objects shown, conversion into squares)

WHAT'S NEEDED

Calibrate how objects are shown on the holomap: one consistent scale for all objects, and square markers for objects that would be too small to read.

WHY

Object sizes on the holomap are inconsistent. Some are too big, others too small to see (for example loot, #1025).

HOW IT SHOULD WORK

1. Use one scale from the world to the holomap for every object.
2. Set a minimum size on the map. Objects below it are shown as squares.
3. The colour of each square follows the object's category.

REFERENCES

Before and after screenshots of the holomap, and a short table of target sizes.

COMMENTS

The most discussed task on the board (22 comments): sizes were tuned back and forth after each test.

7.7 #691 · Combat balancing

ID	Type	Status	Priority	Assignee
#691	Pol	In progress	High	Ludovico Ceciliani

Title: Balance weapons and enemies, shields, ship health and mod bonuses

WHAT'S NEEDED

A balancing pass on combat values: weapon damage, enemy stats, shields, ship health and the bonuses given by mods.

WHY

These values have been set one system at a time. They need to be tuned together so that fights feel fair and mods are useful without breaking the game.

HOW IT SHOULD WORK

1. Collect all current values in one balancing sheet.
2. Set targets, for example how long a fight against each enemy type should last.
3. Adjust the values and test the fights in Editor, then in build.
4. Check that the strongest mod combinations don’t break the targets.

REFERENCES

Balancing spreadsheet linked to the task.

7.8 #929 · Volume settings

ID	Type	Status	Priority	Assignee
#929	ComReq	In progress	Medium	Andrea, milo

Title: Add the option to adjust the game volumes (chat, SFX, music, breathing, etc.)

WHAT’S NEEDED

Separate volume settings for each audio channel: voice chat, sound effects, music and breathing.

WHY

Requested by players: with a single volume they can’t balance voice chat against music and effects.

HOW IT SHOULD WORK

1. The options menu gets an Audio section with one slider per channel.
2. Changes apply immediately, so the player can hear the result.
3. The values are saved between sessions.

REFERENCES

My Options UI from the UI rework, where the new Audio section goes.