Retrieving Data and Sorting
Advanced Programming and Algorithmic Design

Alberto Casagrande
Email: `acasagrande@units.it`

a.a. 2018/2019

# Retrieving Data

Retrieving Data

$A = <a_1, \ldots, a_n>$ contains some data, e.g., patient records

Each element is associated to an identifier, $A[i].id$, e.g., SSN

How to find the data associated to the identifier id_1?

A Naïve Solution and Outlook

Scan all the database searching for $A[i].id = \mathrm{id}_1$

A Naïve Solution and Outlook

Scan all the database searching for $A[i].id = \mathrm{id}_1$

What is the asymptotic complexity in terms of big-O?

A Naïve Solution and Outlook

Scan all the database searching for $A[i].id = \mathrm{id}_1$

What is the asymptotic complexity in terms of big-O? $O(n)$

Can we do better?

Hint: How do you search a page in a book? Why?

A Better Technique: Dichotomic Search

If $A = <a_1, \ldots, a_n>$ is sorted w.r.t. the id's...

A Better Technique: Dichotomic Search

If $A = <a_1, \ldots, a_n>$ is sorted w.r.t. the id's...

(i.e., if $i < j$, then $A[i].id \leq A[j].id$)

A Better Technique: Dichotomic Search

If $A = < a_1, \ldots, a_n >$ is sorted w.r.t. the id's...

$$\text{(i.e., if } i < j, \text{ then } A[i].id \leq A[j].id)$$

Look at element in the middle $A[n/2]$

A Better Technique: Dichotomic Search

If $A = <a_1, \ldots, a_n>$ is sorted w.r.t. the id's...

(i.e., if $i < j$, then $A[i].id \leq A[j].id$)

Look at element in the middle $A[n/2]$

if $A[n/2].id = \mathrm{id}_1$
        Done!

A Better Technique: Dichotomic Search

If $A = <a_1, \ldots, a_n>$ is sorted w.r.t. the id's...

$$\text{(i.e., if } i < j, \text{ then } A[i].id \leq A[j].id)$$

Look at element in the middle $A[n/2]$

if $A[n/2].id = \mathrm{id}_1$

      Done!

if $A[n/2].id > \mathrm{id}_1$

      Focus on the 1st half A, i.e, $<a_1, \ldots, a_{n/2-1}>$

Retrieving Data
○○○○●○○○

Sorting
○○

Insertion Sort
○○○

Quick Sort
○○○○○○○○○○○○

Heap Sort
○○○○○

Sorting in Linear Time
○○○○○○○○○○○○○○

Select
○○○○○○○○○

A Better Technique: Dichotomic Search

If $A = <a_1, \ldots, a_n>$ is sorted w.r.t. the id's...

$$\text{(i.e., if } i < j, \text{ then } A[i].id \leq A[j].id)$$

Look at element in the middle $A[n/2]$

if $A[n/2].id = \text{id}_1$
    Done!

if $A[n/2].id > \text{id}_1$
    Focus on the 1st half A, i.e, $<a_1, \ldots, a_{n/2-1}>$

if $A[n/2].id < \text{id}_1$
    Focus on the 2nd half A, i.e, $<a_{n/2+1}, \ldots, a_n>$

Repeat until A is not empty

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	5	6	7	11	12	13

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	5	6	7	11	12	13

Focus

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	5	6	7	11	12	13

⊢———————————⊣
Focus

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	5	6	7	11	12	13

Focus

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

Dichotomic Search: An Example

Search for 2 in $< -4, 0, 1, 2, 5, 6, 7, 11, 12, 13 >$.

Found: $A[4] = 2$

Dichotomic Search: Pseudo-Code and Complexity

```
def di_find(A, a):
    (l, r) ← (1, |A|)
    while r > l:
        m ← (l+r)/2
        if A[m]==a:
            return m
        endif
        if A[m]>a:
            r ← m−1
        else
            l ← m+1
        endif
    endwhile

    return 0
enddef
```

At each iteration, $l - r$ is halved.

So, if $|A| \leq 2^m$, di_find ends after m iterations.

The while-block takes time $O(1)$.

The di_find 's complexity is

$$O(\log n)$$

Dichotomic Search vs Linear Search: Experiments

Execution time per 1×10^5 random searches.

Input size	Linear Search	Dichotomic Search
1×10^1	3.3×10^{-3} s	3.2×10^{-3} s
1×10^2	1.4×10^{-2} s	4.3×10^{-3} s
1×10^3	1.2×10^{-1} s	5.9×10^{-3} s
1×10^4	1.2 s	7.8×10^{-3} s
1×10^5	1.2×10^1 s	8.7×10^{-3} s
1×10^6	1.2×10^2 s	1.2×10^{-2} s

Dichotomic Search vs Linear Search: Experiments

Execution time per 1×10^5 random searches.

Sorting

The Sorting Problem

Input: An array A of numbers
Output: The array A *sorted* i.e., if $i < j$, then $A[i] \leq A[j]$

E.g.,

1	2	3	4	5	6	7	8	9	10
13	5	7	2	-4	4	1	11	6	0

$$\Downarrow$$

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	4	5	6	7	11	13

The Sorting Problem

Input: An array A of numbers
Output: The array A sorted i.e., if $i < j$, then $A[i] \leq A[j]$

E.g.,

1	2	3	4	5	6	7	8	9	10
13	5	7	2	-4	4	1	11	6	0

$\Downarrow$

1	2	3	4	5	6	7	8	9	10
-4	0	1	2	4	5	6	7	11	13

Any idea for a sorting algorithm? What is expected complexity?

Insertion Sort

Retrieving Data
0000000

Sorting
00

Insertion Sort
0●0

Quick Sort
000000000000

Heap Sort
00000

Sorting in Linear Time
0000000000000

Select
000000000

Insertion Sort: Intuition

If the first fragment of the array is already sorted

	1	2	3	4	5	6	7	8	9	10
	-4	2	5	7	13	4	1	11	6	0

Sorted

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

1	2	3	4	5	6	7	8	9	10
-4	2	5	7	4	13	1	11	6	0

Sorted   Sorted

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

| 1	2	3	4	5	6	7	8	9	10
-4	2	5	4	7	13	1	11	6	0

Sorted   Sorted

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

until the previous one (if exists) is greater than **it**

1	2	3	4	5	6	7	8	9	10
-4	2	4	5	7	13	1	11	6	0

Sorted ≤ 4 Sorted > 4

Insertion Sort: Intuition

If the first fragment of the array is already sorted

we can "*enlarge*" it by inserting **next element**

by swapping **it** and the previous one in the array

until the previous one (if exists) is greater than **it**

1	2	3	4	5	6	7	8	9	10
-4	2	4	5	7	13	1	11	6	0

Sorted

Insertion Sort: Code and Complexity

```
def insertion_sort(A):
    for i in 2..|A|:
        j ← i
        while (j >1 and
                A[j]<A[j-1]):

            swap(A, j-1, j)
            j←j-1

        endwhile
    endfor
enddef
```

The while-loop block costs $\Theta(1)$

It iterates $O(i)$ and $\Omega(1)$ times for all $i \in [2, n]$

$$\sum_{i=2}^{n} O(i) * O(1) = O(\sum_{i=2}^{n} i)$$

$$= O(n^2)$$

$$\sum_{i=2}^{n} \Omega(1) * \Omega(1) = \Omega(\sum_{i=2}^{n} 1)$$

$$= \Omega(n)$$

Quick Sort

Quick Sort: Intuition

Select one element of the A: the **pivot**

1	2	3	4	5	6	7	8	9	10
13	5	7	2	-4	4	1	11	6	0

Quick Sort: Intuition

Select one element of the A: the **pivot**

partition A in:

- subarray S of the elements smaller or equal to the pivot
- the pivot
- subarray G of the elements greater then the pivot

1	2	3	4	5	6	7	8	9	10
0	4	1	2	-4	5	11	6	7	13

S G

Quick Sort: Intuition

Select one element of the A: the **pivot**

partition A in:

- subarray S of the elements smaller or equal to the pivot
- the pivot
- subarray G of the elements greater then the pivot

Repeat on the subarrays having more than 1 elements

1	2	3	4	5	6	7	8	9	10
0	4	1	2	-4	5	11	6	7	13

$\underbrace{}_{S} \qquad \underbrace{}_{G}$

Quick Sort: Intuition (Cont'd)

At the end of every iteration of above steps:

- the elements in S stay in S if A is sorted
- the elements in G stay in G if A is sorted
- the pivot is in its "*sorted*" position
- S and G are shorter then A

Quick Sort: Intuition (Cont'd)

At the end of every iteration of above steps:

- the elements in S stay in S if A is sorted
- the elements in G stay in G if A is sorted
- the pivot is in its "*sorted*" position
- S and G are shorter then A

An iteration places at least one element in the correct position

It prepares A for two recursive calls on S and G.

Quick Sort: Intuition (Cont'd)

At the end of every iteration of above steps:

- the elements in S stay in S if A is sorted
- the elements in G stay in G if A is sorted
- the pivot is in its "*sorted*" position
- S and G are shorter then A

An iteration places at least one element in the correct position

It prepares A for two recursive calls on S and G.

Quick Sort: Pseudo-Code

```
def QUICKSORT(A, l=1, r=|A|):
    if l<r:
        p ← PARTITION(A,l,r,l)

        QUICKSORT(A,l,p−1)
        QUICKSORT(A,p+1,r)
    endfi
enddef
```

Quick Sort: Pseudo-Code

The last recursion call is a **tail recursion**

```
def QUICKSORT(A, l=1, r=|A|):
    while l<r:
        p ← PARTITION(A,l,r,l)

        QUICKSORT(A,l,p−1)
        l ← p+1
    endwhile
enddef
```

Quick Sort: Complexity

The time complexity T_Q of quick sort will be

$$T_Q(|A|) = \begin{cases} \Theta(1) & \text{if } |A| = 1 \\ T_Q(|S|) + T_Q(|G|) + T_P(|A|) & \text{otherwise} \end{cases}$$

T_P is the complexity of **partition**

Quick Sort: Complexity

The time complexity T_Q of quick sort will be

$$T_Q(|A|) = \begin{cases} \Theta(1) & \text{if } |A| = 1 \\ T_Q(|S|) + T_Q(|G|) + T_P(|A|) & \text{otherwise} \end{cases}$$

T_P is the complexity of **partition**

Is the pivot selection relevant?

Quick Sort: Complexity

The time complexity T_Q of quick sort will be

$$T_Q(|A|) = \begin{cases} \Theta(1) & \text{if } |A| = 1 \\ T_Q(|S|) + T_Q(|G|) + T_P(|A|) & \text{otherwise} \end{cases}$$

T_P is the complexity of **partition**

Is the pivot selection relevant? No, choose whatever you want

Which algorithm is the best for **partition**?

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

	3	4	5	6	7	8	9	10
13	5	7	2	-4	4	1	11	6	0

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If $\mathbf{A[i]} > \mathbf{p}$,

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i]** > **p**, swap $A[i]$ and $A[j]$ and decrease j

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i]** $>$ **p**, swap $A[i]$ and $A[j]$ and decrease j

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i] > p**, swap $A[i]$ and $A[j]$ and decrease j

else (**A[i] $\leq$ p**),

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i] > p**, swap $A[i]$ and $A[j]$ and decrease j

else (**A[i] $\leq$ p**), increase i

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i]** > **p**, swap $A[i]$ and $A[j]$ and decrease j

else (**A[i]** ≤ **p**), increase i

Repeat until $i \leq j$

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i]** $>$ **p**, swap $A[i]$ and $A[j]$ and decrease j

else (**A[i]** $\leq$ **p**), increase i

Repeat until $i \leq j$ and swap **p** and $A[j]$

Partition: An In-place Algorithm

Switch the pivot **p** and the first element in A

If **A[i]** $>$ **p**, swap $A[i]$ and $A[j]$ and decrease j

else (**A[i]** $\leq$ **p**), increase i

Repeat until $i \leq j$ and swap **p** and $A[j]$

The complexity is $\Theta(|A|)$

Partition: Pseudo-Code

```
def PARTITION(A, i, j, p):
    swap(A, i, p)
    (p, i) ← (i, i+1)

    while i≤j:
        if A[i]>A[p]:      # if A[i] is greater than the pivot
            swap(A, i, j)  # place it in G
            j ← j+1        # increase G's size
        else               # otherwise
            i ← i+1        # A[i] is already in S
        endif
    endwhile

    swap(A, p, j)  # place the pivot between S and G
    return j
enddef
```

Quick Sort Complexity: Worst Case

$$T_Q(|A|) = T_Q(|S|) + T_Q(|G|) + \Theta(|A|)$$

Quick Sort Complexity: Worst Case

$$T_Q(|A|) = T_Q(|S|) + T_Q(|G|) + \Theta(|A|)$$

Worst Case: $|G| = 0$ or $|S| = 0$ for all recursive call.

$$T_Q(n) = T_Q(n-1) + \Theta(n)$$

$$= \sum_{i=0}^{n} \Theta(i) = \Theta\left(\sum_{i=0}^{n} i\right)$$

$$= \mathbf{\Theta(n^2)}$$

Quick Sort Complexity: Best Case

Best Case: Balanced Partition

Quick Sort Complexity: Best Case

Best Case: Balanced Partition

Quick Sort Complexity: Best Case

Best Case: Balanced Partition

Quick Sort Complexity: Best Case

Best Case: Balanced Partition

Quick Sort Complexity: Best Case

Best Case: Balanced Partition

$\Theta(n \log n)$

Quick Sort Complexity: Average Case

"Good" and "bad" cases depend on the ordering of A

If all the permutations of A are equally likely,

the partition has a ratio more balanced than $1/d$ with probability

$$\frac{d-1}{d+1}$$

e.g., a partition "better" than $1/9$ has probability 0.8

Quick Sort Complexity: Average Case (Cont'd)

Even if "good" and "bad" cases alternate

Quick Sort Complexity: Average Case (Cont'd)

Even if "good" and "bad" cases alternate

On the average $\Theta(n \log n)$

Heap Sort

Sorting by Searching the Maximum

Find the maximum

1	2	3	4	5	6	7	8	9	10
13	5	7	2	-4	4	1	11	6	0

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

1	2	3	4	5	6	7	8	9	10
0	5	7	2	-4	4	1	11	6	13

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

If $|A| > 1$, repeat on the initial fragment of A

1	2	3	4	5	6	7	8	9	10
0	5	7	2	-4	4	1	11	6	13

$\overbrace{\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad}^{A}$ $\overbrace{\qquad}^{\text{Sorted}}$

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

If $|A| > 1$, repeat on the initial fragment of A

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

If $|A| > 1$, repeat on the initial fragment of A

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

If $|A| > 1$, repeat on the initial fragment of A

1	2	3	4	5	6	7	8	9	10
0	5	7	2	-4	4	1	6	11	13

$\underbrace{\qquad\qquad\qquad\qquad\qquad}_{A}$ $\underbrace{\qquad\quad}_{\text{Sorted}}$

Sorting by Searching the Maximum

Find the maximum

Move the maximum at the end of the array

If $|A| > 1$, repeat on the initial fragment of A

1	2	3	4	5	6	7	8	9	10
0	5	7	2	-4	4	1	6	11	13

$$\underbrace{}_{A} \quad \underbrace{}_{\text{Sorted}}$$

The complexity is $\sum_{i=1}^{|A|} \left(T_{\max}(i) + \Theta(1) \right)$

How to Find the Maximum?

By using . . .

- pushing the max to the right $\implies$ Bubble Sort

$$T(|A|) = \sum_{i=1}^{|A|} \left(\Theta(i) + \Theta(1) \right)$$
$$= \Theta(|A|^2)$$

- binary heap (see here) $\implies$ Heap Sort

Heap Sort: Pseudo-Code

The array-based implementation of binary heap plays a crucial role

```
def HEAPSORT(A):
  H ← BUILD_MAX_HEAP(A)  # the root is the max

  for i ← |A| downto 2:
    swap(A,1,i)

    H.size ← H.size −1     # remove the last leaf
    HEAPIFY(H,1)           # fix the max−heap
  endfor
enddef
```

Heap Sort: Complexity

Building the binary heap costs $\Theta(n)$

HEAPIFY costs $O(\log i)$ per iteration and in total

$$\sum_{i=2}^{n} \log i \leq \sum_{i=2}^{n} \log n \in O(n \log n)$$

The overall complexity of heap sort is $O(n \log n)$

Sorting in Linear Time

Sorting By Comparison: Lower Bound

The execution of a sorting-by-comparison algorithm can be modeled as a decision-tree model

Any comparison between a_i and a_j corresponds to a node which branches the computation according whether $a_i \leq a_j$ or $a_i > a_j$

Sorting By Comparison: Lower Bound (Cont'd)

The decision tree's leaves are labeled by all the possible permutations of A which are $n!$

The height h is the maximum # of comparisons required by the algorithm

Since a binary tree has no more than 2^h leaves,

$$h \geq \log_2(n!) \in \Omega(n \log n)$$

Sorting By Comparison: Lower Bound (Cont'd)

The decision tree's leaves are labeled by all the possible permutations of A which are $n!$

The height h is the maximum # of comparisons required by the algorithm

Since a binary tree has no more than 2^h leaves,

$$h \geq \log_2(n!) \in \Omega(n \log n)$$

The lower bound for comparison-based sorting is $\Omega(n \log n)$

Sorting in Linear Time?

There is no general algorithm to sort in linear time by using comparisons

Sorting in Linear Time?

There is no general algorithm to sort in linear time by using comparisons

This bound does not hold if we introduce minor *ad-hoc* assumptions such as:

- bounded domain for the array values
- uniform distribution of the array values

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	0	0	0	0	0	0	0	0	0	0	0	0	0

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

Retrieving Data
○○○○○○○
Sorting
○○
Insertion Sort
○○○
Quick Sort
○○○○○○○○○○○○
Heap Sort
○○○○○
Sorting in Linear Time
○○○○●○○○○○○○○○
Select
○○○○○○○○○

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	0	0	0	0	0	0	0	0	0	0	0	0	1

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	1	0	1	1	1	1	0	0	0	1	0	1

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	1	0	1	1	1	1	0	0	0	1	0	1

$+$

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	4	0	1	1	1	1	0	0	0	1	0	1

$+$

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	4	0	1	1	1	1	0	0	0	1	0	1

$+$

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the $\#$ elements $\leq$ to C's indexes

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	4	4	5	6	7	8	8	8	8	9	9	10

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	4	4	5	6	7	8	8	8	8	9	9	10

	1	2	3	4	5	6	7	8	9	10
B										

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	3	4	4	5	6	7	8	8	8	8	9	9	10

	1	2	3	4	5	6	7	8	9	10
B										

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the $\#$ elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the # elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Retrieving Data
ooooooo

Sorting
oo

Insertion Sort
ooo

Quick Sort
oooooooooooo

Heap Sort
ooooo

Sorting in Linear Time
ooooo●oooooooo

Select
ooooooooo

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the $\#$ elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

Values in $[1, k]$: Counting Sort

- count the occurrences of A's values and place them in C
- sums the values in C and get the $\#$ elements $\leq$ to C's indexes
- use C to place the elements of A in the correct positions in B

	1	2	3	4	5	6	7	8	9	10
A	13	5	7	2	1	4	1	11	6	1

	1	2	3	4	5	6	7	8	9	10	11	12	13
C	0	3	4	4	5	6	7	8	8	8	8	9	9

	1	2	3	4	5	6	7	8	9	10
B	1	1	1	2	4	5	6	7	11	13

Some Observations about Counting Sort

Why backward placing?

Some Observations about Counting Sort

Why backward placing? For stability, i.e., preserving relative order of equivalent elements

Some Observations about Counting Sort

Why backward placing? For stability, i.e., preserving relative order of equivalent elements

Generalizing it to deal with any $[k_1, k_2]$ domain is easy

Some Observations about Counting Sort

Why backward placing? For stability, i.e., preserving relative order of equivalent elements

Generalizing it to deal with any $[k_1, k_2]$ domain is easy

It is not in-place and it requires the array C

Counting Sort: Pseudo-Code

```
def COUNTING_SORT(A, B, k):
  C ← ALLOCATE_ARRAY(k, default_value=0)
  for i ← 1 upto |A|:
    C[A[i]] ← C[A[i]]+1
  endfor  # C[j] is now the # of j in A

  for j ← 2 upto |C|:
    C[j] ← C[j−1] + C[j]
  endfor  # C[j] is now the # of A's values ≤j

  for i ← |A| downto 1:
    B[C[A[i]]] ← A[i]
    C[A[i]] ← C[A[i]]−1
  endfor
enddef
```

Counting Sort: Complexity

Allocating C and setting all its elements to 0 $\Theta(k)$

Counting Sort: Complexity

Allocating C and setting all its elements to 0 $\Theta(k)$

Counting the instances of A's values $\Theta(n)$

Counting Sort: Complexity

Allocating C and setting all its elements to 0 $\qquad\qquad$ $\Theta(k)$

Counting the instances of A's values $\qquad\qquad\qquad$ $\Theta(n)$

Setting in $C[j]$ the $\#$ of A's values $\leq j$ $\qquad\qquad$ $\Theta(k)$

Counting Sort: Complexity

Allocating C and setting all its elements to 0 $\Theta(k)$

Counting the instances of A's values $\Theta(n)$

Setting in $C[j]$ the # of A's values $\leq j$ $\Theta(k)$

Copying A's values into B by using C $\Theta(n)$

Counting Sort: Complexity

Allocating C and setting all its elements to 0 $\Theta(k)$

Counting the instances of A's values $\Theta(n)$

Setting in $C[j]$ the # of A's values $\leq j$ $\Theta(k)$

Copying A's values into B by using C $\Theta(n)$

Total complexy $\Theta(n + k)$

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

$$
\begin{array}{cccc}
3 & 4 & 7 & 5 \\
2 & 4 & 7 & 5 \\
3 & 4 & 7 & 1 \\
1 & 7 & 3 & 3
\end{array}
$$

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

$$
\begin{array}{cccc}
3 & 4 & 7 & 5 \\
2 & 4 & 7 & 5 \\
3 & 4 & 7 & 1 \\
1 & 7 & 3 & 3 \\
\end{array}
$$

i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

Retrieving Data ○○○○○○○
Sorting ○○
Insertion Sort ○○○
Quick Sort ○○○○○○○○○○○○○
Heap Sort ○○○○○
Sorting in Linear Time ○○○○○○○○●○○○○○
Select ○○○○○○○○○

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a red{stable algorithm} and sort A according the digit i

$$\begin{array}{cccc} 1 & 7 & \boxed{3} & 3 \\ 3 & 4 & \boxed{7} & 1 \\ 3 & 4 & \boxed{7} & 5 \\ 2 & 4 & \boxed{7} & 5 \end{array}$$

i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

$$
\begin{array}{cccc}
1 & 7 & 3 & 3 \\
3 & 4 & 7 & 1 \\
3 & 4 & 7 & 5 \\
2 & 4 & 7 & 5 \\
\end{array}
$$

$\uparrow$
i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

$$
\begin{array}{cccc}
3 & 4 & 7 & 1 \\
3 & 4 & 7 & 5 \\
2 & 4 & 7 & 5 \\
1 & 7 & 3 & 3 \\
\end{array}
$$

$\uparrow$

i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

Fixed Number of Digits: Radix Sort

An array A of d-digit values can be sorted digit-by-digit

- for each digit i from the rightmost down to the leftmost
- use a stable algorithm and sort A according the digit i

$$
\begin{array}{cccc}
1 & 7 & 3 & 3 \\
2 & 4 & 7 & 5 \\
3 & 4 & 7 & 1 \\
3 & 4 & 7 & 5
\end{array}
$$

Radix Sort: Complexity

If the digit sorting is in $\Theta(|A| + k)$, radix sort takes time

$$\Theta\left(d\left(|A| + k\right)\right)$$

where d is the number of digits in each of A's values

Uniform Distribution in $[0, 1)$: Bucket Sort

	1	2	3	4	5	6	7	8	9	10
A	0.23	0.60	0.20	0.73	0.97	0.34	0.01	0.50	0.78	0.44

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$

	1	2	3	4	5	6	7	8	9	10
A	0.23	0.60	0.20	0.73	0.97	0.34	0.01	0.50	0.78	0.44

	1	2	3	4	5	6	7	8	9	10
B	/	/	/	/	/	/	/	/	/	/

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket

	1	2	3	4	5	6	7	8	9	10
A	0.23	0.60	0.20	0.73	0.97	0.34	0.01	0.50	0.78	0.44

	1	2	3	4	5	6	7	8	9	10
B	/	/		/	/	/	/	/	/	/

0.23

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets
- reverse the content of buckets in bucket order on A

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets
- reverse the content of buckets in bucket order on A

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets
- reverse the content of buckets in bucket order on A

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets
- reverse the content of buckets in bucket order on A

Uniform Distribution in $[0, 1)$: Bucket Sort

- split $[0, 1)$ in n buckets: $\left[\frac{i-1}{n}, \frac{i}{n}\right)$ for $i \in [1, n]$
- add each value of A to the correct bucket
- sort the buckets
- reverse the content of buckets in bucket order on A

Bucket Sort: Pseudo-Code

```
def BUCKET_SORT(A):
  B ← ALLOCATE_ARRAY_OF_EMPTY_LISTS(|A|)

  for i ← 1 upto |A|:
    B[FLOOR(A[i]/n)+1].append(A[i])
  endfor # now B contains the buckets

  i ← 0
  for j ← 1 upto |B|
    for v in B[j]: # reverse the bucket in A
      A[i] ← v
      i ← i+1
    endfor

    sort(A, i−|B[j]|, |B[j]|) # sort the bucket
  endfor
```

Bucket Sort: Expected Complexity

Allocating and initializing B $\qquad\qquad\qquad\qquad\qquad\qquad\qquad\qquad$ $\Theta(n)$

Bucket Sort: Expected Complexity

Allocating and initializing B $\Theta(n)$

Filling the buckets $\Theta(n)$

Bucket Sort: Expected Complexity

Allocating and initializing B $\Theta(n)$

Filling the buckets $\Theta(n)$

Sorting each bucket (expected) $O(n)$

Bucket Sort: Expected Complexity

Allocating and initializing B $\Theta(n)$

Filling the buckets $\Theta(n)$

Sorting each bucket (expected) $O(n)$

Reversing buckets' content into A $\Theta(n)$

Bucket Sort: Expected Complexity

Allocating and initializing B $\Theta(n)$

Filling the buckets $\Theta(n)$

Sorting each bucket (expected) $O(n)$

Reversing buckets' content into A $\Theta(n)$

Total expected complexy $O(n)$

Select

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1?

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity?

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\Theta(n)$
- n?

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\Theta(n)$
- n? Complexity?

Retrieving Data
○○○○○○○

Sorting
○○

Insertion Sort
○○○

Quick Sort
○○○○○○○○○○○○

Heap Sort
○○○○○

Sorting in Linear Time
○○○○○○○○○○○○○

Select
○●○○○○○○○

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\Theta(n)$
- n? Complexity? $\Theta(n)$

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\qquad\qquad\qquad\qquad$ $\Theta(n)$
- n? Complexity? $\qquad\qquad\qquad\qquad$ $\Theta(n)$
- $i \in [1, n]$?

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\Theta(n)$
- n? Complexity? $\Theta(n)$
- $i \in [1, n]$? Complexity?

Some Interesting Questions

Let A be unsorted array

How to find the value that, if A was sorted, would be in position:

- 1? Complexity? $\Theta(n)$

- n? Complexity? $\Theta(n)$

- $i \in [1, n]$? Complexity? $O(n \log n)$

Can we do better?

The Select Problem

Input: a potentially unsorted array A and an index $i \in [1, |A|]$

Output: the value $\bar{A}[i]$ where $\bar{A}$ is the sorted version of A

We do not want to build an index: it is a *una-tantum* query

The Select Problem

Input: a potentially unsorted array A and an index $i \in [1, |A|]$
Output: the value $\bar{A}[i]$ where $\bar{A}$ is the sorted version of A

We do not want to build an index: it is a *una-tantum* query

We will assume that A does not contains multiple instances of the same value (not necessary, but simplify things)

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
13	5	7	2	-7	4	1	11	6	0	10	15	-1	8	-2	3	14	12	-9	-5	9	-6	16	-4

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
13	5	7	2	-7	4	1	11	6	0	10	15	-1	8	-2	3	14	12	-9	-5	9	-6	16	-4

j

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k $\leftarrow$ PARTITION(A,1,|A|,j) and get S and G

Retrieving Data
oooooooo
Sorting
oo
Insertion Sort
ooo
Quick Sort
oooooooooooo
Heap Sort
ooooo
Sorting in Linear Time
oooooooooooooo
Select
ooo●●ooooo

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k $\leftarrow$ PARTITION(A,1,|A|,j) and get S and G
- compare i and k

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k $\leftarrow$ PARTITION(A,1,|A|,j) and get S and G
- compare i and k
  - if $i = k$, then return $A[k]$

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-9	3	-1	4	-6	-4	-5	-2	0	1	2	-7	5	11	6	7	8	15	10	9	14	12	13	16

$$\underbrace{\hspace{5cm}}_{S} \quad \underset{k}{\uparrow} \quad \underbrace{\hspace{5cm}}_{G}$$

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k $\leftarrow$ PARTITION(A,1,|A|,j) and get S and G
- compare i and k
  - if $i = k$, then return $A[k]$
  - if $i < k$, then $\bar{A}[i]$ is in S

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-9	3	-1	4	-6	-4	-5	-2	0	1	2	-7	5	11	6	7	8	15	10	9	14	12	13	16

$$S \qquad\qquad \underset{k}{\uparrow} \qquad\qquad G$$

Retrieving Data
oooooooo

Sorting
oo

Insertion Sort
ooo

Quick Sort
oooooooooooo

Heap Sort
ooooo

Sorting in Linear Time
oooooooooooooo

Select
oooo●ooooo

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k $\leftarrow$ PARTITION(A,1,|A|,j) and get S and G
- compare i and k
  - if $i = k$, then return $A[k]$
  - if $i < k$, then $\bar{A}[i]$ is in S
  - if $i > k$, then $\bar{A}[i]$ is in G

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-9	3	-1	4	-6	-4	-5	-2	0	1	2	-7	5	11	6	7	8	15	10	9	14	12	13	16

$\underbrace{\qquad\qquad\qquad\qquad}_{S}$ $\underset{k}{\uparrow}$ $\underbrace{\qquad\qquad\qquad\qquad}_{G}$

Retrieving Data
○○○○○○○

Sorting
○○

Insertion Sort
○○○

Quick Sort
○○○○○○○○○○○○

Heap Sort
○○○○○

Sorting in Linear Time
○○○○○○○○○○○○○

Select
○○○●○○○○○○

A Possible Strategy

What about using PARTITION and a "dichotomic approach"?

- select a pivot $A[j]$
- compute k ←PARTITION(A,1,|A|,j) and get S and G
- compare i and k
    - if $i = k$, then return $A[k]$
    - if $i < k$, then $\bar{A}[i]$ is in S
    - if $i > k$, then $\bar{A}[i]$ is in G

A recursive algorithm can solve the problem!

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-9	3	-1	4	-6	-4	-5	-2	0	1	2	-7	5	11	6	7	8	15	10	9	14	12	13	16

$$S \qquad \underset{k}{\uparrow} \qquad G$$

Recursive Partition Approach: Issues and Opportunities

As in QUICKSORT, the pivot choice makes the difference

Recursive Partition Approach: Issues and Opportunities

As in QUICKSORT, the pivot choice makes the difference

When the partition is not balanced enough, we perform $\Theta(n^2)$ ops

Recursive Partition Approach: Issues and Opportunities

As in QUICKSORT, the pivot choice makes the difference

When the partition is not balanced enough, we perform $\Theta(n^2)$ ops

The best pivot choice would be $\bar{A}$'s median, but A may be unsorted

Recursive Partition Approach: Issues and Opportunities

As in QUICKSORT, the pivot choice makes the difference

When the partition is not balanced enough, we perform $\Theta(n^2)$ ops

The best pivot choice would be $\bar{A}$'s median, but A may be unsorted

However, constant ratio partitions are QUICKSORT's best case scenarios as well

Recursive Partition Approach: Issues and Opportunities

As in QUICKSORT, the pivot choice makes the difference

When the partition is not balanced enough, we perform $\Theta(n^2)$ ops

The best pivot choice would be $\bar{A}$'s median, but A may be unsorted

However, constant ratio partitions are QUICKSORT's best case scenarios as well

Is there a smart way to guess an almost-median value for $\bar{A}$?

Choosing the Pivot

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
13	5	7	2	-7	4	1	11	6	0	10	15	-1	8	-2	3	14	12	-9	-5	9	-6	16	-4

Retrieving Data
○○○○○○○

Sorting
○○

Insertion Sort
○○○

Quick Sort
○○○○○○○○○○○○

Heap Sort
○○○○○

Sorting in Linear Time
○○○○○○○○○○○○○

Select
○○○○○○●○○○

Choosing the Pivot

- split A in $\lceil n/5 \rceil$ chunks $C_1, \ldots, C_{n/5}$ each of size 5

		C₁					**C₂**					**C₃**					**C₄**					**C₅**		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
13	5	7	2	-7	4	1	11	6	0	10	15	-1	8	-2	3	14	12	-9	-5	9	-6	16	-4

Choosing the Pivot

- split A in $\lceil n/5 \rceil$ chunks $C_1, \ldots, C_{n/5}$ each of size 5
- find the median m_i of C_i

C_1					C_2					C_3					C_4					C_5			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
13	5	7	2	-7	4	1	11	6	0	10	15	-1	8	-2	3	14	12	-9	-5	9	-6	16	-4

Choosing the Pivot

- split A in $\lceil n/5 \rceil$ chunks $C_1, \ldots, C_{n/5}$ each of size 5
- find the median m_i of C_i, e.g., by sorting C_i itself

	C₁					**C₂**					**C₃**					**C₄**					**C₅**		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-7	2	5	7	13	0	1	4	6	11	-2	-1	8	10	15	-9	-5	3	12	14	-6	-4	9	16

Choosing the Pivot

- split A in $\lceil n/5 \rceil$ chunks $C_1, \ldots, C_{n/5}$ each of size 5
- find the median m_i of C_i, e.g., by sorting C_i itself

	C_1					C_2					C_3					C_4					C_5			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-7	2	5	7	13	0	1	4	6	11	-2	-1	8	10	15	-9	-5	3	12	14	-6	-4	9	16

Choosing the Pivot

- split A in $\lceil n/5 \rceil$ chunks $C_1, \ldots, C_{n/5}$ each of size 5
- find the median m_i of C_i, e.g., by sorting C_i itself
- recursively compute the median m of the m_i's

Does the Selected Pivot Partition A Evenly Enough?

Think the chunks as they were the columns of a matrix

Does the Selected Pivot Partition A Evenly Enough?

Think the chunks as they were the columns of a matrix

C_1	C_2	C_3	C_4	C_5
-7	0	-2	-9	-6
2	1	-1	-5	-4
5	4	8	3	9
7	6	10	12	16
13	11	15	14	

Retrieving Data
Sorting
Insertion Sort
Quick Sort
Heap Sort
Sorting in Linear Time
Select

Does the Selected Pivot Partition A Evenly Enough?

Sort the chunks according the medians

C_4	C_2	C_1	C_3	C_5
-9	0	-4	-2	-6
-5	1	2	-1	-4
3	4	5	8	9
12	6	7	10	16
14	11	13	15	

Does the Selected Pivot Partition *A* Evenly Enough?

How many chunks are there?

$$\left\lceil \frac{n}{5} \right\rceil$$

C_4	C_2	C_1	C_3	C_5
-9	0	-4	-2	-6
-5	1	2	-1	-4
3	4	5	8	9
12	6	7	10	16
14	11	13	15	

Does the Selected Pivot Partition A Evenly Enough?

How many m_i are greater or equal to m?

$$\left\lceil \frac{1}{2} \left\lceil \frac{n}{5} \right\rceil \right\rceil$$

C_4	C_2	C_1	C_3	C_5
-9	0	-4	-2	-6
-5	1	2	-1	-4
3	4	5	8	9
12	6	7	10	16
14	11	13	15	

Does the Selected Pivot Partition *A* Evenly Enough?

How many chunks at least have 3 elements greater than m?

$$\left\lceil \frac{1}{2} \left\lceil \frac{n}{5} \right\rceil \right\rceil - 2$$

C_4	C_2	C_1	C_3	C_5
-9	0	-4	-2	-6
-5	1	2	-1	-4
3	4	5	8	9
12	6	7	10	16
14	11	13	15	

Retrieving Data
0000000

Sorting
00

Insertion Sort
000

Quick Sort
0000000000000

Heap Sort
00000

Sorting in Linear Time
0000000000000

Select
000000●00

Does the Selected Pivot Partition *A* Evenly Enough?

How many elements at least are greater than m?

$$3\left(\left\lceil \frac{1}{2}\left\lceil \frac{n}{5} \right\rceil \right\rceil - 2\right)$$

C_4	C_2	C_1	C_3	C_5
-9	0	-4	-2	-6
-5	1	2	-1	-4
3	4	5	8	9
12	6	7	10	16
14	11	13	15	

Does the Selected Pivot Partition A Evenly Enough?

How many elements at least are greater than m?

$$3\left(\left\lceil\frac{1}{2}\left\lceil\frac{n}{5}\right\rceil\right\rceil-2\right)\geq\frac{3n}{10}-6$$

	C_4	C_2	C_1	C_3	C_5
	-9	0	-4	-2	-6
	-5	1	2	-1	-4
	3	4	5	8	9
	12	6	7	10	16
	14	11	13	15	

Does the Selected Pivot Partition *A* Evenly Enough?

An upper bound for the # of elements smaller or equal to m is

$$n - \left(\frac{3n}{10} - 6 \right) = \frac{7n}{10} + 6$$

	C_4	C_2	C_1	C_3	C_5
	-9	0	-4	-2	-6
	-5	1	2	-1	-4
	3	4	5	8	9
	12	6	7	10	16
	14	11	13	15	

Complexity of the Select Algorithm

$$T_S(n) = \begin{cases} \Theta(1) & \text{if } n = 1 \\ T_S(\lceil n/5 \rceil) + T_S(7n/10 + 6) + \Theta(n) & \text{otherwise} \end{cases}$$

Complexity of the Select Algorithm

$$T_S(n) = \begin{cases} \Theta(1) & \text{if } n = 1 \\ T_S(\lceil n/5 \rceil) + T_S(7n/10 + 6) + \Theta(n) & \text{otherwise} \end{cases}$$

Let us assume that $T_S(m) \leq cm \in O(m)$ for $m < n$

$$\begin{aligned} T_S(n) &\leq c\lceil n/5 \rceil + c(7n/10 + 6) + c'n \\ &\leq c(n/5 + 1) + c(7n/10 + 6) + c'n \\ &\leq \frac{9}{10}cn + c'n + 7c \end{aligned}$$

Complexity of the Select Algorithm

$$T_S(n) = \begin{cases} \Theta(1) & \text{if } n = 1 \\ T_S(\lceil n/5 \rceil) + T_S(7n/10 + 6) + \Theta(n) & \text{otherwise} \end{cases}$$

Let us assume that $T_S(m) \leq cm \in O(m)$ for $m < n$

$$T_S(n) \leq c\lceil n/5 \rceil + c(7n/10 + 6) + c'n$$
$$\leq c(n/5 + 1) + c(7n/10 + 6) + c'n$$
$$\leq \frac{9}{10}cn + c'n + 7c$$

Hence, $T_S(n) \leq cn$ for $c \geq 20c'$ and $n \geq 140$ and

Complexity of the Select Algorithm

$$T_S(n) = \begin{cases} \Theta(1) & \text{if } n = 1 \\ T_S(\lceil n/5 \rceil) + T_S(7n/10 + 6) + \Theta(n) & \text{otherwise} \end{cases}$$

Let us assume that $T_S(m) \leq cm \in O(m)$ for $m < n$

$$\begin{aligned} T_S(n) &\leq c\lceil n/5 \rceil + c(7n/10 + 6) + c'n \\ &\leq c(n/5 + 1) + c(7n/10 + 6) + c'n \\ &\leq \frac{9}{10}cn + c'n + 7c \end{aligned}$$

Hence, $T_S(n) \leq cn$ for $c \geq 20c'$ and $n \geq 140$ and

$$T_S(n) \in \Theta(n)$$

Select Algorithm: Pseudo-Code

```
def SELECT(A, i, l=1, r=|A|):
  j ← SELECT_PIVOT(A, l, r)
  k ← PARTITION(A, l, r, j)

  if i=k:          # dichotomic approach
    return A[k]
  else:
    if i<k:
      return SELECT(A, i, l, k−1) # search in S
    else:
      return SELECT(A, i, k+1, r) # search in G
    endif
  endif
enddef
```