"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 010000.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 10101111000101010000110110 and CRC remainder 00100010001100001011 0110
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

              version: "2"
       ACQUISITION_OK: 1
         TRACKING_OK: 1
     DEMODULATION_OK: 0
               SV_ID: '000001'
          message_ID: '0010'
        message_body: '0100101100011001111111000'
                 CRC: '101011110001010000110110'
               ACKed: 0
        isACKmessage: 1
estimatedDopplerStart: 98.5051
 estimatedDopplerEnd: 112.0940
       estimatedDelay: 0.0282
       estimatedPhase: 3.3538


ans =

    "Results saved in MM_test_5.65_204.4_f1_d1000_s10_c3.json"

Elapsed time is 16.715440 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.967915 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

       maxPeak: 0.0062
    idStartTime: 281650
    idDopplerShift: 53
          mean: 3.7590e-09
     meanSquare: 1.8990e-09
         phase: -2.9293

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 010000.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

Warning: Error no ack: received CRC 10101111000101000001110110 and CRC remainder 01001011110011011001110

> In MessageAnalyzer/analyzeMessage (line 85)

In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                 version: "2"
         ACQUISITION_OK: 1
            TRACKING_OK: 1
        DEMODULATION_OK: 0
                  SV_ID: '000001'
             message_ID: '0010'
           message_body: '010010110001100100111111110000'
                    CRC: '10101111000101010000110110'
                   ACKed: 0
            isACKmessage: 1
    estimatedDopplerStart: 98.5051
      estimatedDopplerEnd: 112.0940
          estimatedDelay: 0.0282
          estimatedPhase: 3.3538

ans =

    "Results saved in MM_test_5.98_204.4_f1_d1000_s10_c3.json"

Elapsed time is 16.731704 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 1.067449 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

    maxPeak: 0.0049

```
    idStartTime: 281650
  idDopplerShift: 53
           mean: 4.7299e-10
     meanSquare: 1.2018e-09
          phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

```
    "Tracker step 6: demodulated 60 symbols."


ans =

    "Tracker step 7: demodulated 70 symbols."


ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011011.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1010111100010100000110110 and CRC remainder 0010010001100001011010110
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =
```

struct with fields:

```
                version: "2"
         ACQUISITION_OK: 1
           TRACKING_OK: 1
       DEMODULATION_OK: 0
                 SV_ID: '000001'
            message_ID: '0010'
          message_body: '010010110001100111111111000'
                   CRC: '101011110001010000110110'
                 ACKed: 0
          isACKmessage: 1
  estimatedDopplerStart: 98.5051
    estimatedDopplerEnd: 119.8580
        estimatedDelay: 0.0282
        estimatedPhase: 3.3538
```

ans =

    "Results saved in MM_test_6.31_204.4_f1_d1000_s10_c3.json"

Elapsed time is 16.768935 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.968288 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

        maxPeak: 0.0039
    idStartTime: 281650
  idDopplerShift: 53
           mean: 3.7444e-10
     meanSquare: 7.6051e-10
          phase: -2.9293

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011011.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

Warning: Error no ack: received CRC 101011110001010000110110 and CRC remainder 0010001000110000110110

> In MessageAnalyzer/analyzeMessage (line 85)

In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)

ans =

  "Received message analyzed."

ans =

  "DEMODULATION RESULT 0"

ans =

  struct with fields:

               version: "2"
        ACQUISITION_OK: 1
          TRACKING_OK: 1
      DEMODULATION_OK: 0
              SV_ID: '000001'
          message_ID: '0010'
       message_body: '0100101100011001100111111111000'
              CRC: '101011110001010000110110'
             ACKed: 0
        isACKmessage: 1
  estimatedDopplerStart: 98.5051
   estimatedDopplerEnd: 119.8580
      estimatedDelay: 0.0282
      estimatedPhase: 3.3538

```
ans =

    "Results saved in MM_test_6.64_204.4_f1_d1000_s10_c3.json"

Elapsed time is 17.333155 seconds.
.

ans =

    "Generation test signal completed."

Elapsed time is 1.043286 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."
```

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
    maxPeak: 0.0839
 idStartTime: 281650
idDopplerShift: 52
       mean: 1.6107e-08
  meanSquare: 3.0360e-07
      phase: 3.0142


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 01011101011011111010101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

struct with fields:

```
             version: "2"
      ACQUISITION_OK: 1
         TRACKING_OK: 1
     DEMODULATION_OK: 0
               SV_ID: '000001'
          message_ID: '0011'
        message_body: '0101000001110110000010000010111'
                 CRC: '0101110101101111110100101'
               ACKed: 0
         isACKmessage: 1
 estimatedDopplerStart: 78.3030
  estimatedDopplerEnd: 83.4795
      estimatedDelay: 0.0282
      estimatedPhase: 3.0142
```

ans =

    "Results saved in MM_test_2.32_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.546275 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 1.093546 seconds.

ans =

    "Acquisition search 10.0% completed."

MATLAB Command Window

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

```
      maxPeak: 0.0528
  idStartTime: 281650
idDopplerShift: 52
         mean: 1.1892e-08
   meanSquare: 1.1989e-07
        phase: 3.0142
```

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0101110101101111110100101 and CRC remainder 00111010101000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                 version: "2"
          ACQUISITION_OK: 1
             TRACKING_OK: 1
         DEMODULATION_OK: 0
                   SV_ID: '000001'
              message_ID: '0011'
            message_body: '01010000001110110000100001011'
                     CRC: '0101110101101111110100101'
                   ACKed: 0
            isACKmessage: 1
    estimatedDopplerStart: 78.3030
     estimatedDopplerEnd: 83.4795
          estimatedDelay: 0.0282
          estimatedPhase: 3.0142

ans =

    "Results saved in MM_test_2.99_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.308699 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.973665 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
       maxPeak: 0.0334
    idStartTime: 281650
  idDopplerShift: 52
           mean: 5.9270e-09
     meanSquare: 4.7995e-08
          phase: 3.0142


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

        "Tracker step 6: demodulated 60 symbols."

ans =

        "Tracker step 7: demodulated 70 symbols."

ans =

        "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 01011101011011111110100101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

        "Received message analyzed."

ans =

        "DEMODULATION RESULT 0"

ans =

struct with fields:

             version: "2"
      ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0011'
       message_body: '0101000001110110000100010111'
                CRC: '0101110101101111110100101'
               ACKed: 0
         isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 83.4795
       estimatedDelay: 0.0282
       estimatedPhase: 3.0142

ans =

    "Results saved in MM_test_3.65_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.093105 seconds.

.
ans =

    "Generation test signal completed."

Elapsed time is 1.026568 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

       maxPeak: 0.0210
    idStartTime: 281650
  idDopplerShift: 52
          mean: 6.7084e-09
    meanSquare: 1.8966e-08
         phase: 3.0142

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

```
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 010111010101111110100101 and CRC remainder 001110101010100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =

  struct with fields:

                 version: "2"
          ACQUISITION_OK: 1
             TRACKING_OK: 1
          DEMODULATION_OK: 0
                   SV_ID: '000001'
              message_ID: '0011'
            message_body: '01010000001110110000010000101111'
                     CRC: '010111010101111110100101'
                    ACKed: 0
             isACKmessage: 1
    estimatedDopplerStart: 78.3030
      estimatedDopplerEnd: 83.4795
           estimatedDelay: 0.0282
           estimatedPhase: 3.0142
```

ans =

    "Results saved in MM_test_4.32_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.477283 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 1.055430 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
      maxPeak: 0.0133
  idStartTime: 281650
idDopplerShift: 52
         mean: 1.2750e-09
   meanSquare: 7.5964e-09
        phase: 3.0142


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0101110101101111110100101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

struct with fields:

```
               version: "2"
        ACQUISITION_OK: 1
          TRACKING_OK: 1
       DEMODULATION_OK: 0
                 SV_ID: '000001'
            message_ID: '0011'
          message_body: '0101000001110110000100010111'
                   CRC: '0101110101101111110100101'
                 ACKed: 0
          isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 83.4795
         estimatedDelay: 0.0282
         estimatedPhase: 3.0142
```

ans =

    "Results saved in MM_test_4.98_132.6_f1_d1000_s10_c5.json"

Elapsed time is 18.320590 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.986433 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

        maxPeak: 0.0105
    idStartTime: 281650
  idDopplerShift: 52
           mean: 2.9888e-09
     meanSquare: 4.7433e-09
          phase: 3.0142

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 010111010101111110100101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

              version: "2"
       ACQUISITION_OK: 1
          TRACKING_OK: 1
      DEMODULATION_OK: 0
                SV_ID: '000001'
           message_ID: '0011'
         message_body: '010100000011101100001000010101111'
                  CRC: '010111010101111110100101'
                 ACKed: 0
          isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 83.4795
        estimatedDelay: 0.0282
        estimatedPhase: 3.0142

ans =

    "Results saved in MM_test_5.32_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.969141 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.994783 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

```
        maxPeak: 0.0083
    idStartTime: 281650
 idDopplerShift: 52
           mean: 3.0367e-09
     meanSquare: 3.0016e-09
          phase: 3.0142


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 010111010101011111010100101 and CRC remainder 00111010101001000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0011'
       message_body: '01010000001110110000100010111'
                CRC: '01011101101111110100101'
              ACKed: 0
        isACKmessage: 1
 estimatedDopplerStart: 78.3030
  estimatedDopplerEnd: 83.4795
      estimatedDelay: 0.0282
      estimatedPhase: 3.0142


ans =

    "Results saved in MM_test_5.65_132.6_f1_d1000_s10_c5.json"


Elapsed time is 17.415241 seconds.
.
ans =

    "Generation test signal completed."


Elapsed time is 1.065114 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

```
     maxPeak: 0.0066
   idStartTime: 281650
 idDopplerShift: 52
          mean: 2.3848e-09
    meanSquare: 1.8992e-09
         phase: 3.0142
```

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

```
ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
```

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0101110101101111110100101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                  version: "2"
          ACQUISITION_OK: 1
             TRACKING_OK: 1
         DEMODULATION_OK: 0
                   SV_ID: '000001'
              message_ID: '0011'
            message_body: '010100000011101100001000010111'
                     CRC: '0101110101101111110100101'
                   ACKed: 0
             isACKmessage: 1
    estimatedDopplerStart: 78.3030
      estimatedDopplerEnd: 83.4795
          estimatedDelay: 0.0282
          estimatedPhase: 3.0142

ans =

    "Results saved in MM_test_5.98_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.757969 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.986303 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
    maxPeak: 0.0053
 idStartTime: 281650
idDopplerShift: 52
       mean: 1.6824e-09
  meanSquare: 1.2005e-09
      phase: 3.0142


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011100.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 010111010110111110100101 and CRC remainder 001110101010010000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

struct with fields:

```
              version: "2"
       ACQUISITION_OK: 1
         TRACKING_OK: 1
      DEMODULATION_OK: 0
               SV_ID: '000001'
          message_ID: '0011'
        message_body: '01010000011101100001000010111'
                 CRC: '01011101101111110100101'
               ACKed: 0
         isACKmessage: 1
  estimatedDopplerStart: 78.3030
   estimatedDopplerEnd: 83.4795
       estimatedDelay: 0.0282
       estimatedPhase: 3.0142
```

ans =

    "Results saved in MM_test_6.31_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.836638 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 1.003283 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

        maxPeak: 0.0042
    idStartTime: 281650
    idDopplerShift: 52
           mean: 4.6293e-10
     meanSquare: 7.5970e-10
          phase: 3.0142

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0101110101011111110100101 and CRC remainder 0011101010100100000100111
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                    version: "2"
            ACQUISITION_OK: 1
               TRACKING_OK: 1
           DEMODULATION_OK: 0
                     SV_ID: '000001'
                message_ID: '0011'
              message_body: '0101000000111011000010000101111'
                       CRC: '0101110101011111110100101'
                     ACKed: 0
               isACKmessage: 1
     estimatedDopplerStart: 78.3030
       estimatedDopplerEnd: 83.4795
            estimatedDelay: 0.0282
            estimatedPhase: 3.0142

ans =

    "Results saved in MM_test_6.64_132.6_f1_d1000_s10_c5.json"

Elapsed time is 17.445904 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.973281 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
            maxPeak: 0.0669
        idStartTime: 281649
     idDopplerShift: 52
               mean: 3.7594e-08
         meanSquare: 3.0346e-07
              phase: -2.1864


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 111100000111101111101111 and CRC remainder 0101111101110110100010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

struct with fields:

```
            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0011'
       message_body: '0101011001110011010000101010010'
                CRC: '111100000111101111110111'
              ACKed: 0
        isACKmessage: 1
 estimatedDopplerStart: 78.3030
  estimatedDopplerEnd: 104.8330
      estimatedDelay: 0.0282
      estimatedPhase: 4.0968
```

ans =

    "Results saved in MM_test_2.32_162.6_f1_d1000_s10_c5.json"

Elapsed time is 16.984742 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.973487 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

        maxPeak: 0.0420
    idStartTime: 281649
  idDopplerShift: 52
           mean: 2.2078e-08
     meanSquare: 1.1983e-07
          phase: -2.1864

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001111011111101111 and CRC remainder 0101111011101010010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                 version: "2"
          ACQUISITION_OK: 1
            TRACKING_OK: 1
        DEMODULATION_OK: 0
                  SV_ID: '000001'
             message_ID: '0011'
           message_body: '0101011001110011010000101000010'
                    CRC: '1111000001111011111101111'
                  ACKed: 0
            isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 104.8330
         estimatedDelay: 0.0282
         estimatedPhase: 4.0968

ans =

    "Results saved in MM_test_2.99_162.6_f1_d1000_s10_c5.json"

Elapsed time is 18.118449 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.991032 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
     maxPeak: 0.0266
 idStartTime: 281649
idDopplerShift: 52
        mean: 2.0797e-09
  meanSquare: 4.8023e-08
       phase: -2.1864
```

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 111100000111101111101111 and CRC remainder 010111110111011010010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

```
  struct with fields:

               version: "2"
        ACQUISITION_OK: 1
          TRACKING_OK: 1
      DEMODULATION_OK: 0
               SV_ID: '000001'
          message_ID: '0011'
        message_body: '010101100111001101000010101000010'
                 CRC: '111100000111101111111101111'
               ACKed: 0
          isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 104.8330
        estimatedDelay: 0.0282
        estimatedPhase: 4.0968


ans =

    "Results saved in MM_test_3.65_162.6_f1_d1000_s10_c5.json"


Elapsed time is 17.627355 seconds.
.
ans =

    "Generation test signal completed."


Elapsed time is 0.987686 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

         maxPeak: 0.0167
     idStartTime: 281649
    idDopplerShift: 52
            mean: 5.0214e-09
      meanSquare: 1.8963e-08
           phase: -2.1864

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

MATLAB Command Window

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001110111111101111 and CRC remainder 0101111011101010010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                   version: "2"
            ACQUISITION_OK: 1
               TRACKING_OK: 1
            DEMODULATION_OK: 0
                     SV_ID: '000001'
                message_ID: '0011'
              message_body: '010101100111001101000010100010'
                       CRC: '1111000001110111111101111'
                     ACKed: 0
              isACKmessage: 1
     estimatedDopplerStart: 78.3030
       estimatedDopplerEnd: 104.8330
            estimatedDelay: 0.0282
            estimatedPhase: 4.0968

ans =

    "Results saved in MM_test_4.32_162.6_f1_d1000_s10_c5.json"

Elapsed time is 17.706684 seconds.
.

ans =

    "Generation test signal completed."

Elapsed time is 0.972591 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

          maxPeak: 0.0106
      idStartTime: 281649
    idDopplerShift: 52
             mean: 2.5702e-09
       meanSquare: 7.5991e-09
            phase: -2.1864

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

   "Tracker step 6: demodulated 60 symbols."

ans =

   "Tracker step 7: demodulated 70 symbols."

ans =

   "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001111011111101111 and CRC remainder 01011111011101101001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

   "Received message analyzed."

ans =

   "DEMODULATION RESULT 0"

ans =

```
struct with fields:

            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0011'
       message_body: '0101011001110011010000101010010'
                CRC: '1111000001111011111101111'
              ACKed: 0
        isACKmessage: 1
 estimatedDopplerStart: 78.3030
   estimatedDopplerEnd: 104.8330
        estimatedDelay: 0.0282
        estimatedPhase: 4.0968


ans =

    "Results saved in MM_test_4.98_162.6_f1_d1000_s10_c5.json"

Elapsed time is 18.348602 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.975579 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

           maxPeak: 0.0084
       idStartTime: 281649
    idDopplerShift: 52
              mean: 3.9892e-09
        meanSquare: 4.7440e-09
             phase: -2.1864

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011000.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 10101110010100000110111 and CRC remainder 0000001010001010101001001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                    version: "2"
            ACQUISITION_OK: 1
               TRACKING_OK: 1
           DEMODULATION_OK: 0
                     SV_ID: '000001'
                message_ID: '0011'
              message_body: '010101100111001101000010100010'
                       CRC: '10101110010100000110111'
                     ACKed: 0
              isACKmessage: 1
    estimatedDopplerStart: 78.3030
      estimatedDopplerEnd: 86.0677
           estimatedDelay: 0.0282
           estimatedPhase: 4.0968

ans =

    "Results saved in MM_test_5.32_162.6_f1_d1000_s10_c5.json"

Elapsed time is 17.897579 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.982651 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
    maxPeak: 0.0066
idStartTime: 281649
idDopplerShift: 52
       mean: 4.5266e-09
 meanSquare: 2.9991e-09
      phase: -2.1864


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

MATLAB Command Window

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100111.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1010111001001111111001000 and CRC remainder 000000010100001010110110
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

              version: "2"
       ACQUISITION_OK: 1
          TRACKING_OK: 1
      DEMODULATION_OK: 0
                SV_ID: '000001'
           message_ID: '0011'
         message_body: '010101100111001101000010101000010'
                  CRC: '10101110010011111111001000'
                ACKed: 0
          isACKmessage: 1
  estimatedDopplerStart: 78.3030
    estimatedDopplerEnd: 86.0677
        estimatedDelay: 0.0282
        estimatedPhase: 4.0968


ans =

    "Results saved in MM_test_5.65_162.6_f1_d1000_s10_c5.json"

Elapsed time is 18.183063 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 1.015960 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

        maxPeak: 0.0053
    idStartTime: 281649
  idDopplerShift: 52
           mean: 2.7419e-09
     meanSquare: 1.8977e-09
          phase: -2.1864

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

02/06/22 6.52

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

```
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001111101111101111 and CRC remainder 01011110111011010010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =

  struct with fields:

              version: "2"
       ACQUISITION_OK: 1
          TRACKING_OK: 1
       DEMODULATION_OK: 0
                SV_ID: '000001'
           message_ID: '0011'
         message_body: '010101100111001101000010100010'
                  CRC: '1111000001111101111101111'
                 ACKed: 0
           isACKmessage: 1
    estimatedDopplerStart: 78.3030
     estimatedDopplerEnd: 104.8330
        estimatedDelay: 0.0282
        estimatedPhase: 4.0968
```

ans =

    "Results saved in MM_test_5.98_162.6_f1_d1000_s10_c5.json"

Elapsed time is 17.976333 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.967897 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

MATLAB Command Window

```
    maxPeak: 0.0042
idStartTime: 281649
idDopplerShift: 52
       mean: 1.3237e-09
 meanSquare: 1.2005e-09
      phase: -2.1864
```

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001111011111101111 and CRC remainder 0101111101110110010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

               version: "2"
        ACQUISITION_OK: 1
          TRACKING_OK: 1
       DEMODULATION_OK: 0
                SV_ID: '000001'
           message_ID: '0011'
         message_body: '010101100111001101000010100010'
                  CRC: '111100001111011111101111'
                ACKed: 0
           isACKmessage: 1
    estimatedDopplerStart: 78.3030
     estimatedDopplerEnd: 104.8330
        estimatedDelay: 0.0282
        estimatedPhase: 4.0968


ans =

    "Results saved in MM_test_6.31_162.6_f1_d1000_s10_c5.json"

Elapsed time is 17.609290 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.992306 seconds.

ans =

    "Acquisition search 10.0% completed."
```

MATLAB Command Window

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

```
        maxPeak: 0.0033
    idStartTime: 281649
  idDopplerShift: 52
           mean: 1.6887e-10
     meanSquare: 7.6026e-10
          phase: -2.1864
```

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 000101.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

```
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1111000001111011111101111 and CRC remainder 010111101110101010001
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =

  struct with fields:

                  version: "2"
           ACQUISITION_OK: 1
             TRACKING_OK: 1
          DEMODULATION_OK: 0
                   SV_ID: '000001'
              message_ID: '0011'
            message_body: '0101011001110011010000101000010'
                     CRC: '1111000001111011111101111'
                    ACKed: 0
             isACKmessage: 1
    estimatedDopplerStart: 78.3030
      estimatedDopplerEnd: 104.8330
          estimatedDelay: 0.0282
          estimatedPhase: 4.0968
```

```
ans =

    "Results saved in MM_test_6.64_162.6_f1_d1000_s10_c5.json"

Elapsed time is 17.613253 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.964227 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."
```

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
       maxPeak: 0.0780
   idStartTime: 281650
idDopplerShift: 53
          mean: 2.2011e-08
    meanSquare: 3.0339e-07
         phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100001.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 101110011111011110011001 and CRC remainder 11000000010101000011101
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

            version: "2"
    ACQUISITION_OK: 1
       TRACKING_OK: 1
   DEMODULATION_OK: 0
             SV_ID: '000001'
        message_ID: '0010'
      message_body: '01000010111110100110011000110'
               CRC: '101110011111101110011001'
             ACKed: 0
      isACKmessage: 1
 estimatedDopplerStart: 98.5051
   estimatedDopplerEnd: 114.6820
        estimatedDelay: 0.0282
        estimatedPhase: 3.3539


ans =

    "Results saved in MM_test_2.32_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.435674 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.993185 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

        maxPeak: 0.0490
    idStartTime: 281650
  idDopplerShift: 53
           mean: 2.2378e-08
     meanSquare: 1.1988e-07
          phase: -2.9293

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100001.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1011100111110111011001 and CRC remainder 1100000001010100011101
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                   version: "2"
            ACQUISITION_OK: 1
               TRACKING_OK: 1
            DEMODULATION_OK: 0
                     SV_ID: '000001'
                message_ID: '0010'
              message_body: '010000101111101001100110000110'
                       CRC: '1011100111110111011001'
                     ACKed: 0
              isACKmessage: 1
     estimatedDopplerStart: 98.5051
       estimatedDopplerEnd: 114.6820
           estimatedDelay: 0.0282
           estimatedPhase: 3.3538

ans =

    "Results saved in MM_test_2.99_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.674035 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.988122 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
    maxPeak: 0.0310
idStartTime: 281650
idDopplerShift: 53
       mean: 1.2776e-08
 meanSquare: 4.8000e-08
      phase: -2.9293
```

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

"Tracker step 6: demodulated 60 symbols."

ans =

"Tracker step 7: demodulated 70 symbols."

ans =

"Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100001.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 10111001111101110011001 and CRC remainder 110000000010101000011101
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

"Received message analyzed."

ans =

"DEMODULATION RESULT 0"

ans =

```
struct with fields:

            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0010'
       message_body: '010000101111101001100110000110'
                CRC: '101110011111101110011001'
              ACKed: 0
        isACKmessage: 1
  estimatedDopplerStart: 98.5051
    estimatedDopplerEnd: 114.6820
       estimatedDelay: 0.0282
       estimatedPhase: 3.3538


ans =

    "Results saved in MM_test_3.65_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.888015 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 1.002188 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

  struct with fields:

        maxPeak: 0.0195
    idStartTime: 281650
    idDopplerShift: 53
           mean: 1.4234e-08
     meanSquare: 1.8968e-08
          phase: -2.9293

ans =

    "Tracker step 1: demodulated 10 symbols."

ans =

    "Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0100011000000100011100110 and CRC remainder 0001010100111001110011001010
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                 version: "2"
          ACQUISITION_OK: 1
            TRACKING_OK: 1
         DEMODULATION_OK: 0
                  SV_ID: '000001'
             message_ID: '0010'
           message_body: '010000101000001011001100111001'
                   CRC: '0100011000000100011100110'
                  ACKed: 0
            isACKmessage: 1
    estimatedDopplerStart: 98.5051
     estimatedDopplerEnd: 114.6820
          estimatedDelay: 0.0282
          estimatedPhase: 3.3538

ans =

    "Results saved in MM_test_4.32_204.4_f1_d1000_s10_c5.json"

Elapsed time is 18.007351 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.982647 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
          maxPeak: 0.0123
      idStartTime: 281650
    idDopplerShift: 53
             mean: 2.0392e-09
       meanSquare: 7.5920e-09
            phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

```
    "Tracker step 6: demodulated 60 symbols."


ans =

    "Tracker step 7: demodulated 70 symbols."


ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 010001100000010001100110 and CRC remainder 110000101011100011110100
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =
```

struct with fields:

```
            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0010'
       message_body: '0100110100000101100110011001'
                CRC: '010001100000010001100110'
              ACKed: 0
        isACKmessage: 1
 estimatedDopplerStart: 98.5051
  estimatedDopplerEnd: 114.6820
       estimatedDelay: 0.0282
       estimatedPhase: 3.3538
```

ans =

 "Results saved in MM_test_4.98_204.4_f1_d1000_s10_c5.json"

Elapsed time is 18.249195 seconds.

.

ans =

 "Generation test signal completed."

Elapsed time is 0.977669 seconds.

ans =

 "Acquisition search 10.0% completed."

02/06/22 6.52   MATLAB Command Window

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

    maxPeak: 0.0097
    idStartTime: 281650
    idDopplerShift: 53
    mean: 2.9188e-09
    meanSquare: 4.7418e-09
    phase: -2.9293

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 1011100111111011110011001 and CRC remainder 1100000001010100011101
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                   version: "2"
            ACQUISITION_OK: 1
               TRACKING_OK: 1
            DEMODULATION_OK: 0
                     SV_ID: '000001'
                message_ID: '0010'
              message_body: '0100001011111101001100110000110'
                       CRC: '1011100111111011110011001'
                      ACKed: 0
               isACKmessage: 1
      estimatedDopplerStart: 98.5051
        estimatedDopplerEnd: 114.6820
             estimatedDelay: 0.0282
             estimatedPhase: 3.3538

ans =

    "Results saved in MM_test_5.32_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.853460 seconds.

.

ans =

    "Generation test signal completed."

Elapsed time is 0.986040 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
    maxPeak: 0.0078
idStartTime: 281650
idDopplerShift: 53
       mean: 3.0713e-09
 meanSquare: 2.9990e-09
      phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

```
    "Tracker step 6: demodulated 60 symbols."


ans =

    "Tracker step 7: demodulated 70 symbols."


ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 01000110000001000110 and CRC remainder 110000101011100011110100
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =
```

```
struct with fields:

            version: "2"
     ACQUISITION_OK: 1
        TRACKING_OK: 1
    DEMODULATION_OK: 0
              SV_ID: '000001'
         message_ID: '0010'
       message_body: '01001101000001011001100111001'
                CRC: '010001100000010001100110'
              ACKed: 0
       isACKmessage: 1
estimatedDopplerStart: 98.5051
estimatedDopplerEnd: 114.6820
      estimatedDelay: 0.0282
      estimatedPhase: 3.3538


ans =

    "Results saved in MM_test_5.65_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.565882 seconds.
.
ans =

    "Generation test signal completed."

Elapsed time is 0.989458 seconds.

ans =

    "Acquisition search 10.0% completed."
```

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

```
    "Acquisition search 80.0% completed."


ans =

    "Acquisition search 90.0% completed."


ans =

    "Acquisition search 100.0% completed."


ans =

  struct with fields:

         maxPeak: 0.0062
     idStartTime: 281650
   idDopplerShift: 53
            mean: 1.3864e-09
      meanSquare: 1.8997e-09
           phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."
```

02/06/22 6.52 MATLAB Command Window

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 100001.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 10111001111101111001101 and CRC remainder 11000000101101010011101
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)

ans =

    "Received message analyzed."

ans =

    "DEMODULATION RESULT 0"

ans =

  struct with fields:

                 version: "2"
          ACQUISITION_OK: 1
             TRACKING_OK: 1
          DEMODULATION_OK: 0
                   SV_ID: '000001'
              message_ID: '0010'
            message_body: '0100001011111101001100011000110'
                     CRC: '10111001111101111001101110011001'
                   ACKed: 0
             isACKmessage: 1
    estimatedDopplerStart: 98.5051
      estimatedDopplerEnd: 114.6820
          estimatedDelay: 0.0282
          estimatedPhase: 3.3538

ans =

    "Results saved in MM_test_5.98_204.4_f1_d1000_s10_c5.json"

Elapsed time is 17.209592 seconds.

.
ans =

    "Generation test signal completed."

Elapsed time is 1.029567 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

    "Acquisition search 80.0% completed."

ans =

    "Acquisition search 90.0% completed."

ans =

    "Acquisition search 100.0% completed."

ans =

    struct with fields:

```
      maxPeak: 0.0049
   idStartTime: 281650
idDopplerShift: 53
          mean: 1.7248e-09
    meanSquare: 1.2015e-09
         phase: -2.9293


ans =

    "Tracker step 1: demodulated 10 symbols."


ans =

    "Tracker step 2: demodulated 20 symbols."


ans =

    "Tracker step 3: demodulated 30 symbols."


ans =

    "Tracker step 4: demodulated 40 symbols."


ans =

    "Tracker step 5: demodulated 50 symbols."


ans =
```

```
    "Tracker step 6: demodulated 60 symbols."


ans =

    "Tracker step 7: demodulated 70 symbols."


ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 0100011000001000110010 and CRC remainder 110001010101110011110100
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =
```

struct with fields:

```
                version: "2"
         ACQUISITION_OK: 1
            TRACKING_OK: 1
        DEMODULATION_OK: 0
                  SV_ID: '000001'
             message_ID: '0010'
           message_body: '010011010000010110011001'
                    CRC: '010001100000010001100110'
                  ACKed: 0
           isACKmessage: 1
  estimatedDopplerStart: 98.5051
    estimatedDopplerEnd: 114.6820
         estimatedDelay: 0.0282
         estimatedPhase: 3.3538
```

ans =

    "Results saved in MM_test_6.31_204.4_f1_d1000_s10_c5.json"

Elapsed time is 16.813676 seconds.

.
ans =

    "Generation test signal completed."

Elapsed time is 1.007360 seconds.

ans =

    "Acquisition search 10.0% completed."

ans =

    "Acquisition search 20.0% completed."

ans =

    "Acquisition search 30.0% completed."

ans =

    "Acquisition search 40.0% completed."

ans =

    "Acquisition search 50.0% completed."

ans =

    "Acquisition search 60.0% completed."

ans =

    "Acquisition search 70.0% completed."

ans =

"Acquisition search 80.0% completed."

ans =

"Acquisition search 90.0% completed."

ans =

"Acquisition search 100.0% completed."

ans =

struct with fields:

      maxPeak: 0.0039
  idStartTime: 281650
idDopplerShift: 53
         mean: 2.4071e-09
   meanSquare: 7.5974e-10
        phase: -2.9293

ans =

"Tracker step 1: demodulated 10 symbols."

ans =

"Tracker step 2: demodulated 20 symbols."

MATLAB Command Window

ans =

    "Tracker step 3: demodulated 30 symbols."

ans =

    "Tracker step 4: demodulated 40 symbols."

ans =

    "Tracker step 5: demodulated 50 symbols."

ans =

    "Tracker step 6: demodulated 60 symbols."

ans =

    "Tracker step 7: demodulated 70 symbols."

ans =

    "Tracker step 8: demodulated 80 symbols."

Warning: Error. Incorrect received tail 011110.
> In MessageAnalyzer/validateAndSplitMessage (line 110)
In MessageAnalyzer/analyzeMessage (line 71)
In RECEIVER (line 260)

```
In RECEIVERTest/globalTest (line 116)
Warning: Error no ack: received CRC 101001100000010001100110 and CRC remainder 1101111110101011100010
> In MessageAnalyzer/analyzeMessage (line 85)
In RECEIVER (line 260)
In RECEIVERTest/globalTest (line 116)


ans =

    "Received message analyzed."


ans =

    "DEMODULATION RESULT 0"


ans =

  struct with fields:

                 version: "2"
         ACQUISITION_OK: 1
            TRACKING_OK: 1
        DEMODULATION_OK: 0
                 SV_ID: '000001'
            message_ID: '0010'
          message_body: '010000101111101001100110'
                   CRC: '101001100000010001100110'
                  ACKed: 0
           isACKmessage: 1
    estimatedDopplerStart: 98.5051
      estimatedDopplerEnd: 114.6820
         estimatedDelay: 0.0282
         estimatedPhase: 3.3538
```

ans =

    "Results saved in MM_test_6.64_204.4_f1_d1000_s10_c5.json"

Elapsed time is 16.784258 seconds.

.
Done RECEIVERTest
_____

ans =

  1×1080 TestResult array with properties:

    Name
    Passed
    Failed
    Incomplete
    Duration
    Details

Totals:
    1080 Passed, 0 Failed, 0 Incomplete.
    22770.8363 seconds testing time.

>>