/tmp/wireshark_wlp0s20f3NXG2V3.pcapng 66 total packets, 2 shown

```
No.     Time           Source                Destination           Protocol Length Info
     22 3.256980576    10.32.136.23          128.119.245.12        HTTP     444    GET /wireshark-labs/
INTRO-wireshark-file1.html HTTP/1.1
Frame 22: 444 bytes on wire (3552 bits), 444 bytes captured (3552 bits) on interface wlp0s20f3, id 0
    Section number: 1
    Interface id: 0 (wlp0s20f3)
        Interface name: wlp0s20f3
    Encapsulation type: Ethernet (1)
    Arrival Time: Sep 23, 2026 07:14:07.528484110 MDT
    UTC Arrival Time: Sep 23, 2026 13:14:07.528484110 UTC
    Epoch Arrival Time: 1790169247.528484110
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.000623393 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 3.256980576 seconds]
    Frame Number: 22
    Frame Length: 444 bytes (3552 bits)
    Capture Length: 444 bytes (3552 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Intel_2c:9c:8c (5c:80:b6:2c:9c:8c), Dst: ICANNIANADep_e4:07:4e (00:00:5e:e4:07:4e)
    Destination: ICANNIANADep_e4:07:4e (00:00:5e:e4:07:4e)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: Intel_2c:9c:8c (5c:80:b6:2c:9c:8c)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 10.32.136.23, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 430
    Identification: 0xd855 (55381)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 64
    Protocol: TCP (6)
    Header Checksum: 0x5939 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 10.32.136.23
    Destination Address: 128.119.245.12
    [Stream index: 3]
Transmission Control Protocol, Src Port: 54526, Dst Port: 80, Seq: 1, Ack: 1, Len: 378
    Source Port: 54526
    Destination Port: 80
    [Stream index: 2]
    [Stream Packet Number: 4]
    [Conversation completeness: Complete, WITH_DATA (31)]
        ..0. .... = RST: Absent
        ...1 .... = FIN: Present
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..1. = SYN-ACK: Present
        .... ...1 = SYN: Present
        [Completeness Flags: ·FDASS]
    [TCP Segment Len: 378]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 1962233066
    [Next Sequence Number: 379    (relative sequence number)]
    Acknowledgment Number: 1    (relative ack number)
    Acknowledgment number (raw): 3404332798
    1000 .... = Header Length: 32 bytes (8)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
```

```
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·····AP···]
    Window: 502
    [Calculated window size: 64256]
    [Window size scaling factor: 128]
    Checksum: 0x095c [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - Timestamps: TSval 2218678753, TSecr 1063296057
            Kind: Time Stamp Option (8)
            Length: 10
            Timestamp value: 2218678753
            Timestamp echo reply: 1063296057
    [Timestamps]
        [Time since first frame in this TCP stream: 0.094431298 seconds]
        [Time since previous frame in this TCP stream: 0.000623393 seconds]
    [SEQ/ACK analysis]
        [iRTT: 0.093807905 seconds]
        [Bytes in flight: 378]
        [Bytes sent since last PSH flag: 378]
    TCP payload (378 bytes)
Hypertext Transfer Protocol
    GET /wireshark-labs/INTRO-wireshark-file1.html HTTP/1.1\r\n
        Request Method: GET
        Request URI: /wireshark-labs/INTRO-wireshark-file1.html
        Request Version: HTTP/1.1
    Host: gaia.cs.umass.edu\r\n
    User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8\r\n
    Accept-Language: en-US,en;q=0.5\r\n
    Accept-Encoding: gzip, deflate\r\n
    Connection: keep-alive\r\n
    Upgrade-Insecure-Requests: 1\r\n
    Priority: u=0, i\r\n
    \r\n
    [Response in frame: 25]
    [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html]
No.     Time           Source                Destination           Protocol Length Info
     25 3.357428685    128.119.245.12        10.32.136.23          HTTP     507    HTTP/1.1 200 OK  (text/
html)
Frame 25: 507 bytes on wire (4056 bits), 507 bytes captured (4056 bits) on interface wlp0s20f3, id 0
    Section number: 1
    Interface id: 0 (wlp0s20f3)
        Interface name: wlp0s20f3
    Encapsulation type: Ethernet (1)
    Arrival Time: Sep 23, 2026 07:14:07.628932219 MDT
    UTC Arrival Time: Sep 23, 2026 13:14:07.628932219 UTC
    Epoch Arrival Time: 1790169247.628932219
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 0.001582189 seconds]
    [Time delta from previous displayed frame: 0.100448109 seconds]
    [Time since reference or first frame: 3.357428685 seconds]
    Frame Number: 25
    Frame Length: 507 bytes (4056 bits)
    Capture Length: 507 bytes (4056 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: ICANNIANADep_e4:07:4e (00:00:5e:e4:07:4e), Dst: Intel_2c:9c:8c (5c:80:b6:2c:9c:8c)
    Destination: Intel_2c:9c:8c (5c:80:b6:2c:9c:8c)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: ICANNIANADep_e4:07:4e (00:00:5e:e4:07:4e)
```

```
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 10.32.136.23
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 493
    Identification: 0x24de (9438)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 31
    Protocol: TCP (6)
    Header Checksum: 0x2d72 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 128.119.245.12
    Destination Address: 10.32.136.23
    [Stream index: 3]
Transmission Control Protocol, Src Port: 80, Dst Port: 54526, Seq: 1, Ack: 379, Len: 441
    Source Port: 80
    Destination Port: 54526
    [Stream index: 2]
    [Stream Packet Number: 7]
    [Conversation completeness: Complete, WITH_DATA (31)]
        ..0. .... = RST: Absent
        ...1 .... = FIN: Present
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..1. = SYN-ACK: Present
        .... ...1 = SYN: Present
        [Completeness Flags: ·FDASS]
    [TCP Segment Len: 441]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 3404332798
    [Next Sequence Number: 442    (relative sequence number)]
    Acknowledgment Number: 379    (relative ack number)
    Acknowledgment number (raw): 1962233444
    1000 .... = Header Length: 32 bytes (8)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·······AP···]
    Window: 507
    [Calculated window size: 64896]
    [Window size scaling factor: 128]
    Checksum: 0x788b [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - Timestamps: TSval 1063296164, TSecr 2218678753
            Kind: Time Stamp Option (8)
            Length: 10
            Timestamp value: 1063296164
            Timestamp echo reply: 2218678753
    [Timestamps]
        [Time since first frame in this TCP stream: 0.194879407 seconds]
        [Time since previous frame in this TCP stream: 0.001582189 seconds]
    [SEQ/ACK analysis]
```

```
        [iRTT: 0.093807905 seconds]
        [Bytes in flight: 441]
        [Bytes sent since last PSH flag: 441]
    TCP payload (441 bytes)
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
        Response Version: HTTP/1.1
        Status Code: 200
        [Status Code Description: OK]
        Response Phrase: OK
    Date: Wed, 23 Sep 2026 13:14:07 GMT\r\n
    Server: Apache/2.4.62 (AlmaLinux) OpenSSL/3.5.5 mod_fcgid/2.3.9 mod_perl/2.0.12 Perl/v5.32.1\r\n
    Last-Modified: Tue, 28 Oct 2025 05:59:01 GMT\r\n
    ETag: "51-64231b6715777"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 81\r\n
        [Content length: 81]
    Keep-Alive: timeout=5, max=100\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/html; charset=UTF-8\r\n
    \r\n
    [Request in frame: 22]
    [Time since request: 0.100448109 seconds]
    [Request URI: /wireshark-labs/INTRO-wireshark-file1.html]
    [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html]
    File Data: 81 bytes
Line-based text data: text/html (3 lines)
    <html>\n
    Congratulations!  You've downloaded the first Wireshark lab file!\n
    </html>\n
```