```
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
path ="/content/House Price India.csv"
df=pd.read_csv(path)
```

## Load the Dataset

df
df.info()
df.head()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 14620 entries, 0 to 14619
Data columns (total 23 columns):

Data	columns (total 23 columns):								
#	Column	Non-Null Count	Dtype						
0	id	14620 non-null	int64						
1	Date	14620 non-null	int64						
2	number of bedrooms	14620 non-null	int64						
3	number of bathrooms	14620 non-null	float64						
4	living area	14620 non-null	int64						
5	lot area	14620 non-null	int64						
6	number of floors	14620 non-null	float64						
7	waterfront present	14620 non-null	int64						
8	number of views	14620 non-null	int64						
9	condition of the house	14620 non-null	int64						
10	grade of the house	14620 non-null	int64						
11	Area of the house(excluding basement)	14620 non-null	int64						
12	Area of the basement	14620 non-null	int64						
13	Built Year	14620 non-null	int64						
14	Renovation Year	14620 non-null	int64						
15	Postal Code	14620 non-null	int64						
16	Lattitude	14620 non-null	float64						
17	Longitude	14620 non-null	float64						
18	living_area_renov	14620 non-null	int64						
19	lot_area_renov	14620 non-null	int64						
20	Number of schools nearby	14620 non-null	int64						
21	Distance from the airport	14620 non-null	int64						
22	Price	14620 non-null	int64						
dtypes: float64(4), int64(19)									
	0 4 115								

number number number number of living waterfront lot Date of of of bathrooms area present area  ${\tt bedrooms}$ floors views **0** 6762810145 42491 3650 9050 5 2.50 2.0 0 4 **1** 6762810635 42491 4 2.50 2920 4000 0 0 1.5 **2** 6762810998 42491 5 2.75 2910 0 9480 1.5 0 **3** 6762812605 42491 4 2.50 3310 42998 2.0 0 0 **4** 6762812919 42491 3 2.00 2710 4500 1.5 0 0


5 rows × 23 columns

memory usage: 2.6 MB

Univariate

4


sns.displot(df.id)
sns.displot(df.Date)



sns.lineplot(df.id)

## Perform Descriptive statistics on the Dataset

ymax=0.4, linewidth=2.0,



Missing Handling value

df=pd.DataFrame(df)
df.isnull()

	id	Date	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	•••	Built Year	Renovatio Yea
0	False	False	False	False	False	False	False	False	False	False		False	Fals
1	False	False	False	False	False	False	False	False	False	False		False	Fals
2	False	False	False	False	False	False	False	False	False	False		False	Fals
3	False	False	False	False	False	False	False	False	False	False		False	Fals
4	False	False	False	False	False	False	False	False	False	False		False	Fals
					•••								
14615	False	False	False	False	False	False	False	False	False	False		False	Fals
14616	False	False	False	False	False	False	False	False	False	False		False	Fals
14617	False	False	False	False	False	False	False	False	False	False		False	Fals
14618	False	False	False	False	False	False	False	False	False	False		False	Fals
14619	False	False	False	False	False	False	False	False	False	False		False	Fals
14620 rows × 23 columns													

` |

Colab paid products - Cancel contracts here

✓ 0s completed at 1:05 PM