

Phase 3 Mock Code Challenge: Theater Work

- Due No Due Date
- Points 1
- Submitting a website url

 <https://github.com/learn-co-curriculum/python-p3-theater-work>  <https://github.com/learn-co-curriculum/python-p3-theater-work/issues/new>

Learning Goals

- Write SQLAlchemy migrations.
- Connect between tables using SQLAlchemy relationships.
- Use SQLAlchemy to run CRUD statements in the database.


Key Vocab

- **Schema:** the blueprint of a database. Describes how data relates to other data in tables, columns, and relationships between them.
- **Persist:** save a schema in a database.
- **Engine:** a Python object that translates SQL to Python and vice-versa.
- **Session:** a Python object that uses an engine to allow us to programmatically interact with a database.
- **Transaction:** a strategy for executing database statements such that the group succeeds or fails as a unit.
- **Migration:** the process of moving data from one or more databases to one or more target databases.

Introduction

The **Moringa** Theater Company is holding auditions!

An actor may only **Audition** for one **Role** , while a **Role** may have many **Auditions** for it!



Getting started

Run `pipenv install && pipenv shell`

Migrations

Create your migrations.

- **Auditions** should have an actor (string), location (string) and belong_to a role (integer).
- **Roles** should only have a character_name.

auditions Table

Column	Type
actor	string
location	string
phone	integer
hired	boolean
role_id	integer

roles Table

Column	Type
character_name	string

Relationship

- What relationships will this need (i.e. one-to-one, one-to-many, and many-to-many)?

Audition

- `Audition.role` returns an instance of role associated with this audition.
- `Audition.call_back()` will change the the hired attribute to `True` .

Roles

- `Role.auditions` returns all of the auditions associated with this role.
- `Role.actors` returns a list of names from the actors associated with this role.
- `Role.locations` returns a list of locations from the auditions associated with this role.
- `Role.lead()` returns the first instance of the audition that was hired for this role or returns a string 'no actor has been hired for this role'.
- `Role.understudy()` returns the second instance of the audition that was hired for this role or returns a string 'no actor has been hired for understudy for this role'.