

NG Case Views


Ten individual exhaustion events across October 2, 3, 17 and 18, 2023, each in five coordinated views on one time axis (seconds from t0), with the same ids throughout: the detector t0, the archived candidate id and its recognition clock, onset and confirmation, and every dated row in the window. Views 2 and 3 zoom to t0-120 to t0+180 s; views 1, 4 and 5 run the full t0-300 to t0+600 s. Hover any mark for its row. Nothing here is a trade.





Case 1. Oct 18 continuation, US day


Rule: largest oriented move by seed-known +300 s among US-day events. Session oct18, polarity +1 buy, A-fast-collapse, seed S, runway 1 s, confirmation +3 s, recognised +8 s.






3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+118
+0
-118
bid / ask adds minus
confirm t0
knowable t0+5
recognised set
seed known
executed lots
103
0
buy / sell aggressor
103
10-level depth
270
bid / ask depth
0
quote, ticks
+4
-9
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0






▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct18.json and case-tape-oct18.json)


what	id	clock	row file
this event, detector t0	t0 70369 (session s)	1697646769 / 16:32:49 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19648-1697646769	recognition_receive_ns 1697646777015980723 / 16:32:57.015980723 UTC, cursor 563490	dipole-post-recognition--rows
onset / confirmation	+1 s / +3 s	16:32:50 / 16:32:52 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	16:32:54 / 16:33:50 UTC	exhaustion-clock--events
other detector events in window	2	t0 16:29:44 pol 1 P; t0 16:33:55 pol 1 S	exhaustion-clock--events
family starts in window	16	ow-edcedea8f5650ec38fa2 @ 1697646555108737029; ow-e4d51fbe6216d1e0c38f @ 1697646555127146936; ow-2715e3faba651a372117 @ 1697646744145629517; ow-e8fa6ca7c78d22ec352e @ 1697646744152934415 ...	family-/chronological-instance-index
touch-print candidates in window	3563	g422755 bid falling-touch.v1 @ 1697646473076219334; g422762 ask falling-touch.v1 @ 1697646473079882617; g422763 bid prior-touch-print.v1 @ 1697646473080221909 ...	standalone-decisions/decisions
size-one onsets in window	772	g422756B RETR @ 1697646473077304577; g422839B SIZE @ 1697646477740683072; g422867B SIZE @ 1697646477761260651 ...	size-one-episodes-
prints in window	1166	2@3061.000 sell 1697646473079909829; 1@3061.000 mid 1697646473092404389; 1@3061.000 mid 1697646473092770980 ...	case-tape- (from the tape)

Case 2. Oct 18 reversal, US day


Rule: most negative oriented move by seed-known +300 s among US-day events. Session oct18, polarity -1 sell, A-fast-collapse, seed X, runway 63 s, confirmation +65 s, recognised +51 s.







3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+143
+0
-143
bid / ask adds minus
t0
knowable t0+5
recognised
confirm
seed known
onset
executed lots
411
0
411
buy / sell aggressor
10-level depth
214
0
bid / ask depth
quote, ticks
+7
-8
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
ms from t0

4. Event sequence along the same lifecycle



5. Continuation and exhaustion after confirmation: oriented price, pauses, first 3-tick excursions, sign changes




▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct18.json and case-tape-oct18.json)


what	id	clock	row file
this event, detector t0	t0 57586 (session s)	1697633986 / 12:59:46 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19648-1697633986	recognition_receive_ns 1697634037023070879 / 13:00:37.023070879 UTC, cursor 266114	dipole-post-recognition--rows
onset / confirmation	+63 s / +65 s	13:00:49 / 13:00:51 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	12:59:51 / 13:00:47 UTC	exhaustion-clock--events
other detector events in window	1	t0 12:57:04 pol 1 0	exhaustion-clock--events
family starts in window	63	ow-df75b9fdd321203f4289 @ 1697633701591750276; ow-cccd526dab992c2b58cd @ 1697633708920892757; ow-b0de06c600ff461c37e9 @ 1697633716638470187; ow-b60b33f669a7d980d065 @ 1697633793561842074 ...	family-/chronological-instance-index
touch-print candidates in window	7330	g198175 ask falling-touch.v1 @ 1697633686479080680; g198178 bid falling-touch.v1 @ 1697633689565047278; g198178 bid falling-touch+print.v1 @ 1697633689565047278 ...	standalone-decisions/decisions
size-one onsets in window	1996	g198183A SIZE @ 1697633689566441140; g198222B SIZE @ 1697633689580901037; g198253B RETR @ 1697633692106804404 ...	size-one-episodes-
prints in window	2445	8@3125.000 sell 1697633689564866993; 4@3125.000 sell 1697633689565329095; 1@3125.000 mid 1697633689565663768 ...	case-tape- (from the tape)


Case 3. Oct 18 SSOS play instance


Rule: an eligible S,S,O,S play entry, the one with the most negative gross return. Session oct18, polarity +1 buy, A-fast-collapse, seed O, runway 8 s, confirmation +10 s, recognised +25 s.






3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+34
+0
-34
bid / ask adds minus
knowable t0+5
confirm
recognised
seed known
executed lots
12
0
buy / sell aggressor
12
10-level depth
121
bid / ask depth
0
quote, ticks
+3
-3
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0





▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct18.json and case-tape-oct18.json)


what	id	clock	row file
this event, detector t0	t0 43914 (session s)	1697620314 / 09:11:54 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19648-1697620314	recognition_receive_ns 1697620339454145340 / 09:12:19.454145340 UTC, cursor 102077	dipole-post-recognition--rows
onset / confirmation	+8 s / +10 s	09:12:02 / 09:12:04 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	09:11:59 / 09:12:55 UTC	exhaustion-clock--events
other detector events in window	12	t0 09:08:04 pol -1 S; t0 09:08:56 pol -1 S; t0 09:09:42 pol -1 O; t0 09:10:41 pol 1 S; t0 09:14:09 pol 1 O; t0 09:14:54 pol -1 S	exhaustion-clock--events
family starts in window	3	ow-d905d8bc1298d4695b79 @ 1697620287276275391; ow-e401173cfb3981fb4406 @ 1697620511212739390; ow-77c0aee4947ba082fe35 @ 1697620577436521489	family-/chronological-instance-index
touch-print candidates in window	558	g80496 bid prior-touch-print.v1 @ 1697620053218737347; g80501 bid falling-touch.v1 @ 1697620053220216915; g80501 bid falling-touch+print.v1 @ 1697620053220216915 ...	standalone-decisions/decisions
size-one onsets in window	301	g80510B RETR @ 1697620053754565500; g80527B RETR @ 1697620053761654115; g80534B RETR @ 1697620053764367581 ...	size-one-episodes-
prints in window	183	1@3070.000 sell 1697620053218484744; 1@3069.000 sell 1697620053220123703; 1@3070.000 sell 1697620053757471368 ...	case-tape- (from the tape)

Case 4. Oct 18 early recognition, long runway


Rule: recognised before confirmation with the longest runway. Session oct18, polarity -1 sell, A-persistent, seed P, runway 673 s, confirmation +675 s, recognised +53 s.







3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+17
+0
-17
bid / ask adds minus
t0
knowable t0+5
recognised
seed known
executed lots
1
0
1
buy / sell aggressor
10-level depth
128
bid / ask depth
0
quote, ticks
+2
-1
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0

4. Event sequence along the same lifecycle



5. Continuation and exhaustion after confirmation: oriented price, pauses, first 3-tick excursions, sign changes




▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct18.json and case-tape-oct18.json)


what	id	clock	row file
this event, detector t0	t0 17330 (session s)	1697593730 / 01:48:50 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19648-1697593730	recognition_receive_ns 1697593783049838323 / 01:49:43.049838323 UTC, cursor 29567	dipole-post-recognition--rows
onset / confirmation	+673 s / +675 s	02:00:03 / 02:00:05 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	01:48:55 / 01:49:51 UTC	exhaustion-clock--events
other detector events in window	8	t0 01:44:14 pol 1 S; t0 01:45:52 pol -1 O; t0 01:46:43 pol 1 P; t0 01:47:50 pol 1 O; t0 01:49:43 pol -1 P; t0 01:54:31 pol -1 P	exhaustion-clock--events
family starts in window	1	ow-f3695c630049723b0934 @ 1697593520020091270	family-/chronological-instance-index
touch-print candidates in window	63	g23904 ask falling-touch.v1 @ 1697593449549315144; g23904 ask falling-touch+print.v1 @ 1697593449549315144; g23904 ask prior-touch-print.v1 @ 1697593449549315144 ...	standalone-decisions/decisions
size-one onsets in window	32	g23905B SIZE @ 1697593449549675438; g24004A RETR @ 1697593491271114550; g24017B SIZE @ 1697593502988786121 ...	size-one-episodes-
prints in window	23	1@3082.000 buy 1697593449549079514; 1@3082.000 buy 1697593487398904574; 2@3082.000 buy 1697593490619760768 ...	case-tape- (from the tape)

Case 5. Oct 17 inside the 13:00 UTC collapse

Rule: largest oriented +300 s move in the 13:00 hour. Session oct17, polarity +1 buy, A-persistent, seed O, runway 56 s, confirmation +58 s, recognised +51 s.







3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+74
+0
-74
bid / ask adds minus
t0
knowable t0+5
recognised
confirm
onset
seed known
executed lots
65
0
65
buy / sell aggressor
10-level depth
231
0
bid / ask depth
quote, ticks
+5
-15
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0

4. Event sequence along the same lifecycle



5. Continuation and exhaustion after confirmation: oriented price, pauses, first 3-tick excursions, sign changes




▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct17.json and case-tape-oct17.json)


what	id	clock	row file
this event, detector t0	t0 59992 (session s)	1697549992 / 13:39:52 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19647-1697549992	recognition_receive_ns 1697550043602764570 / 13:40:43.602764570 UTC, cursor 347172	dipole-post-recognition--rows
onset / confirmation	+56 s / +58 s	13:40:48 / 13:40:50 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	13:39:57 / 13:40:53 UTC	exhaustion-clock--events
other detector events in window	1	t0 13:45:27 pol 1 0	exhaustion-clock--events
family starts in window	38	ow-80380d251f22d2dfc3cc @ 1697549717629155722; ow-06b027de27f3c6319d66 @ 1697549762751014443; ow-e292562fcb8b0347ac8c @ 1697549767004072866; ow-de499afb5d46583d4500 @ 1697549769858368702 ...	family-/chronological-instance-index
touch-print candidates in window	4601	g255446 bid prior-touch-print.v1 @ 1697549695282269089; g255452 bid falling-touch.v1 @ 1697549695283339413; g255455 bid falling-touch.v1 @ 1697549695284023474 ...	standalone-decisions/decisions
size-one onsets in window	1047	g255441B RETR @ 1697549692372245849; g255447A SIZE @ 1697549695282510955; g255469A RETR @ 1697549695286857174 ...	size-one-episodes-
prints in window	1388	1@3092.000 sell 1697549695282047999; 1@3092.000 buy 1697549695285288265; 1@3091.000 sell 1697549699381970627 ...	case-tape- (from the tape)


Case 6. Oct 17 absorbed pair (first burst)


Rule: persistent state, next burst from the forecast side, price against that burst; largest against. Session oct17, polarity +1 buy, A-persistent, seed P, runway 110 s, confirmation +112 s, recognised +51 s.






3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+61
+0
-61
bid / ask adds minus
t0
knowable t0+5
recognised
seed known
confirm
onset
executed lots
54
0
54
buy / sell aggressor
10-level depth
290
0
bid / ask depth
quote, ticks
+12
-6
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0






▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct17.json and case-tape-oct17.json)


what	id	clock	row file
this event, detector t0	t0 61497 (session s)	1697551497 / 14:04:57 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19647-1697551497	recognition_receive_ns 1697551548062103271 / 14:05:48.062103271 UTC, cursor 401722	dipole-post-recognition--rows
onset / confirmation	+110 s / +112 s	14:06:47 / 14:06:49 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	14:05:02 / 14:05:58 UTC	exhaustion-clock--events
other detector events in window	5	t0 14:10:58 pol 1 S; t0 14:11:59 pol 1 P; t0 14:13:01 pol 1 S; t0 14:13:59 pol 1 S; t0 14:14:44 pol -1 O	exhaustion-clock--events
family starts in window	34	ow-e3ed87532158c5468bc6 @ 1697551207365725228; ow-6228096124b90981ab31 @ 1697551215443568217; ow-55b05318584aa748fde8 @ 1697551222321377421; ow-d7789739bb03307c8e7a @ 1697551222389170702 ...	family-/chronological-instance-index
touch-print candidates in window	4882	g295260 bid falling-touch.v1 @ 1697551198029869258; g295267 ask falling-touch.v1 @ 1697551198031547316; g295272 ask falling-touch.v1 @ 1697551198032753633 ...	standalone-decisions/decisions
size-one onsets in window	934	g295292B SIZE @ 1697551198874108015; g295410B SIZE @ 1697551200380849309; g295470B RETR @ 1697551201906002071 ...	size-one-episodes-
prints in window	1462	3@3060.000 buy 1697551198866417305; 8@3060.000 sell 1697551199697342636; 5@3060.000 mid 1697551199697715534 ...	case-tape- (from the tape)


Case 7. Oct 3 continuation in the 15:00 hour


Rule: largest oriented +300 s move in the 15:00 hour. Session oct03, polarity +1 buy, A-fast-collapse, seed S, runway 2 s, confirmation +4 s, recognised +51 s.






3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+47
+0
-47
bid / ask adds minus
confirmed
knowable t0+5
onset
recognised
seed known
executed lots
33
0
33
buy / sell aggressor
10-level depth
286
0
bid / ask depth
quote, ticks
+2
-4
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0





▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct03.json and case-tape-oct03.json)


what	id	clock	row file
this event, detector t0	t0 67166 (session s)	1696347566 / 15:39:26 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19633-1696347566	recognition_receive_ns 1696347617231281658 / 15:40:17.231281658 UTC, cursor 548378	dipole-post-recognition--rows
onset / confirmation	+2 s / +4 s	15:39:28 / 15:39:30 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	15:39:31 / 15:40:27 UTC	exhaustion-clock--events
other detector events in window	3	t0 15:41:28 pol -1 O; t0 15:46:44 pol -1 S; t0 15:48:43 pol -1 S	exhaustion-clock--events
family starts in window	22	ow-23e277af7341d9e36af9 @ 1696347266648464144; ow-0614653648c14da413fb @ 1696347427326932779; ow-081c890264c716912d3f @ 1696347475447717920; ow-fb532d078e14160054ef @ 1696347523584336877 ...	family-/chronological-instance-index
touch-print candidates in window	4106	g401013 ask falling-touch.v1 @ 1696347266648464144; g401013 ask falling-touch+print.v1 @ 1696347266648464144; g401013 ask prior-touch-print.v1 @ 1696347266648464144 ...	standalone-decisions/decisions
size-one onsets in window	550	g401014B SIZE @ 1696347266648726711; g401029B SIZE @ 1696347266653464219; g401037A RETR @ 1696347266656580815 ...	size-one-episodes-
prints in window	1302	20@2930.000 buy 1696347266648378530; 1@2929.000 sell 1696347266652941524; 1@2929.000 sell 1696347266653144730 ...	case-tape- (from the tape)


Case 8. Oct 3 flat overnight move


Rule: persistent, overnight, zero move at +60 and +300, lowest pre-300 s volume. Session oct03, polarity -1 sell, A-persistent, seed P, runway 143 s, confirmation +145 s, recognised +51 s.






3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+17
+0
-17
executed lots
3
0
3
10-level depth
109
0
quote, ticks
+1
-1
t0
knowable t0+5
recognised
seed known
confirm
onset
bid / ask adds minus
buy / sell aggressor
bid / ask depth
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
ms from t0






▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct03.json and case-tape-oct03.json)


what	id	clock	row file
this event, detector t0	t0 14033 (session s)	1696294433 / 00:53:53 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19633-1696294433	recognition_receive_ns 1696294484531329611 / 00:54:44.531329611 UTC, cursor 9086	dipole-post-recognition--rows
onset / confirmation	+143 s / +145 s	00:56:16 / 00:56:18 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	00:53:58 / 00:54:54 UTC	exhaustion-clock--events
other detector events in window	8	t0 00:49:15 pol -1 P; t0 00:51:04 pol -1 O; t0 00:51:55 pol 1 P; t0 00:55:37 pol -1 X; t0 00:59:25 pol -1 P; t0 01:00:10 pol -1 P	exhaustion-clock--events
family starts in window	2	ow-e8186dc419db5b09f87b @ 1696294765925303495; ow-d19bb13654c68611e8ad @ 1696294886233847937	family-/chronological-instance-index
touch-print candidates in window	95	g5917 ask falling-touch.v1 @ 1696294148110016543; g5919 bid falling-touch.v1 @ 1696294155881027118; g5919 bid falling-touch+print.v1 @ 1696294155881027118 ...	standalone-decisions/decisions
size-one onsets in window	25	g6029A SIZE @ 1696294576730238197; g6039B RETR @ 1696294576735971033; g6046A SIZE @ 1696294576744924008 ...	size-one-episodes-
prints in window	25	1@2834.000 sell 1696294155880841949; 1@2834.000 sell 1696294264534996866; 1@2835.000 buy 1696294315101462682 ...	case-tape- (from the tape)

Case 9. Oct 2 inside the 14:00 UTC hour

Rule: largest |oriented +300 s move| in the 14:00 hour. Session oct02, polarity +1 buy, A-fast-collapse, seed S, runway 3 s, confirmation +5 s, recognised +51 s.







3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
us cancels, lots
+76
+0
-76
bid / ask adds minus
confirm t0
knowable t0+5
onset
recognised
seed known
executed lots
75
0
75
buy / sell aggressor
10-level depth
335
0
bid / ask depth
quote, ticks
+5
-4
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0

4. Event sequence along the same lifecycle



5. Continuation and exhaustion after confirmation: oriented price, pauses, first 3-tick excursions, sign changes




▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct02.json and case-tape-oct02.json)


what	id	clock	row file
this event, detector t0	t0 64190 (session s)	1696258190 / 14:49:50 UTC	exhaustion-clock--events


what	id	clock	row file
archived candidate	dip-19632-1696258190	recognition_receive_ns 1696258241635511623 / 14:50:41.635511623 UTC, cursor 436037	dipole-post-recognition--rows
onset / confirmation	+3 s / +5 s	14:49:53 / 14:49:55 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	14:49:55 / 14:50:51 UTC	exhaustion-clock--events
other detector events in window	2	t0 14:52:44 pol 1 P; t0 14:55:49 pol -1 O	exhaustion-clock--events
family starts in window	15	ow-cba46d2fe647609eec20 @ 1696257955363648464; ow-1d489ea8bbc43a30ef9a @ 1696257985638170165; ow-7c378cd6584c2cc0bc9a @ 1696258073062616244; ow-3c8ec26297750813f154 @ 1696258157558232756 ...	family-/chronological-instance-index
touch-print candidates in window	4388	g314186 bid falling-touch.v1 @ 1696257890805622124; g314191 ask falling-touch.v1 @ 1696257891410128390; g314192 bid falling-touch.v1 @ 1696257891659789604 ...	standalone-decisions/decisions
size-one onsets in window	478	g314212B RETR @ 1696257899440501858; g314283B SIZE @ 1696257902814192410; g314352B SIZE @ 1696257902855841788 ...	size-one-episodes-
prints in window	1324	1@2855.000 sell 1696257898529547088; 1@2855.000 sell 1696257899439695816; 1@2855.000 sell 1696257899440700851 ...	case-tape- (from the tape)


Case 10. Oct 2 failed move


Rule: moved with polarity by confirmation by 2+ ticks, then 2+ ticks the other way by +300. Session oct02, polarity +1 buy, A-fast-collapse, seed S, runway 33 s, confirmation +35 s, recognised +51 s.






us cancels, lots
3. Liquidity response: net adds minus cancels by side, executions by aggressor, 10-level depth and quotes
+78
+0
-78
t0
confirm
knowable t0+5
recognised
seed known
bid / ask adds minus
executed lots
39
0
39
buy / sell aggressor
10-level depth
236
0
bid / ask depth
quote, ticks
+9
-6
best bid / ask
-120
-90
-60
-30
+0
+30
+60
+90
+120
+150
+180
s from t0





▼ Pinned rows: ids and clocks behind this case (full lists in case-context-oct02.json and case-tape-oct02.json)

what	id	clock	row file
this event, detector t0	t0 61148 (session s)	1696255148 / 13:59:08 UTC	exhaustion-clock--events

what	id	clock	row file
archived candidate	dip-19632-1696255148	recognition_receive_ns 1696255199194987152 / 13:59:59.194987152 UTC, cursor 314181	dipole-post-recognition--rows
onset / confirmation	+33 s / +35 s	13:59:41 / 13:59:43 UTC	exhaustion-clock--events
knowable / seed known	t0+5 / +61 s	13:59:13 / 14:00:09 UTC	exhaustion-clock--events
other detector events in window	4	t0 13:54:52 pol -1 O; t0 13:57:26 pol 1 S; t0 13:58:20 pol 1 S; t0 14:01:48 pol -1 S	exhaustion-clock--events
family starts in window	47	ow-71b29e7a2fddc9280879 @ 1696254867769280049; ow-9eec20e1a18203226485 @ 1696254937011366246; ow-6cb4b51b0975df72dd94 @ 1696254947211280427; ow-e2ca90ed0081d7116e45 @ 1696254971603353739 ...	family-/chronological-instance-index
touch-print candidates in window	5916	g230165 bid falling-touch.v1 @ 1696254848017076759; g230169 bid falling-touch.v1 @ 1696254848682082276; g230173 bid prior-touch-print.v1 @ 1696254848682895839 ...	standalone-decisions/decisions
size-one onsets in window	1070	g230173B RETR @ 1696254848682895839; g230175A SIZE @ 1696254848683660427; g230184A SIZE @ 1696254848685224671 ...	size-one-episodes-
prints in window	1944	1@2893.000 sell 1696254848682738732; 1@2893.000 sell 1696254848683309989; 1@2892.000 sell 1696254855685951839 ...	case-tape- (from the tape)