
20231003 candidate | dip-19633-1696285682 | NO_PREDECESSOR


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:28:02.000000000 UTC

Actual recognition: 2023-10-02 22:29:15.312367022 UTC

Endpoint label: 2023-10-02 22:28:27.000000000 UTC

Endpoint known-by: 2023-10-02 22:28:30.908391694 UTC

Parent: 20231003:dip-19633-1696285682:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696285922 | SAME


One whole lifecycle: opposite_hold3 | 416 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:32:02.000000000 UTC

Actual recognition: 2023-10-02 22:32:54.367165087 UTC

Endpoint label: 2023-10-02 22:38:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:39:01.710994915 UTC

Parent: 20231003:dip-19633-1696285922:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696285974 | SAME


One whole lifecycle: opposite_hold3 | 364 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:32:54.000000000 UTC

Actual recognition: 2023-10-02 22:34:01.510875622 UTC

Endpoint label: 2023-10-02 22:38:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:39:01.710994915 UTC

Parent: 20231003:dip-19633-1696285974:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286216 | SAME


One whole lifecycle: opposite_hold3 | 122 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:36:56.000000000 UTC

Actual recognition: 2023-10-02 22:37:58.118427018 UTC

Endpoint label: 2023-10-02 22:38:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:39:01.710994915 UTC

Parent: 20231003:dip-19633-1696286216:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286261 | SAME


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:37:41.000000000 UTC

Actual recognition: 2023-10-02 22:38:51.530672951 UTC

Endpoint label: 2023-10-02 22:38:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:39:01.710994915 UTC

Parent: 20231003:dip-19633-1696286261:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286491 | SAME


One whole lifecycle: opposite_hold3 | 212 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:41:31.000000000 UTC

Actual recognition: 2023-10-02 22:42:53.272864495 UTC

Endpoint label: 2023-10-02 22:45:02.000000000 UTC

Endpoint known-by: 2023-10-02 22:45:03.073922151 UTC

Parent: 20231003:dip-19633-1696286491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286641 | SAME


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:44:01.000000000 UTC

Actual recognition: 2023-10-02 22:44:52.511044167 UTC

Endpoint label: 2023-10-02 22:45:02.000000000 UTC

Endpoint known-by: 2023-10-02 22:45:03.073922151 UTC

Parent: 20231003:dip-19633-1696286641:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286760 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:46:00.000000000 UTC

Actual recognition: 2023-10-02 22:47:00.828986188 UTC

Endpoint label: 2023-10-02 22:47:02.000000000 UTC

Endpoint known-by: 2023-10-02 22:47:03.332770530 UTC

Parent: 20231003:dip-19633-1696286760:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286820 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:47:00.000000000 UTC

Actual recognition: 2023-10-02 22:47:51.004388588 UTC

Endpoint label: 2023-10-02 22:47:32.000000000 UTC

Endpoint known-by: 2023-10-02 22:47:51.004388588 UTC

Parent: 20231003:dip-19633-1696286820:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286865 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:47:45.000000000 UTC

Actual recognition: 2023-10-02 22:48:40.231528967 UTC

Endpoint label: 2023-10-02 22:47:53.000000000 UTC

Endpoint known-by: 2023-10-02 22:48:04.292584158 UTC

Parent: 20231003:dip-19633-1696286865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286946 | SAME


One whole lifecycle: opposite_hold3 | 463 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:49:06.000000000 UTC

Actual recognition: 2023-10-02 22:50:59.313404640 UTC

Endpoint label: 2023-10-02 22:56:48.000000000 UTC

Endpoint known-by: 2023-10-02 22:56:49.309635374 UTC

Parent: 20231003:dip-19633-1696286946:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696286991 | SAME


One whole lifecycle: opposite_hold3 | 418 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:49:51.000000000 UTC

Actual recognition: 2023-10-02 22:50:59.313404640 UTC

Endpoint label: 2023-10-02 22:56:48.000000000 UTC

Endpoint known-by: 2023-10-02 22:56:49.309635374 UTC

Parent: 20231003:dip-19633-1696286991:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287297 | SAME


One whole lifecycle: opposite_hold3 | 112 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:54:57.000000000 UTC

Actual recognition: 2023-10-02 22:56:10.223066109 UTC

Endpoint label: 2023-10-02 22:56:48.000000000 UTC

Endpoint known-by: 2023-10-02 22:56:49.309635374 UTC

Parent: 20231003:dip-19633-1696287297:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287406 | FLIP


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:56:46.000000000 UTC

Actual recognition: 2023-10-02 22:58:10.076001192 UTC

Endpoint label: 2023-10-02 22:58:12.000000000 UTC

Endpoint known-by: 2023-10-02 22:58:20.094600233 UTC

Parent: 20231003:dip-19633-1696287406:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287490 | FLIP


One whole lifecycle: opposite_hold3 | 118 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:58:10.000000000 UTC

Actual recognition: 2023-10-02 22:59:03.343244182 UTC

Endpoint label: 2023-10-02 23:00:07.000000000 UTC

Endpoint known-by: 2023-10-02 23:00:11.273045447 UTC

Parent: 20231003:dip-19633-1696287490:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287578 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:59:38.000000000 UTC

Actual recognition: 2023-10-02 23:01:17.612445922 UTC

Endpoint label: 2023-10-02 23:00:07.000000000 UTC

Endpoint known-by: 2023-10-02 23:00:11.273045447 UTC

Parent: 20231003:dip-19633-1696287578:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287740 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:02:20.000000000 UTC

Actual recognition: 2023-10-02 23:03:16.764385262 UTC

Endpoint label: 2023-10-02 23:02:42.000000000 UTC

Endpoint known-by: 2023-10-02 23:02:48.639303811 UTC

Parent: 20231003:dip-19633-1696287740:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287830 | SAME


One whole lifecycle: opposite_hold3 | 215 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:03:50.000000000 UTC

Actual recognition: 2023-10-02 23:04:54.781290279 UTC

Endpoint label: 2023-10-02 23:07:24.000000000 UTC

Endpoint known-by: 2023-10-02 23:07:30.001648034 UTC

Parent: 20231003:dip-19633-1696287830:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696287875 | SAME


One whole lifecycle: opposite_hold3 | 170 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:04:35.000000000 UTC

Actual recognition: 2023-10-02 23:06:05.276888097 UTC

Endpoint label: 2023-10-02 23:07:24.000000000 UTC

Endpoint known-by: 2023-10-02 23:07:30.001648034 UTC

Parent: 20231003:dip-19633-1696287875:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288006 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:06:46.000000000 UTC

Actual recognition: 2023-10-02 23:07:51.293067273 UTC

Endpoint label: 2023-10-02 23:07:24.000000000 UTC

Endpoint known-by: 2023-10-02 23:07:30.001648034 UTC

Parent: 20231003:dip-19633-1696288006:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288065 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:07:45.000000000 UTC

Actual recognition: 2023-10-02 23:08:36.451561938 UTC

Endpoint label: 2023-10-02 23:09:13.000000000 UTC

Endpoint known-by: 2023-10-02 23:09:16.359207443 UTC

Parent: 20231003:dip-19633-1696288065:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288151 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:09:11.000000000 UTC

Actual recognition: 2023-10-02 23:10:02.271106268 UTC

Endpoint label: 2023-10-02 23:09:20.000000000 UTC

Endpoint known-by: 2023-10-02 23:09:43.019034184 UTC

Parent: 20231003:dip-19633-1696288151:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288299 | SAME


One whole lifecycle: opposite_hold3 | 266 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:11:39.000000000 UTC

Actual recognition: 2023-10-02 23:13:56.558386621 UTC

Endpoint label: 2023-10-02 23:16:04.000000000 UTC

Endpoint known-by: 2023-10-02 23:16:07.764716917 UTC

Parent: 20231003:dip-19633-1696288299:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288527 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:15:27.000000000 UTC

Actual recognition: 2023-10-02 23:16:18.429116283 UTC

Endpoint label: 2023-10-02 23:16:04.000000000 UTC

Endpoint known-by: 2023-10-02 23:16:07.764716917 UTC

Parent: 20231003:dip-19633-1696288527:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288572 | FLIP


One whole lifecycle: opposite_hold3 | 304 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:16:12.000000000 UTC

Actual recognition: 2023-10-02 23:17:55.227758964 UTC

Endpoint label: 2023-10-02 23:21:15.000000000 UTC

Endpoint known-by: 2023-10-02 23:21:31.418791549 UTC

Parent: 20231003:dip-19633-1696288572:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288675 | SAME


One whole lifecycle: opposite_hold3 | 201 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:17:55.000000000 UTC

Actual recognition: 2023-10-02 23:18:58.812347505 UTC

Endpoint label: 2023-10-02 23:21:15.000000000 UTC

Endpoint known-by: 2023-10-02 23:21:31.418791549 UTC

Parent: 20231003:dip-19633-1696288675:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288725 | SAME


One whole lifecycle: opposite_hold3 | 151 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:18:45.000000000 UTC

Actual recognition: 2023-10-02 23:19:32.301769341 UTC

Endpoint label: 2023-10-02 23:21:15.000000000 UTC

Endpoint known-by: 2023-10-02 23:21:31.418791549 UTC

Parent: 20231003:dip-19633-1696288725:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288810 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:20:10.000000000 UTC

Actual recognition: 2023-10-02 23:21:03.822223960 UTC

Endpoint label: 2023-10-02 23:21:15.000000000 UTC

Endpoint known-by: 2023-10-02 23:21:31.418791549 UTC

Parent: 20231003:dip-19633-1696288810:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696288893 | SAME


One whole lifecycle: opposite_hold3 | 302 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:21:33.000000000 UTC

Actual recognition: 2023-10-02 23:22:09.236685497 UTC

Endpoint label: 2023-10-02 23:26:34.000000000 UTC

Endpoint known-by: 2023-10-02 23:26:36.062012344 UTC

Parent: 20231003:dip-19633-1696288893:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696289242 | SAME


One whole lifecycle: opposite_hold3 | 1067 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:27:22.000000000 UTC

Actual recognition: 2023-10-02 23:28:25.184782090 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696289242:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696289579 | SAME


One whole lifecycle: opposite_hold3 | 730 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:32:59.000000000 UTC

Actual recognition: 2023-10-02 23:33:54.338036841 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696289579:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696289704 | SAME


One whole lifecycle: opposite_hold3 | 605 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:35:04.000000000 UTC

Actual recognition: 2023-10-02 23:36:09.736086987 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696289704:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696289794 | SAME


One whole lifecycle: opposite_hold3 | 515 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:36:34.000000000 UTC

Actual recognition: 2023-10-02 23:37:35.467713734 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696289794:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696289979 | SAME


One whole lifecycle: opposite_hold3 | 330 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:39:39.000000000 UTC

Actual recognition: 2023-10-02 23:40:36.282464611 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696289979:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290257 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:44:17.000000000 UTC

Actual recognition: 2023-10-02 23:45:12.228202166 UTC

Endpoint label: 2023-10-02 23:45:08.000000000 UTC

Endpoint known-by: 2023-10-02 23:45:12.228202166 UTC

Parent: 20231003:dip-19633-1696290257:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290327 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:45:27.000000000 UTC

Actual recognition: 2023-10-02 23:46:31.343601490 UTC

Endpoint label: 2023-10-02 23:46:33.000000000 UTC

Endpoint known-by: 2023-10-02 23:46:43.026344223 UTC

Parent: 20231003:dip-19633-1696290327:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290391 | FLIP


One whole lifecycle: opposite_hold3 | 358 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:46:31.000000000 UTC

Actual recognition: 2023-10-02 23:47:42.933371654 UTC

Endpoint label: 2023-10-02 23:52:28.000000000 UTC

Endpoint known-by: 2023-10-02 23:52:30.256721132 UTC

Parent: 20231003:dip-19633-1696290391:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290541 | SAME


One whole lifecycle: opposite_hold3 | 208 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:49:01.000000000 UTC

Actual recognition: 2023-10-02 23:50:00.047662912 UTC

Endpoint label: 2023-10-02 23:52:28.000000000 UTC

Endpoint known-by: 2023-10-02 23:52:30.256721132 UTC

Parent: 20231003:dip-19633-1696290541:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290775 | SAME


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:52:55.000000000 UTC

Actual recognition: 2023-10-02 23:53:43.227233853 UTC

Endpoint label: 2023-10-02 23:54:38.000000000 UTC

Endpoint known-by: 2023-10-02 23:55:16.621124253 UTC

Parent: 20231003:dip-19633-1696290775:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290876 | FLIP


One whole lifecycle: opposite_hold3 | 170 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:54:36.000000000 UTC

Actual recognition: 2023-10-02 23:56:31.840203663 UTC

Endpoint label: 2023-10-02 23:57:25.000000000 UTC

Endpoint known-by: 2023-10-02 23:58:27.339264492 UTC

Parent: 20231003:dip-19633-1696290876:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696290999 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:56:39.000000000 UTC

Actual recognition: 2023-10-02 23:58:27.339264492 UTC

Endpoint label: 2023-10-02 23:57:25.000000000 UTC

Endpoint known-by: 2023-10-02 23:58:27.339264492 UTC

Parent: 20231003:dip-19633-1696290999:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291044 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 23:57:24.000000000 UTC

Actual recognition: 2023-10-02 23:58:27.339264492 UTC

Endpoint label: 2023-10-02 23:58:37.000000000 UTC

Endpoint known-by: 2023-10-02 23:58:41.015996736 UTC

Parent: 20231003:dip-19633-1696291044:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291285 | FLIP


One whole lifecycle: opposite_hold3 | 265 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:01:25.000000000 UTC

Actual recognition: 2023-10-03 00:02:38.910920921 UTC

Endpoint label: 2023-10-03 00:05:49.000000000 UTC

Endpoint known-by: 2023-10-03 00:05:53.161136553 UTC

Parent: 20231003:dip-19633-1696291285:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291359 | SAME


One whole lifecycle: opposite_hold3 | 191 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:02:39.000000000 UTC

Actual recognition: 2023-10-03 00:04:01.909479755 UTC

Endpoint label: 2023-10-03 00:05:49.000000000 UTC

Endpoint known-by: 2023-10-03 00:05:53.161136553 UTC

Parent: 20231003:dip-19633-1696291359:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291465 | SAME


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:04:25.000000000 UTC

Actual recognition: 2023-10-03 00:05:16.073588038 UTC

Endpoint label: 2023-10-03 00:05:49.000000000 UTC

Endpoint known-by: 2023-10-03 00:05:53.161136553 UTC

Parent: 20231003:dip-19633-1696291465:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291510 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:05:10.000000000 UTC

Actual recognition: 2023-10-03 00:06:02.074901804 UTC

Endpoint label: 2023-10-03 00:05:49.000000000 UTC

Endpoint known-by: 2023-10-03 00:05:53.161136553 UTC

Parent: 20231003:dip-19633-1696291510:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291557 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:05:57.000000000 UTC

Actual recognition: 2023-10-03 00:06:52.670528279 UTC

Endpoint label: 2023-10-03 00:06:04.000000000 UTC

Endpoint known-by: 2023-10-03 00:06:05.464569941 UTC

Parent: 20231003:dip-19633-1696291557:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291602 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:06:42.000000000 UTC

Actual recognition: 2023-10-03 00:07:41.836295825 UTC

Endpoint label: 2023-10-03 00:06:54.000000000 UTC

Endpoint known-by: 2023-10-03 00:06:55.062029865 UTC

Parent: 20231003:dip-19633-1696291602:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291647 | FLIP


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:07:27.000000000 UTC

Actual recognition: 2023-10-03 00:08:53.314412717 UTC

Endpoint label: 2023-10-03 00:09:03.000000000 UTC

Endpoint known-by: 2023-10-03 00:09:04.308020789 UTC

Parent: 20231003:dip-19633-1696291647:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291741 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:09:01.000000000 UTC

Actual recognition: 2023-10-03 00:10:02.386806479 UTC

Endpoint label: 2023-10-03 00:10:04.000000000 UTC

Endpoint known-by: 2023-10-03 00:10:16.177718739 UTC

Parent: 20231003:dip-19633-1696291741:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291802 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:10:02.000000000 UTC

Actual recognition: 2023-10-03 00:10:53.447301607 UTC

Endpoint label: 2023-10-03 00:10:58.000000000 UTC

Endpoint known-by: 2023-10-03 00:10:59.315185453 UTC

Parent: 20231003:dip-19633-1696291802:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291915 | SAME


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:11:55.000000000 UTC

Actual recognition: 2023-10-03 00:12:50.503052701 UTC

Endpoint label: 2023-10-03 00:14:46.000000000 UTC

Endpoint known-by: 2023-10-03 00:14:54.862422305 UTC

Parent: 20231003:dip-19633-1696291915:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696291970 | SAME


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:12:50.000000000 UTC

Actual recognition: 2023-10-03 00:13:44.686610013 UTC

Endpoint label: 2023-10-03 00:14:46.000000000 UTC

Endpoint known-by: 2023-10-03 00:14:54.862422305 UTC

Parent: 20231003:dip-19633-1696291970:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292084 | FLIP


One whole lifecycle: opposite_hold3 | 93 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:14:44.000000000 UTC

Actual recognition: 2023-10-03 00:15:35.734232290 UTC

Endpoint label: 2023-10-03 00:16:16.000000000 UTC

Endpoint known-by: 2023-10-03 00:16:31.335530689 UTC

Parent: 20231003:dip-19633-1696292084:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292134 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:15:34.000000000 UTC

Actual recognition: 2023-10-03 00:16:31.335530689 UTC

Endpoint label: 2023-10-03 00:16:16.000000000 UTC

Endpoint known-by: 2023-10-03 00:16:31.335530689 UTC

Parent: 20231003:dip-19633-1696292134:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292180 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:16:20.000000000 UTC

Actual recognition: 2023-10-03 00:17:25.064414720 UTC

Endpoint label: 2023-10-03 00:18:03.000000000 UTC

Endpoint known-by: 2023-10-03 00:18:04.184386122 UTC

Parent: 20231003:dip-19633-1696292180:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292248 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:17:28.000000000 UTC

Actual recognition: 2023-10-03 00:18:19.409447137 UTC

Endpoint label: 2023-10-03 00:18:03.000000000 UTC

Endpoint known-by: 2023-10-03 00:18:04.184386122 UTC

Parent: 20231003:dip-19633-1696292248:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292293 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:18:13.000000000 UTC

Actual recognition: 2023-10-03 00:19:05.384898394 UTC

Endpoint label: 2023-10-03 00:19:02.000000000 UTC

Endpoint known-by: 2023-10-03 00:19:05.384898394 UTC

Parent: 20231003:dip-19633-1696292293:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292340 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:19:00.000000000 UTC

Actual recognition: 2023-10-03 00:19:55.688241622 UTC

Endpoint label: 2023-10-03 00:19:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:19:46.981778756 UTC

Parent: 20231003:dip-19633-1696292340:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292385 | FLIP


One whole lifecycle: opposite_hold3 | 361 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:19:45.000000000 UTC

Actual recognition: 2023-10-03 00:20:38.725591829 UTC

Endpoint label: 2023-10-03 00:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:25:51.780331874 UTC

Parent: 20231003:dip-19633-1696292385:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292472 | SAME


One whole lifecycle: opposite_hold3 | 274 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:21:12.000000000 UTC

Actual recognition: 2023-10-03 00:21:23.322689681 UTC

Endpoint label: 2023-10-03 00:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:25:51.780331874 UTC

Parent: 20231003:dip-19633-1696292472:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292584 | SAME


One whole lifecycle: opposite_hold3 | 162 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:23:04.000000000 UTC

Actual recognition: 2023-10-03 00:24:05.170216821 UTC

Endpoint label: 2023-10-03 00:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:25:51.780331874 UTC

Parent: 20231003:dip-19633-1696292584:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292677 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:24:37.000000000 UTC

Actual recognition: 2023-10-03 00:25:36.675126407 UTC

Endpoint label: 2023-10-03 00:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:25:51.780331874 UTC

Parent: 20231003:dip-19633-1696292677:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292723 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:25:23.000000000 UTC

Actual recognition: 2023-10-03 00:26:14.945916658 UTC

Endpoint label: 2023-10-03 00:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 00:25:51.780331874 UTC

Parent: 20231003:dip-19633-1696292723:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292770 | SAME


One whole lifecycle: opposite_hold3 | 207 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:26:10.000000000 UTC

Actual recognition: 2023-10-03 00:27:12.206371422 UTC

Endpoint label: 2023-10-03 00:29:36.000000000 UTC

Endpoint known-by: 2023-10-03 00:29:37.170163912 UTC

Parent: 20231003:dip-19633-1696292770:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292817 | SAME


One whole lifecycle: opposite_hold3 | 160 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:26:57.000000000 UTC

Actual recognition: 2023-10-03 00:27:53.053353765 UTC

Endpoint label: 2023-10-03 00:29:36.000000000 UTC

Endpoint known-by: 2023-10-03 00:29:37.170163912 UTC

Parent: 20231003:dip-19633-1696292817:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696292974 | FLIP


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:29:34.000000000 UTC

Actual recognition: 2023-10-03 00:30:30.043859673 UTC

Endpoint label: 2023-10-03 00:30:51.000000000 UTC

Endpoint known-by: 2023-10-03 00:30:53.223312281 UTC

Parent: 20231003:dip-19633-1696292974:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293049 | FLIP


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:30:49.000000000 UTC

Actual recognition: 2023-10-03 00:31:44.446990434 UTC

Endpoint label: 2023-10-03 00:32:06.000000000 UTC

Endpoint known-by: 2023-10-03 00:32:08.189807143 UTC

Parent: 20231003:dip-19633-1696293049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293128 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:32:08.000000000 UTC

Actual recognition: 2023-10-03 00:32:39.446455460 UTC

Endpoint label: 2023-10-03 00:32:13.000000000 UTC

Endpoint known-by: 2023-10-03 00:32:24.446236200 UTC

Parent: 20231003:dip-19633-1696293128:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293173 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:32:53.000000000 UTC

Actual recognition: 2023-10-03 00:33:49.446026554 UTC

Endpoint label: 2023-10-03 00:34:08.000000000 UTC

Endpoint known-by: 2023-10-03 00:34:13.986026742 UTC

Parent: 20231003:dip-19633-1696293173:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293218 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:33:38.000000000 UTC

Actual recognition: 2023-10-03 00:34:36.364490815 UTC

Endpoint label: 2023-10-03 00:34:08.000000000 UTC

Endpoint known-by: 2023-10-03 00:34:13.986026742 UTC

Parent: 20231003:dip-19633-1696293218:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293266 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:34:26.000000000 UTC

Actual recognition: 2023-10-03 00:35:33.121148456 UTC

Endpoint label: 2023-10-03 00:34:38.000000000 UTC

Endpoint known-by: 2023-10-03 00:34:43.086915035 UTC

Parent: 20231003:dip-19633-1696293266:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293360 | SAME


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:36:00.000000000 UTC

Actual recognition: 2023-10-03 00:36:53.357843551 UTC

Endpoint label: 2023-10-03 00:36:59.000000000 UTC

Endpoint known-by: 2023-10-03 00:37:05.523090227 UTC

Parent: 20231003:dip-19633-1696293360:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293422 | FLIP


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:37:02.000000000 UTC

Actual recognition: 2023-10-03 00:38:07.137372535 UTC

Endpoint label: 2023-10-03 00:38:33.000000000 UTC

Endpoint known-by: 2023-10-03 00:38:35.130250225 UTC

Parent: 20231003:dip-19633-1696293422:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293489 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:38:09.000000000 UTC

Actual recognition: 2023-10-03 00:39:16.510356594 UTC

Endpoint label: 2023-10-03 00:38:33.000000000 UTC

Endpoint known-by: 2023-10-03 00:38:35.130250225 UTC

Parent: 20231003:dip-19633-1696293489:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293539 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:38:59.000000000 UTC

Actual recognition: 2023-10-03 00:39:54.027319748 UTC

Endpoint label: 2023-10-03 00:40:13.000000000 UTC

Endpoint known-by: 2023-10-03 00:40:16.930096647 UTC

Parent: 20231003:dip-19633-1696293539:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293611 | FLIP


One whole lifecycle: opposite_hold3 | 204 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:40:11.000000000 UTC

Actual recognition: 2023-10-03 00:41:14.918160124 UTC

Endpoint label: 2023-10-03 00:43:34.000000000 UTC

Endpoint known-by: 2023-10-03 00:43:45.048902238 UTC

Parent: 20231003:dip-19633-1696293611:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293742 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:42:22.000000000 UTC

Actual recognition: 2023-10-03 00:43:32.548085070 UTC

Endpoint label: 2023-10-03 00:43:34.000000000 UTC

Endpoint known-by: 2023-10-03 00:43:45.048902238 UTC

Parent: 20231003:dip-19633-1696293742:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293812 | FLIP


One whole lifecycle: opposite_hold3 | 291 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:43:32.000000000 UTC

Actual recognition: 2023-10-03 00:44:24.978107631 UTC

Endpoint label: 2023-10-03 00:48:22.000000000 UTC

Endpoint known-by: 2023-10-03 00:48:47.256537050 UTC

Parent: 20231003:dip-19633-1696293812:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696293868 | SAME


One whole lifecycle: opposite_hold3 | 235 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:44:28.000000000 UTC

Actual recognition: 2023-10-03 00:45:52.682985626 UTC

Endpoint label: 2023-10-03 00:48:22.000000000 UTC

Endpoint known-by: 2023-10-03 00:48:47.256537050 UTC

Parent: 20231003:dip-19633-1696293868:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294080 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:48:00.000000000 UTC

Actual recognition: 2023-10-03 00:49:03.218477485 UTC

Endpoint label: 2023-10-03 00:48:22.000000000 UTC

Endpoint known-by: 2023-10-03 00:48:47.256537050 UTC

Parent: 20231003:dip-19633-1696294080:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294155 | FLIP


One whole lifecycle: opposite_hold3 | 163 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:49:15.000000000 UTC

Actual recognition: 2023-10-03 00:50:09.333635816 UTC

Endpoint label: 2023-10-03 00:51:57.000000000 UTC

Endpoint known-by: 2023-10-03 00:51:59.797659893 UTC

Parent: 20231003:dip-19633-1696294155:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294264 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:51:04.000000000 UTC

Actual recognition: 2023-10-03 00:51:55.097330263 UTC

Endpoint label: 2023-10-03 00:51:57.000000000 UTC

Endpoint known-by: 2023-10-03 00:51:59.797659893 UTC

Parent: 20231003:dip-19633-1696294264:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294315 | FLIP


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:51:55.000000000 UTC

Actual recognition: 2023-10-03 00:53:05.735496434 UTC

Endpoint label: 2023-10-03 00:53:55.000000000 UTC

Endpoint known-by: 2023-10-03 00:53:56.753413813 UTC

Parent: 20231003:dip-19633-1696294315:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294433 | FLIP


One whole lifecycle: opposite_hold3 | 702 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:53:53.000000000 UTC

Actual recognition: 2023-10-03 00:54:44.531329611 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294433:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294537 | SAME


One whole lifecycle: opposite_hold3 | 598 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:55:37.000000000 UTC

Actual recognition: 2023-10-03 00:56:34.294573305 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294537:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294765 | SAME


One whole lifecycle: opposite_hold3 | 370 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 00:59:25.000000000 UTC

Actual recognition: 2023-10-03 01:00:16.811552562 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294765:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294810 | SAME


One whole lifecycle: opposite_hold3 | 325 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:00:10.000000000 UTC

Actual recognition: 2023-10-03 01:01:03.546813238 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294810:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294860 | SAME


One whole lifecycle: opposite_hold3 | 275 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:01:00.000000000 UTC

Actual recognition: 2023-10-03 01:02:09.763151487 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294860:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696294945 | SAME


One whole lifecycle: opposite_hold3 | 190 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:02:25.000000000 UTC

Actual recognition: 2023-10-03 01:03:27.047727075 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696294945:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295036 | SAME


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:03:56.000000000 UTC

Actual recognition: 2023-10-03 01:04:56.322225899 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696295036:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295096 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:04:56.000000000 UTC

Actual recognition: 2023-10-03 01:05:57.249377549 UTC

Endpoint label: 2023-10-03 01:05:34.000000000 UTC

Endpoint known-by: 2023-10-03 01:05:35.334014887 UTC

Parent: 20231003:dip-19633-1696295096:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295141 | FLIP


One whole lifecycle: opposite_hold3 | 266 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:05:41.000000000 UTC

Actual recognition: 2023-10-03 01:06:36.000623079 UTC

Endpoint label: 2023-10-03 01:10:06.000000000 UTC

Endpoint known-by: 2023-10-03 01:10:08.987361209 UTC

Parent: 20231003:dip-19633-1696295141:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295191 | SAME


One whole lifecycle: opposite_hold3 | 216 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:06:31.000000000 UTC

Actual recognition: 2023-10-03 01:08:11.710544401 UTC

Endpoint label: 2023-10-03 01:10:06.000000000 UTC

Endpoint known-by: 2023-10-03 01:10:08.987361209 UTC

Parent: 20231003:dip-19633-1696295191:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295351 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:09:11.000000000 UTC

Actual recognition: 2023-10-03 01:10:04.567630384 UTC

Endpoint label: 2023-10-03 01:10:06.000000000 UTC

Endpoint known-by: 2023-10-03 01:10:08.987361209 UTC

Parent: 20231003:dip-19633-1696295351:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295404 | FLIP


One whole lifecycle: opposite_hold3 | 141 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:10:04.000000000 UTC

Actual recognition: 2023-10-03 01:11:00.283524445 UTC

Endpoint label: 2023-10-03 01:12:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:12:25.967428446 UTC

Parent: 20231003:dip-19633-1696295404:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295486 | SAME


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:11:26.000000000 UTC

Actual recognition: 2023-10-03 01:11:56.046490398 UTC

Endpoint label: 2023-10-03 01:12:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:12:25.967428446 UTC

Parent: 20231003:dip-19633-1696295486:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295555 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:12:35.000000000 UTC

Actual recognition: 2023-10-03 01:13:09.765277708 UTC

Endpoint label: 2023-10-03 01:13:49.000000000 UTC

Endpoint known-by: 2023-10-03 01:13:53.837974669 UTC

Parent: 20231003:dip-19633-1696295555:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295627 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:13:47.000000000 UTC

Actual recognition: 2023-10-03 01:14:49.453192242 UTC

Endpoint label: 2023-10-03 01:14:09.000000000 UTC

Endpoint known-by: 2023-10-03 01:14:22.350637040 UTC

Parent: 20231003:dip-19633-1696295627:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696295689 | SAME


One whole lifecycle: opposite_hold3 | 462 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:14:49.000000000 UTC

Actual recognition: 2023-10-03 01:15:40.588151897 UTC

Endpoint label: 2023-10-03 01:22:30.000000000 UTC

Endpoint known-by: 2023-10-03 01:22:39.095138095 UTC

Parent: 20231003:dip-19633-1696295689:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.