
20231003 candidate | dip-19633-1696295772 | SAME


One whole lifecycle: opposite_hold3 | 379 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:16:12.000000000 UTC

Actual recognition: 2023-10-03 01:17:22.810546718 UTC

Endpoint label: 2023-10-03 01:22:30.000000000 UTC

Endpoint known-by: 2023-10-03 01:22:39.095138095 UTC

Parent: 20231003:dip-19633-1696295772:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296128 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:22:08.000000000 UTC

Actual recognition: 2023-10-03 01:23:01.277704492 UTC

Endpoint label: 2023-10-03 01:22:30.000000000 UTC

Endpoint known-by: 2023-10-03 01:22:39.095138095 UTC

Parent: 20231003:dip-19633-1696296128:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296425 | SAME


One whole lifecycle: opposite_hold3 | 120 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:27:05.000000000 UTC

Actual recognition: 2023-10-03 01:28:03.055591180 UTC

Endpoint label: 2023-10-03 01:29:04.000000000 UTC

Endpoint known-by: 2023-10-03 01:29:05.167480193 UTC

Parent: 20231003:dip-19633-1696296425:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296542 | FLIP


One whole lifecycle: opposite_hold3 | 161 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:29:02.000000000 UTC

Actual recognition: 2023-10-03 01:30:03.907700470 UTC

Endpoint label: 2023-10-03 01:31:42.000000000 UTC

Endpoint known-by: 2023-10-03 01:31:44.754125159 UTC

Parent: 20231003:dip-19633-1696296542:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296721 | FLIP


One whole lifecycle: opposite_hold3 | 504 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:32:01.000000000 UTC

Actual recognition: 2023-10-03 01:32:52.477715296 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696296721:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296814 | SAME


One whole lifecycle: opposite_hold3 | 411 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:33:34.000000000 UTC

Actual recognition: 2023-10-03 01:34:33.678681549 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696296814:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296892 | SAME


One whole lifecycle: opposite_hold3 | 333 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:34:52.000000000 UTC

Actual recognition: 2023-10-03 01:35:44.535987618 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696296892:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296944 | SAME


One whole lifecycle: opposite_hold3 | 281 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:35:44.000000000 UTC

Actual recognition: 2023-10-03 01:36:55.071496207 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696296944:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696296989 | SAME


One whole lifecycle: opposite_hold3 | 236 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:36:29.000000000 UTC

Actual recognition: 2023-10-03 01:38:04.177665461 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696296989:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297038 | SAME


One whole lifecycle: opposite_hold3 | 187 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:37:18.000000000 UTC

Actual recognition: 2023-10-03 01:38:18.711046766 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696297038:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297109 | SAME


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:38:29.000000000 UTC

Actual recognition: 2023-10-03 01:39:55.098182446 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696297109:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297195 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:39:55.000000000 UTC

Actual recognition: 2023-10-03 01:40:52.103181256 UTC

Endpoint label: 2023-10-03 01:40:24.000000000 UTC

Endpoint known-by: 2023-10-03 01:40:25.226496736 UTC

Parent: 20231003:dip-19633-1696297195:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297240 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:40:40.000000000 UTC

Actual recognition: 2023-10-03 01:41:38.818504253 UTC

Endpoint label: 2023-10-03 01:41:18.000000000 UTC

Endpoint known-by: 2023-10-03 01:41:19.119573360 UTC

Parent: 20231003:dip-19633-1696297240:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297285 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:41:25.000000000 UTC

Actual recognition: 2023-10-03 01:42:22.714794266 UTC

Endpoint label: 2023-10-03 01:41:40.000000000 UTC

Endpoint known-by: 2023-10-03 01:41:54.262952630 UTC

Parent: 20231003:dip-19633-1696297285:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297372 | SAME


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:42:52.000000000 UTC

Actual recognition: 2023-10-03 01:43:43.247162747 UTC

Endpoint label: 2023-10-03 01:44:52.000000000 UTC

Endpoint known-by: 2023-10-03 01:44:55.341913646 UTC

Parent: 20231003:dip-19633-1696297372:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297490 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:44:50.000000000 UTC

Actual recognition: 2023-10-03 01:45:42.212993689 UTC

Endpoint label: 2023-10-03 01:45:48.000000000 UTC

Endpoint known-by: 2023-10-03 01:45:49.886671891 UTC

Parent: 20231003:dip-19633-1696297490:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297569 | SAME


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:46:09.000000000 UTC

Actual recognition: 2023-10-03 01:47:10.666434694 UTC

Endpoint label: 2023-10-03 01:47:53.000000000 UTC

Endpoint known-by: 2023-10-03 01:48:06.578909159 UTC

Parent: 20231003:dip-19633-1696297569:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297671 | FLIP


One whole lifecycle: opposite_hold3 | 767 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:47:51.000000000 UTC

Actual recognition: 2023-10-03 01:48:46.186760463 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696297671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297716 | SAME


One whole lifecycle: opposite_hold3 | 722 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:48:36.000000000 UTC

Actual recognition: 2023-10-03 01:49:36.861289491 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696297716:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297761 | SAME


One whole lifecycle: opposite_hold3 | 677 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:49:21.000000000 UTC

Actual recognition: 2023-10-03 01:50:22.656480323 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696297761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696297961 | SAME


One whole lifecycle: opposite_hold3 | 477 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:52:41.000000000 UTC

Actual recognition: 2023-10-03 01:53:44.409701236 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696297961:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298024 | SAME


One whole lifecycle: opposite_hold3 | 414 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:53:44.000000000 UTC

Actual recognition: 2023-10-03 01:54:43.204245292 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696298024:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298160 | SAME


One whole lifecycle: opposite_hold3 | 278 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 01:56:00.000000000 UTC

Actual recognition: 2023-10-03 01:56:57.781944645 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696298160:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298403 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:00:03.000000000 UTC

Actual recognition: 2023-10-03 02:00:54.391682695 UTC

Endpoint label: 2023-10-03 02:00:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:00:38.177235058 UTC

Parent: 20231003:dip-19633-1696298403:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298486 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:01:26.000000000 UTC

Actual recognition: 2023-10-03 02:02:38.156598297 UTC

Endpoint label: 2023-10-03 02:01:48.000000000 UTC

Endpoint known-by: 2023-10-03 02:02:13.487564119 UTC

Parent: 20231003:dip-19633-1696298486:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298533 | SAME


One whole lifecycle: opposite_hold3 | 189 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:02:13.000000000 UTC

Actual recognition: 2023-10-03 02:03:22.660689408 UTC

Endpoint label: 2023-10-03 02:05:21.000000000 UTC

Endpoint known-by: 2023-10-03 02:05:23.234221226 UTC

Parent: 20231003:dip-19633-1696298533:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298719 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:05:19.000000000 UTC

Actual recognition: 2023-10-03 02:06:10.427555753 UTC

Endpoint label: 2023-10-03 02:06:04.000000000 UTC

Endpoint known-by: 2023-10-03 02:06:05.217032642 UTC

Parent: 20231003:dip-19633-1696298719:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298769 | FLIP


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:06:09.000000000 UTC

Actual recognition: 2023-10-03 02:06:55.514938503 UTC

Endpoint label: 2023-10-03 02:08:01.000000000 UTC

Endpoint known-by: 2023-10-03 02:08:02.168262221 UTC

Parent: 20231003:dip-19633-1696298769:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298824 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:07:04.000000000 UTC

Actual recognition: 2023-10-03 02:07:59.588882263 UTC

Endpoint label: 2023-10-03 02:08:01.000000000 UTC

Endpoint known-by: 2023-10-03 02:08:02.168262221 UTC

Parent: 20231003:dip-19633-1696298824:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298879 | FLIP


One whole lifecycle: opposite_hold3 | 232 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:07:59.000000000 UTC

Actual recognition: 2023-10-03 02:08:52.881479150 UTC

Endpoint label: 2023-10-03 02:11:50.000000000 UTC

Endpoint known-by: 2023-10-03 02:11:53.435987687 UTC

Parent: 20231003:dip-19633-1696298879:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696298924 | SAME


One whole lifecycle: opposite_hold3 | 187 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:08:44.000000000 UTC

Actual recognition: 2023-10-03 02:10:02.328528905 UTC

Endpoint label: 2023-10-03 02:11:50.000000000 UTC

Endpoint known-by: 2023-10-03 02:11:53.435987687 UTC

Parent: 20231003:dip-19633-1696298924:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299070 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:11:10.000000000 UTC

Actual recognition: 2023-10-03 02:12:01.980837481 UTC

Endpoint label: 2023-10-03 02:11:50.000000000 UTC

Endpoint known-by: 2023-10-03 02:11:53.435987687 UTC

Parent: 20231003:dip-19633-1696299070:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299115 | FLIP


One whole lifecycle: opposite_hold3 | 153 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:11:55.000000000 UTC

Actual recognition: 2023-10-03 02:13:01.400987090 UTC

Endpoint label: 2023-10-03 02:14:27.000000000 UTC

Endpoint known-by: 2023-10-03 02:14:34.041475568 UTC

Parent: 20231003:dip-19633-1696299115:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299169 | SAME


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:12:49.000000000 UTC

Actual recognition: 2023-10-03 02:13:43.166289732 UTC

Endpoint label: 2023-10-03 02:14:27.000000000 UTC

Endpoint known-by: 2023-10-03 02:14:34.041475568 UTC

Parent: 20231003:dip-19633-1696299169:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299229 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:13:49.000000000 UTC

Actual recognition: 2023-10-03 02:14:41.211272961 UTC

Endpoint label: 2023-10-03 02:14:27.000000000 UTC

Endpoint known-by: 2023-10-03 02:14:34.041475568 UTC

Parent: 20231003:dip-19633-1696299229:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299306 | FLIP


One whole lifecycle: opposite_hold3 | 306 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:15:06.000000000 UTC

Actual recognition: 2023-10-03 02:16:30.767173981 UTC

Endpoint label: 2023-10-03 02:20:11.000000000 UTC

Endpoint known-by: 2023-10-03 02:20:13.117209036 UTC

Parent: 20231003:dip-19633-1696299306:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299521 | SAME


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:18:41.000000000 UTC

Actual recognition: 2023-10-03 02:19:41.082436444 UTC

Endpoint label: 2023-10-03 02:20:11.000000000 UTC

Endpoint known-by: 2023-10-03 02:20:13.117209036 UTC

Parent: 20231003:dip-19633-1696299521:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299609 | FLIP


One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:20:09.000000000 UTC

Actual recognition: 2023-10-03 02:21:02.112152791 UTC

Endpoint label: 2023-10-03 02:22:24.000000000 UTC

Endpoint known-by: 2023-10-03 02:22:25.678712800 UTC

Parent: 20231003:dip-19633-1696299609:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299722 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:22:02.000000000 UTC

Actual recognition: 2023-10-03 02:22:53.070236906 UTC

Endpoint label: 2023-10-03 02:22:24.000000000 UTC

Endpoint known-by: 2023-10-03 02:22:25.678712800 UTC

Parent: 20231003:dip-19633-1696299722:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299780 | FLIP


One whole lifecycle: opposite_hold3 | 143 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:23:00.000000000 UTC

Actual recognition: 2023-10-03 02:23:43.982106098 UTC

Endpoint label: 2023-10-03 02:25:22.000000000 UTC

Endpoint known-by: 2023-10-03 02:25:35.001317739 UTC

Parent: 20231003:dip-19633-1696299780:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299825 | SAME


One whole lifecycle: opposite_hold3 | 98 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:23:45.000000000 UTC

Actual recognition: 2023-10-03 02:24:43.621687847 UTC

Endpoint label: 2023-10-03 02:25:22.000000000 UTC

Endpoint known-by: 2023-10-03 02:25:35.001317739 UTC

Parent: 20231003:dip-19633-1696299825:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299870 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:24:30.000000000 UTC

Actual recognition: 2023-10-03 02:25:35.001317739 UTC

Endpoint label: 2023-10-03 02:25:22.000000000 UTC

Endpoint known-by: 2023-10-03 02:25:35.001317739 UTC

Parent: 20231003:dip-19633-1696299870:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299920 | FLIP


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:25:20.000000000 UTC

Actual recognition: 2023-10-03 02:26:17.957954692 UTC

Endpoint label: 2023-10-03 02:26:27.000000000 UTC

Endpoint known-by: 2023-10-03 02:26:28.107502646 UTC

Parent: 20231003:dip-19633-1696299920:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696299985 | FLIP


One whole lifecycle: opposite_hold3 | 285 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:26:25.000000000 UTC

Actual recognition: 2023-10-03 02:27:28.691698751 UTC

Endpoint label: 2023-10-03 02:31:09.000000000 UTC

Endpoint known-by: 2023-10-03 02:31:10.673610270 UTC

Parent: 20231003:dip-19633-1696299985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300287 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:31:27.000000000 UTC

Actual recognition: 2023-10-03 02:32:42.605555222 UTC

Endpoint label: 2023-10-03 02:32:18.000000000 UTC

Endpoint known-by: 2023-10-03 02:32:42.605555222 UTC

Parent: 20231003:dip-19633-1696300287:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300336 | FLIP


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:32:16.000000000 UTC

Actual recognition: 2023-10-03 02:33:23.466498743 UTC

Endpoint label: 2023-10-03 02:33:25.000000000 UTC

Endpoint known-by: 2023-10-03 02:33:27.603877438 UTC

Parent: 20231003:dip-19633-1696300336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300403 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:33:23.000000000 UTC

Actual recognition: 2023-10-03 02:34:22.715709967 UTC

Endpoint label: 2023-10-03 02:33:44.000000000 UTC

Endpoint known-by: 2023-10-03 02:33:47.756691279 UTC

Parent: 20231003:dip-19633-1696300403:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300492 | SAME


One whole lifecycle: opposite_hold3 | 139 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:34:52.000000000 UTC

Actual recognition: 2023-10-03 02:35:01.536824538 UTC

Endpoint label: 2023-10-03 02:37:10.000000000 UTC

Endpoint known-by: 2023-10-03 02:37:32.367767012 UTC

Parent: 20231003:dip-19633-1696300492:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300628 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:37:08.000000000 UTC

Actual recognition: 2023-10-03 02:38:02.960699541 UTC

Endpoint label: 2023-10-03 02:38:03.000000000 UTC

Endpoint known-by: 2023-10-03 02:38:06.313531779 UTC

Parent: 20231003:dip-19633-1696300628:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300684 | FLIP


One whole lifecycle: opposite_hold3 | 80 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:38:04.000000000 UTC

Actual recognition: 2023-10-03 02:39:01.963059800 UTC

Endpoint label: 2023-10-03 02:39:23.000000000 UTC

Endpoint known-by: 2023-10-03 02:39:32.588211956 UTC

Parent: 20231003:dip-19633-1696300684:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300761 | FLIP


One whole lifecycle: opposite_hold3 | 236 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:39:21.000000000 UTC

Actual recognition: 2023-10-03 02:40:17.799078061 UTC

Endpoint label: 2023-10-03 02:43:16.000000000 UTC

Endpoint known-by: 2023-10-03 02:43:31.649583345 UTC

Parent: 20231003:dip-19633-1696300761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696300994 | FLIP


One whole lifecycle: opposite_hold3 | 204 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:43:14.000000000 UTC

Actual recognition: 2023-10-03 02:44:07.053041514 UTC

Endpoint label: 2023-10-03 02:46:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:46:38.177185274 UTC

Parent: 20231003:dip-19633-1696300994:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301039 | SAME


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:43:59.000000000 UTC

Actual recognition: 2023-10-03 02:45:15.765587432 UTC

Endpoint label: 2023-10-03 02:46:37.000000000 UTC

Endpoint known-by: 2023-10-03 02:46:38.177185274 UTC

Parent: 20231003:dip-19633-1696301039:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301252 | SAME


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:47:32.000000000 UTC

Actual recognition: 2023-10-03 02:48:31.165060060 UTC

Endpoint label: 2023-10-03 02:48:03.000000000 UTC

Endpoint known-by: 2023-10-03 02:48:31.165060060 UTC

Parent: 20231003:dip-19633-1696301252:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301297 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:48:17.000000000 UTC

Actual recognition: 2023-10-03 02:49:08.108787229 UTC

Endpoint label: 2023-10-03 02:48:34.000000000 UTC

Endpoint known-by: 2023-10-03 02:48:36.847887606 UTC

Parent: 20231003:dip-19633-1696301297:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301345 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:49:05.000000000 UTC

Actual recognition: 2023-10-03 02:50:00.042787490 UTC

Endpoint label: 2023-10-03 02:49:40.000000000 UTC

Endpoint known-by: 2023-10-03 02:49:44.330272734 UTC

Parent: 20231003:dip-19633-1696301345:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301396 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:49:56.000000000 UTC

Actual recognition: 2023-10-03 02:50:41.235199295 UTC

Endpoint label: 2023-10-03 02:50:51.000000000 UTC

Endpoint known-by: 2023-10-03 02:50:53.520097923 UTC

Parent: 20231003:dip-19633-1696301396:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301491 | SAME


One whole lifecycle: opposite_hold3 | 593 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:51:31.000000000 UTC

Actual recognition: 2023-10-03 02:52:32.355223784 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301589 | SAME


One whole lifecycle: opposite_hold3 | 495 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:53:09.000000000 UTC

Actual recognition: 2023-10-03 02:54:21.136358696 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301589:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301635 | SAME


One whole lifecycle: opposite_hold3 | 449 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:53:55.000000000 UTC

Actual recognition: 2023-10-03 02:55:12.808595605 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301635:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301713 | SAME


One whole lifecycle: opposite_hold3 | 371 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:55:13.000000000 UTC

Actual recognition: 2023-10-03 02:56:12.647727855 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301713:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301773 | SAME


One whole lifecycle: opposite_hold3 | 311 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:56:13.000000000 UTC

Actual recognition: 2023-10-03 02:57:58.478888360 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301773:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696301972 | SAME


One whole lifecycle: opposite_hold3 | 112 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 02:59:32.000000000 UTC

Actual recognition: 2023-10-03 03:00:23.792335605 UTC

Endpoint label: 2023-10-03 03:01:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:01:26.554368462 UTC

Parent: 20231003:dip-19633-1696301972:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302081 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:01:21.000000000 UTC

Actual recognition: 2023-10-03 03:02:37.539433639 UTC

Endpoint label: 2023-10-03 03:02:12.000000000 UTC

Endpoint known-by: 2023-10-03 03:02:37.539433639 UTC

Parent: 20231003:dip-19633-1696302081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302139 | FLIP


One whole lifecycle: opposite_hold3 | 459 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:02:19.000000000 UTC

Actual recognition: 2023-10-03 03:03:10.021528041 UTC

Endpoint label: 2023-10-03 03:09:57.000000000 UTC

Endpoint known-by: 2023-10-03 03:10:32.953028912 UTC

Parent: 20231003:dip-19633-1696302139:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302190 | SAME


One whole lifecycle: opposite_hold3 | 408 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:03:10.000000000 UTC

Actual recognition: 2023-10-03 03:05:02.438245606 UTC

Endpoint label: 2023-10-03 03:09:57.000000000 UTC

Endpoint known-by: 2023-10-03 03:10:32.953028912 UTC

Parent: 20231003:dip-19633-1696302190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302302 | SAME


One whole lifecycle: opposite_hold3 | 296 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:05:02.000000000 UTC

Actual recognition: 2023-10-03 03:06:17.224514333 UTC

Endpoint label: 2023-10-03 03:09:57.000000000 UTC

Endpoint known-by: 2023-10-03 03:10:32.953028912 UTC

Parent: 20231003:dip-19633-1696302302:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302347 | SAME


One whole lifecycle: opposite_hold3 | 251 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:05:47.000000000 UTC

Actual recognition: 2023-10-03 03:07:08.104438831 UTC

Endpoint label: 2023-10-03 03:09:57.000000000 UTC

Endpoint known-by: 2023-10-03 03:10:32.953028912 UTC

Parent: 20231003:dip-19633-1696302347:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696302595 | FLIP


One whole lifecycle: opposite_hold3 | 636 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:09:55.000000000 UTC

Actual recognition: 2023-10-03 03:11:20.667727454 UTC

Endpoint label: 2023-10-03 03:20:30.000000000 UTC

Endpoint known-by: 2023-10-03 03:20:31.103011117 UTC

Parent: 20231003:dip-19633-1696302595:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303228 | FLIP


One whole lifecycle: opposite_hold3 | 151 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:20:28.000000000 UTC

Actual recognition: 2023-10-03 03:21:22.808082953 UTC

Endpoint label: 2023-10-03 03:22:58.000000000 UTC

Endpoint known-by: 2023-10-03 03:23:02.300923368 UTC

Parent: 20231003:dip-19633-1696303228:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303282 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:21:22.000000000 UTC

Actual recognition: 2023-10-03 03:22:23.820126070 UTC

Endpoint label: 2023-10-03 03:22:58.000000000 UTC

Endpoint known-by: 2023-10-03 03:23:02.300923368 UTC

Parent: 20231003:dip-19633-1696303282:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303327 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:22:07.000000000 UTC

Actual recognition: 2023-10-03 03:23:02.300923368 UTC

Endpoint label: 2023-10-03 03:22:58.000000000 UTC

Endpoint known-by: 2023-10-03 03:23:02.300923368 UTC

Parent: 20231003:dip-19633-1696303327:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303376 | FLIP


One whole lifecycle: opposite_hold3 | 156 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:22:56.000000000 UTC

Actual recognition: 2023-10-03 03:25:29.367433617 UTC

Endpoint label: 2023-10-03 03:25:31.000000000 UTC

Endpoint known-by: 2023-10-03 03:25:32.099386857 UTC

Parent: 20231003:dip-19633-1696303376:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303529 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:25:29.000000000 UTC

Actual recognition: 2023-10-03 03:26:28.970243839 UTC

Endpoint label: 2023-10-03 03:26:37.000000000 UTC

Endpoint known-by: 2023-10-03 03:26:46.130211774 UTC

Parent: 20231003:dip-19633-1696303529:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303574 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:26:14.000000000 UTC

Actual recognition: 2023-10-03 03:28:00.742431964 UTC

Endpoint label: 2023-10-03 03:26:37.000000000 UTC

Endpoint known-by: 2023-10-03 03:26:46.130211774 UTC

Parent: 20231003:dip-19633-1696303574:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303680 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:28:00.000000000 UTC

Actual recognition: 2023-10-03 03:28:58.996051491 UTC

Endpoint label: 2023-10-03 03:28:20.000000000 UTC

Endpoint known-by: 2023-10-03 03:28:24.000538640 UTC

Parent: 20231003:dip-19633-1696303680:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303744 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:29:04.000000000 UTC

Actual recognition: 2023-10-03 03:30:00.077613784 UTC

Endpoint label: 2023-10-03 03:29:12.000000000 UTC

Endpoint known-by: 2023-10-03 03:29:13.995905189 UTC

Parent: 20231003:dip-19633-1696303744:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303818 | FLIP


One whole lifecycle: opposite_hold3 | 122 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:30:18.000000000 UTC

Actual recognition: 2023-10-03 03:30:45.070863830 UTC

Endpoint label: 2023-10-03 03:32:19.000000000 UTC

Endpoint known-by: 2023-10-03 03:32:21.340412539 UTC

Parent: 20231003:dip-19633-1696303818:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696303977 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:32:57.000000000 UTC

Actual recognition: 2023-10-03 03:33:48.358692309 UTC

Endpoint label: 2023-10-03 03:33:23.000000000 UTC

Endpoint known-by: 2023-10-03 03:33:26.569968327 UTC

Parent: 20231003:dip-19633-1696303977:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304063 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:34:23.000000000 UTC

Actual recognition: 2023-10-03 03:34:53.631611595 UTC

Endpoint label: 2023-10-03 03:34:40.000000000 UTC

Endpoint known-by: 2023-10-03 03:34:42.198736375 UTC

Parent: 20231003:dip-19633-1696304063:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304246 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:37:26.000000000 UTC

Actual recognition: 2023-10-03 03:38:25.380278490 UTC

Endpoint label: 2023-10-03 03:38:08.000000000 UTC

Endpoint known-by: 2023-10-03 03:38:25.380278490 UTC

Parent: 20231003:dip-19633-1696304246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304336 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:38:56.000000000 UTC

Actual recognition: 2023-10-03 03:39:13.610522850 UTC

Endpoint label: 2023-10-03 03:39:46.000000000 UTC

Endpoint known-by: 2023-10-03 03:39:49.420055697 UTC

Parent: 20231003:dip-19633-1696304336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304402 | SAME


One whole lifecycle: opposite_hold3 | 107 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:40:02.000000000 UTC

Actual recognition: 2023-10-03 03:40:45.400030207 UTC

Endpoint label: 2023-10-03 03:41:48.000000000 UTC

Endpoint known-by: 2023-10-03 03:41:51.238656269 UTC

Parent: 20231003:dip-19633-1696304402:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304478 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:41:18.000000000 UTC

Actual recognition: 2023-10-03 03:41:40.400307197 UTC

Endpoint label: 2023-10-03 03:41:48.000000000 UTC

Endpoint known-by: 2023-10-03 03:41:51.238656269 UTC

Parent: 20231003:dip-19633-1696304478:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304552 | SAME


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:42:32.000000000 UTC

Actual recognition: 2023-10-03 03:43:23.957506193 UTC

Endpoint label: 2023-10-03 03:43:03.000000000 UTC

Endpoint known-by: 2023-10-03 03:43:05.059370810 UTC

Parent: 20231003:dip-19633-1696304552:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304603 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:43:23.000000000 UTC

Actual recognition: 2023-10-03 03:44:15.560352434 UTC

Endpoint label: 2023-10-03 03:43:47.000000000 UTC

Endpoint known-by: 2023-10-03 03:43:49.253981730 UTC

Parent: 20231003:dip-19633-1696304603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304673 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:44:33.000000000 UTC

Actual recognition: 2023-10-03 03:45:26.676116081 UTC

Endpoint label: 2023-10-03 03:44:36.000000000 UTC

Endpoint known-by: 2023-10-03 03:44:37.332667537 UTC

Parent: 20231003:dip-19633-1696304673:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304817 | SAME

One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:46:57.000000000 UTC

Actual recognition: 2023-10-03 03:47:40.279862689 UTC

Endpoint label: 2023-10-03 03:47:42.000000000 UTC

Endpoint known-by: 2023-10-03 03:47:43.128115648 UTC

Parent: 20231003:dip-19633-1696304817:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304880 | SAME


One whole lifecycle: opposite_hold3 | 221 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:48:00.000000000 UTC

Actual recognition: 2023-10-03 03:48:52.817209051 UTC

Endpoint label: 2023-10-03 03:51:40.000000000 UTC

Endpoint known-by: 2023-10-03 03:51:42.090073713 UTC

Parent: 20231003:dip-19633-1696304880:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696304941 | SAME


One whole lifecycle: opposite_hold3 | 160 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:49:01.000000000 UTC

Actual recognition: 2023-10-03 03:50:04.532382343 UTC

Endpoint label: 2023-10-03 03:51:40.000000000 UTC

Endpoint known-by: 2023-10-03 03:51:42.090073713 UTC

Parent: 20231003:dip-19633-1696304941:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305011 | SAME


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:50:11.000000000 UTC

Actual recognition: 2023-10-03 03:51:02.951427762 UTC

Endpoint label: 2023-10-03 03:51:40.000000000 UTC

Endpoint known-by: 2023-10-03 03:51:42.090073713 UTC

Parent: 20231003:dip-19633-1696305011:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305056 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:50:56.000000000 UTC

Actual recognition: 2023-10-03 03:51:48.104184203 UTC

Endpoint label: 2023-10-03 03:51:40.000000000 UTC

Endpoint known-by: 2023-10-03 03:51:42.090073713 UTC

Parent: 20231003:dip-19633-1696305056:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305101 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:51:41.000000000 UTC

Actual recognition: 2023-10-03 03:53:25.114106021 UTC

Endpoint label: 2023-10-03 03:52:02.000000000 UTC

Endpoint known-by: 2023-10-03 03:52:03.034823569 UTC

Parent: 20231003:dip-19633-1696305101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305147 | FLIP


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:52:27.000000000 UTC

Actual recognition: 2023-10-03 03:53:25.114106021 UTC

Endpoint label: 2023-10-03 03:54:16.000000000 UTC

Endpoint known-by: 2023-10-03 03:54:30.105336199 UTC

Parent: 20231003:dip-19633-1696305147:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305224 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:53:44.000000000 UTC

Actual recognition: 2023-10-03 03:54:35.190060372 UTC

Endpoint label: 2023-10-03 03:54:16.000000000 UTC

Endpoint known-by: 2023-10-03 03:54:30.105336199 UTC

Parent: 20231003:dip-19633-1696305224:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305295 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:54:55.000000000 UTC

Actual recognition: 2023-10-03 03:55:22.677494328 UTC

Endpoint label: 2023-10-03 03:56:18.000000000 UTC

Endpoint known-by: 2023-10-03 03:56:26.886292127 UTC

Parent: 20231003:dip-19633-1696305295:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305355 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:55:55.000000000 UTC

Actual recognition: 2023-10-03 03:56:47.038037419 UTC

Endpoint label: 2023-10-03 03:56:18.000000000 UTC

Endpoint known-by: 2023-10-03 03:56:26.886292127 UTC

Parent: 20231003:dip-19633-1696305355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305408 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:56:48.000000000 UTC

Actual recognition: 2023-10-03 03:57:39.135365548 UTC

Endpoint label: 2023-10-03 03:57:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:57:35.865008218 UTC

Parent: 20231003:dip-19633-1696305408:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305499 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:58:19.000000000 UTC

Actual recognition: 2023-10-03 03:59:16.219767437 UTC

Endpoint label: 2023-10-03 03:59:32.000000000 UTC

Endpoint known-by: 2023-10-03 03:59:33.161916264 UTC

Parent: 20231003:dip-19633-1696305499:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305544 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:59:04.000000000 UTC

Actual recognition: 2023-10-03 03:59:56.750293615 UTC

Endpoint label: 2023-10-03 03:59:32.000000000 UTC

Endpoint known-by: 2023-10-03 03:59:33.161916264 UTC

Parent: 20231003:dip-19633-1696305544:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.