
20231003 candidate | dip-19633-1696343759 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:35:59.000000000 UTC

Actual recognition: 2023-10-03 14:36:47.797982322 UTC

Endpoint label: 2023-10-03 14:36:35.000000000 UTC

Endpoint known-by: 2023-10-03 14:36:37.127357745 UTC

Parent: 20231003:dip-19633-1696343759:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344005 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:40:05.000000000 UTC

Actual recognition: 2023-10-03 14:40:56.034852850 UTC

Endpoint label: 2023-10-03 14:40:20.000000000 UTC

Endpoint known-by: 2023-10-03 14:40:21.009801555 UTC

Parent: 20231003:dip-19633-1696344005:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344094 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:41:34.000000000 UTC

Actual recognition: 2023-10-03 14:42:21.632825106 UTC

Endpoint label: 2023-10-03 14:41:54.000000000 UTC

Endpoint known-by: 2023-10-03 14:41:56.068304422 UTC

Parent: 20231003:dip-19633-1696344094:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344150 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:42:30.000000000 UTC

Actual recognition: 2023-10-03 14:43:21.169203534 UTC

Endpoint label: 2023-10-03 14:42:47.000000000 UTC

Endpoint known-by: 2023-10-03 14:42:50.468283835 UTC

Parent: 20231003:dip-19633-1696344150:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344210 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:43:30.000000000 UTC

Actual recognition: 2023-10-03 14:44:21.874365955 UTC

Endpoint label: 2023-10-03 14:43:42.000000000 UTC

Endpoint known-by: 2023-10-03 14:43:47.237589024 UTC

Parent: 20231003:dip-19633-1696344210:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344258 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:44:18.000000000 UTC

Actual recognition: 2023-10-03 14:45:09.413810248 UTC

Endpoint label: 2023-10-03 14:44:34.000000000 UTC

Endpoint known-by: 2023-10-03 14:44:38.818187751 UTC

Parent: 20231003:dip-19633-1696344258:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344336 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:45:36.000000000 UTC

Actual recognition: 2023-10-03 14:46:28.628466185 UTC

Endpoint label: 2023-10-03 14:45:43.000000000 UTC

Endpoint known-by: 2023-10-03 14:45:44.016492913 UTC

Parent: 20231003:dip-19633-1696344336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344424 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:47:04.000000000 UTC

Actual recognition: 2023-10-03 14:47:55.374030832 UTC

Endpoint label: 2023-10-03 14:47:11.000000000 UTC

Endpoint known-by: 2023-10-03 14:47:13.000537684 UTC

Parent: 20231003:dip-19633-1696344424:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344578 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:49:38.000000000 UTC

Actual recognition: 2023-10-03 14:50:30.669635638 UTC

Endpoint label: 2023-10-03 14:50:04.000000000 UTC

Endpoint known-by: 2023-10-03 14:50:05.119636065 UTC

Parent: 20231003:dip-19633-1696344578:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344697 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:51:37.000000000 UTC

Actual recognition: 2023-10-03 14:52:25.112723792 UTC

Endpoint label: 2023-10-03 14:52:05.000000000 UTC

Endpoint known-by: 2023-10-03 14:52:06.542558437 UTC

Parent: 20231003:dip-19633-1696344697:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344810 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:53:30.000000000 UTC

Actual recognition: 2023-10-03 14:54:21.089506778 UTC

Endpoint label: 2023-10-03 14:53:51.000000000 UTC

Endpoint known-by: 2023-10-03 14:53:52.027186314 UTC

Parent: 20231003:dip-19633-1696344810:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696344862 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:54:22.000000000 UTC

Actual recognition: 2023-10-03 14:55:14.089796166 UTC

Endpoint label: 2023-10-03 14:54:32.000000000 UTC

Endpoint known-by: 2023-10-03 14:54:34.302102971 UTC

Parent: 20231003:dip-19633-1696344862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345030 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:57:10.000000000 UTC

Actual recognition: 2023-10-03 14:58:01.036021077 UTC

Endpoint label: 2023-10-03 14:57:21.000000000 UTC

Endpoint known-by: 2023-10-03 14:57:23.160141707 UTC

Parent: 20231003:dip-19633-1696345030:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345116 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:58:36.000000000 UTC

Actual recognition: 2023-10-03 14:59:18.814354175 UTC

Endpoint label: 2023-10-03 14:58:41.000000000 UTC

Endpoint known-by: 2023-10-03 14:58:42.660213543 UTC

Parent: 20231003:dip-19633-1696345116:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345190 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 14:59:50.000000000 UTC

Actual recognition: 2023-10-03 15:00:41.006362862 UTC

Endpoint label: 2023-10-03 15:00:13.000000000 UTC

Endpoint known-by: 2023-10-03 15:00:14.205537763 UTC

Parent: 20231003:dip-19633-1696345190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345390 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:03:10.000000000 UTC

Actual recognition: 2023-10-03 15:04:01.091799749 UTC

Endpoint label: 2023-10-03 15:03:58.000000000 UTC

Endpoint known-by: 2023-10-03 15:03:59.521612598 UTC

Parent: 20231003:dip-19633-1696345390:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345466 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:04:26.000000000 UTC

Actual recognition: 2023-10-03 15:05:17.288065422 UTC

Endpoint label: 2023-10-03 15:04:52.000000000 UTC

Endpoint known-by: 2023-10-03 15:04:53.064696761 UTC

Parent: 20231003:dip-19633-1696345466:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696345530 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:05:30.000000000 UTC

Actual recognition: 2023-10-03 15:06:21.020801801 UTC

Endpoint label: 2023-10-03 15:05:33.000000000 UTC

Endpoint known-by: 2023-10-03 15:05:34.274636844 UTC

Parent: 20231003:dip-19633-1696345530:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696346672 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:24:32.000000000 UTC

Actual recognition: 2023-10-03 15:25:23.737880706 UTC

Endpoint label: 2023-10-03 15:24:47.000000000 UTC

Endpoint known-by: 2023-10-03 15:24:48.881940235 UTC

Parent: 20231003:dip-19633-1696346672:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696346999 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:29:59.000000000 UTC

Actual recognition: 2023-10-03 15:30:49.087448316 UTC

Endpoint label: 2023-10-03 15:30:24.000000000 UTC

Endpoint known-by: 2023-10-03 15:30:25.180546902 UTC

Parent: 20231003:dip-19633-1696346999:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696347102 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:31:42.000000000 UTC

Actual recognition: 2023-10-03 15:32:33.004946930 UTC

Endpoint label: 2023-10-03 15:32:04.000000000 UTC

Endpoint known-by: 2023-10-03 15:32:05.055004181 UTC

Parent: 20231003:dip-19633-1696347102:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696347176 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:32:56.000000000 UTC

Actual recognition: 2023-10-03 15:33:43.407022204 UTC

Endpoint label: 2023-10-03 15:33:09.000000000 UTC

Endpoint known-by: 2023-10-03 15:33:10.541405335 UTC

Parent: 20231003:dip-19633-1696347176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696347566 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:39:26.000000000 UTC

Actual recognition: 2023-10-03 15:40:17.231281658 UTC

Endpoint label: 2023-10-03 15:39:53.000000000 UTC

Endpoint known-by: 2023-10-03 15:39:54.207675193 UTC

Parent: 20231003:dip-19633-1696347566:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696347688 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:41:28.000000000 UTC

Actual recognition: 2023-10-03 15:42:19.000147999 UTC

Endpoint label: 2023-10-03 15:41:53.000000000 UTC

Endpoint known-by: 2023-10-03 15:41:54.159091285 UTC

Parent: 20231003:dip-19633-1696347688:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348022 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:47:02.000000000 UTC

Actual recognition: 2023-10-03 15:47:48.663765234 UTC

Endpoint label: 2023-10-03 15:47:17.000000000 UTC

Endpoint known-by: 2023-10-03 15:47:18.560512177 UTC

Parent: 20231003:dip-19633-1696348022:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348123 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:48:43.000000000 UTC

Actual recognition: 2023-10-03 15:48:57.042486813 UTC

Endpoint label: 2023-10-03 15:49:08.000000000 UTC

Endpoint known-by: 2023-10-03 15:49:09.707901099 UTC

Parent: 20231003:dip-19633-1696348123:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348380 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:53:00.000000000 UTC

Actual recognition: 2023-10-03 15:53:51.542849376 UTC

Endpoint label: 2023-10-03 15:53:23.000000000 UTC

Endpoint known-by: 2023-10-03 15:53:24.288741922 UTC

Parent: 20231003:dip-19633-1696348380:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348482 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:54:42.000000000 UTC

Actual recognition: 2023-10-03 15:55:33.122881518 UTC

Endpoint label: 2023-10-03 15:55:57.000000000 UTC

Endpoint known-by: 2023-10-03 15:55:58.138731774 UTC

Parent: 20231003:dip-19633-1696348482:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348651 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 15:57:31.000000000 UTC

Actual recognition: 2023-10-03 15:58:22.641903433 UTC

Endpoint label: 2023-10-03 15:57:35.000000000 UTC

Endpoint known-by: 2023-10-03 15:57:36.765773553 UTC

Parent: 20231003:dip-19633-1696348651:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696348995 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:03:15.000000000 UTC

Actual recognition: 2023-10-03 16:04:06.024690449 UTC

Endpoint label: 2023-10-03 16:03:33.000000000 UTC

Endpoint known-by: 2023-10-03 16:03:34.100335966 UTC

Parent: 20231003:dip-19633-1696348995:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349089 | FLIP


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:04:49.000000000 UTC

Actual recognition: 2023-10-03 16:05:40.052129951 UTC

Endpoint label: 2023-10-03 16:05:36.000000000 UTC

Endpoint known-by: 2023-10-03 16:05:37.177884349 UTC

Parent: 20231003:dip-19633-1696349089:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349241 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:07:21.000000000 UTC

Actual recognition: 2023-10-03 16:08:12.020170810 UTC

Endpoint label: 2023-10-03 16:07:39.000000000 UTC

Endpoint known-by: 2023-10-03 16:07:41.551508559 UTC

Parent: 20231003:dip-19633-1696349241:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349367 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:09:27.000000000 UTC

Actual recognition: 2023-10-03 16:10:19.694486755 UTC

Endpoint label: 2023-10-03 16:09:54.000000000 UTC

Endpoint known-by: 2023-10-03 16:09:55.610668387 UTC

Parent: 20231003:dip-19633-1696349367:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349544 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:12:24.000000000 UTC

Actual recognition: 2023-10-03 16:13:15.176011032 UTC

Endpoint label: 2023-10-03 16:13:20.000000000 UTC

Endpoint known-by: 2023-10-03 16:13:21.645789571 UTC

Parent: 20231003:dip-19633-1696349544:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349637 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:13:57.000000000 UTC

Actual recognition: 2023-10-03 16:14:48.150265376 UTC

Endpoint label: 2023-10-03 16:14:26.000000000 UTC

Endpoint known-by: 2023-10-03 16:14:27.155778630 UTC

Parent: 20231003:dip-19633-1696349637:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349843 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:17:23.000000000 UTC

Actual recognition: 2023-10-03 16:18:14.785790841 UTC

Endpoint label: 2023-10-03 16:18:05.000000000 UTC

Endpoint known-by: 2023-10-03 16:18:06.015242111 UTC

Parent: 20231003:dip-19633-1696349843:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696349923 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:18:43.000000000 UTC

Actual recognition: 2023-10-03 16:19:34.221276963 UTC

Endpoint label: 2023-10-03 16:18:50.000000000 UTC

Endpoint known-by: 2023-10-03 16:18:51.651123158 UTC

Parent: 20231003:dip-19633-1696349923:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350047 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:20:47.000000000 UTC

Actual recognition: 2023-10-03 16:21:33.102379271 UTC

Endpoint label: 2023-10-03 16:21:44.000000000 UTC

Endpoint known-by: 2023-10-03 16:21:45.186960316 UTC

Parent: 20231003:dip-19633-1696350047:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350111 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:21:51.000000000 UTC

Actual recognition: 2023-10-03 16:22:44.623261363 UTC

Endpoint label: 2023-10-03 16:22:04.000000000 UTC

Endpoint known-by: 2023-10-03 16:22:05.148159244 UTC

Parent: 20231003:dip-19633-1696350111:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350204 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:23:24.000000000 UTC

Actual recognition: 2023-10-03 16:24:15.379454713 UTC

Endpoint label: 2023-10-03 16:23:55.000000000 UTC

Endpoint known-by: 2023-10-03 16:23:56.440245631 UTC

Parent: 20231003:dip-19633-1696350204:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350281 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:24:41.000000000 UTC

Actual recognition: 2023-10-03 16:25:33.889494619 UTC

Endpoint label: 2023-10-03 16:24:59.000000000 UTC

Endpoint known-by: 2023-10-03 16:25:01.566385785 UTC

Parent: 20231003:dip-19633-1696350281:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350377 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:26:17.000000000 UTC

Actual recognition: 2023-10-03 16:27:08.825415789 UTC

Endpoint label: 2023-10-03 16:26:22.000000000 UTC

Endpoint known-by: 2023-10-03 16:26:24.052497503 UTC

Parent: 20231003:dip-19633-1696350377:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350805 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:33:25.000000000 UTC

Actual recognition: 2023-10-03 16:34:16.019300535 UTC

Endpoint label: 2023-10-03 16:34:37.000000000 UTC

Endpoint known-by: 2023-10-03 16:34:38.882153631 UTC

Parent: 20231003:dip-19633-1696350805:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350889 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:34:49.000000000 UTC

Actual recognition: 2023-10-03 16:35:40.644491582 UTC

Endpoint label: 2023-10-03 16:34:56.000000000 UTC

Endpoint known-by: 2023-10-03 16:34:57.001146722 UTC

Parent: 20231003:dip-19633-1696350889:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350951 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:35:51.000000000 UTC

Actual recognition: 2023-10-03 16:36:38.955625393 UTC

Endpoint label: 2023-10-03 16:36:47.000000000 UTC

Endpoint known-by: 2023-10-03 16:36:52.104125489 UTC

Parent: 20231003:dip-19633-1696350951:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696350996 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:36:36.000000000 UTC

Actual recognition: 2023-10-03 16:37:29.041383180 UTC

Endpoint label: 2023-10-03 16:36:47.000000000 UTC

Endpoint known-by: 2023-10-03 16:36:52.104125489 UTC

Parent: 20231003:dip-19633-1696350996:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351041 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:37:21.000000000 UTC

Actual recognition: 2023-10-03 16:38:12.087057287 UTC

Endpoint label: 2023-10-03 16:37:57.000000000 UTC

Endpoint known-by: 2023-10-03 16:37:58.322459342 UTC

Parent: 20231003:dip-19633-1696351041:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351245 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:40:45.000000000 UTC

Actual recognition: 2023-10-03 16:41:31.192047975 UTC

Endpoint label: 2023-10-03 16:40:55.000000000 UTC

Endpoint known-by: 2023-10-03 16:40:59.177391729 UTC

Parent: 20231003:dip-19633-1696351245:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351315 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:41:55.000000000 UTC

Actual recognition: 2023-10-03 16:42:46.358681476 UTC

Endpoint label: 2023-10-03 16:42:02.000000000 UTC

Endpoint known-by: 2023-10-03 16:42:03.000498205 UTC

Parent: 20231003:dip-19633-1696351315:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351363 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:42:43.000000000 UTC

Actual recognition: 2023-10-03 16:43:34.083506269 UTC

Endpoint label: 2023-10-03 16:43:23.000000000 UTC

Endpoint known-by: 2023-10-03 16:43:26.200617165 UTC

Parent: 20231003:dip-19633-1696351363:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351485 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:44:45.000000000 UTC

Actual recognition: 2023-10-03 16:45:29.139872420 UTC

Endpoint label: 2023-10-03 16:45:02.000000000 UTC

Endpoint known-by: 2023-10-03 16:45:03.718739358 UTC

Parent: 20231003:dip-19633-1696351485:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351668 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:47:48.000000000 UTC

Actual recognition: 2023-10-03 16:48:39.370490636 UTC

Endpoint label: 2023-10-03 16:48:48.000000000 UTC

Endpoint known-by: 2023-10-03 16:48:49.379848139 UTC

Parent: 20231003:dip-19633-1696351668:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696351798 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:49:58.000000000 UTC

Actual recognition: 2023-10-03 16:50:40.421114012 UTC

Endpoint label: 2023-10-03 16:50:25.000000000 UTC

Endpoint known-by: 2023-10-03 16:50:26.231107999 UTC

Parent: 20231003:dip-19633-1696351798:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352010 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:53:30.000000000 UTC

Actual recognition: 2023-10-03 16:54:04.953858736 UTC

Endpoint label: 2023-10-03 16:54:10.000000000 UTC

Endpoint known-by: 2023-10-03 16:54:11.308374634 UTC

Parent: 20231003:dip-19633-1696352010:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352108 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:55:08.000000000 UTC

Actual recognition: 2023-10-03 16:55:57.026781621 UTC

Endpoint label: 2023-10-03 16:55:12.000000000 UTC

Endpoint known-by: 2023-10-03 16:55:13.276793305 UTC

Parent: 20231003:dip-19633-1696352108:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352170 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:56:10.000000000 UTC

Actual recognition: 2023-10-03 16:56:55.105649846 UTC

Endpoint label: 2023-10-03 16:56:20.000000000 UTC

Endpoint known-by: 2023-10-03 16:56:21.226304892 UTC

Parent: 20231003:dip-19633-1696352170:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352215 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:56:55.000000000 UTC

Actual recognition: 2023-10-03 16:57:48.696515826 UTC

Endpoint label: 2023-10-03 16:57:04.000000000 UTC

Endpoint known-by: 2023-10-03 16:57:05.211894878 UTC

Parent: 20231003:dip-19633-1696352215:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352267 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:57:47.000000000 UTC

Actual recognition: 2023-10-03 16:58:37.019663588 UTC

Endpoint label: 2023-10-03 16:58:04.000000000 UTC

Endpoint known-by: 2023-10-03 16:58:05.097288498 UTC

Parent: 20231003:dip-19633-1696352267:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352335 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 16:58:55.000000000 UTC

Actual recognition: 2023-10-03 16:59:24.249558094 UTC

Endpoint label: 2023-10-03 16:59:25.000000000 UTC

Endpoint known-by: 2023-10-03 16:59:29.074099592 UTC

Parent: 20231003:dip-19633-1696352335:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352721 | FLIP


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:05:21.000000000 UTC

Actual recognition: 2023-10-03 17:06:12.090788945 UTC

Endpoint label: 2023-10-03 17:06:41.000000000 UTC

Endpoint known-by: 2023-10-03 17:06:42.560470283 UTC

Parent: 20231003:dip-19633-1696352721:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352820 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:07:00.000000000 UTC

Actual recognition: 2023-10-03 17:07:54.195297762 UTC

Endpoint label: 2023-10-03 17:07:13.000000000 UTC

Endpoint known-by: 2023-10-03 17:07:16.001178690 UTC

Parent: 20231003:dip-19633-1696352820:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696352986 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:09:46.000000000 UTC

Actual recognition: 2023-10-03 17:10:01.182663953 UTC

Endpoint label: 2023-10-03 17:10:15.000000000 UTC

Endpoint known-by: 2023-10-03 17:10:16.090825365 UTC

Parent: 20231003:dip-19633-1696352986:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353103 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:11:43.000000000 UTC

Actual recognition: 2023-10-03 17:12:34.041376150 UTC

Endpoint label: 2023-10-03 17:12:24.000000000 UTC

Endpoint known-by: 2023-10-03 17:12:27.234906929 UTC

Parent: 20231003:dip-19633-1696353103:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353150 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:12:30.000000000 UTC

Actual recognition: 2023-10-03 17:13:22.561185814 UTC

Endpoint label: 2023-10-03 17:12:40.000000000 UTC

Endpoint known-by: 2023-10-03 17:12:41.341576310 UTC

Parent: 20231003:dip-19633-1696353150:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353196 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:13:16.000000000 UTC

Actual recognition: 2023-10-03 17:14:07.005633459 UTC

Endpoint label: 2023-10-03 17:13:28.000000000 UTC

Endpoint known-by: 2023-10-03 17:13:29.112243326 UTC

Parent: 20231003:dip-19633-1696353196:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353293 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:14:53.000000000 UTC

Actual recognition: 2023-10-03 17:15:36.340164486 UTC

Endpoint label: 2023-10-03 17:15:06.000000000 UTC

Endpoint known-by: 2023-10-03 17:15:07.162334744 UTC

Parent: 20231003:dip-19633-1696353293:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353339 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:15:39.000000000 UTC

Actual recognition: 2023-10-03 17:16:29.061489288 UTC

Endpoint label: 2023-10-03 17:16:08.000000000 UTC

Endpoint known-by: 2023-10-03 17:16:09.005452411 UTC

Parent: 20231003:dip-19633-1696353339:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353428 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:17:08.000000000 UTC

Actual recognition: 2023-10-03 17:17:27.643172583 UTC

Endpoint label: 2023-10-03 17:17:14.000000000 UTC

Endpoint known-by: 2023-10-03 17:17:15.904030348 UTC

Parent: 20231003:dip-19633-1696353428:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353493 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:18:13.000000000 UTC

Actual recognition: 2023-10-03 17:19:04.036357876 UTC

Endpoint label: 2023-10-03 17:18:40.000000000 UTC

Endpoint known-by: 2023-10-03 17:18:43.987057901 UTC

Parent: 20231003:dip-19633-1696353493:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353547 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:19:07.000000000 UTC

Actual recognition: 2023-10-03 17:19:58.658689515 UTC

Endpoint label: 2023-10-03 17:20:00.000000000 UTC

Endpoint known-by: 2023-10-03 17:20:01.404067785 UTC

Parent: 20231003:dip-19633-1696353547:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353690 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:21:30.000000000 UTC

Actual recognition: 2023-10-03 17:22:23.609964889 UTC

Endpoint label: 2023-10-03 17:21:35.000000000 UTC

Endpoint known-by: 2023-10-03 17:21:36.391412548 UTC

Parent: 20231003:dip-19633-1696353690:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353789 | FLIP


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:23:09.000000000 UTC

Actual recognition: 2023-10-03 17:23:17.317970089 UTC

Endpoint label: 2023-10-03 17:24:03.000000000 UTC

Endpoint known-by: 2023-10-03 17:24:04.025552691 UTC

Parent: 20231003:dip-19633-1696353789:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353886 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:24:46.000000000 UTC

Actual recognition: 2023-10-03 17:25:29.066473035 UTC

Endpoint label: 2023-10-03 17:25:02.000000000 UTC

Endpoint known-by: 2023-10-03 17:25:03.111538180 UTC

Parent: 20231003:dip-19633-1696353886:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353932 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:25:32.000000000 UTC

Actual recognition: 2023-10-03 17:26:23.111090549 UTC

Endpoint label: 2023-10-03 17:25:56.000000000 UTC

Endpoint known-by: 2023-10-03 17:25:57.566837678 UTC

Parent: 20231003:dip-19633-1696353932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696353988 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:26:28.000000000 UTC

Actual recognition: 2023-10-03 17:27:19.023531430 UTC

Endpoint label: 2023-10-03 17:26:35.000000000 UTC

Endpoint known-by: 2023-10-03 17:26:36.002461088 UTC

Parent: 20231003:dip-19633-1696353988:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354097 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:28:17.000000000 UTC

Actual recognition: 2023-10-03 17:29:06.692418168 UTC

Endpoint label: 2023-10-03 17:28:26.000000000 UTC

Endpoint known-by: 2023-10-03 17:28:27.911192237 UTC

Parent: 20231003:dip-19633-1696354097:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354197 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:29:57.000000000 UTC

Actual recognition: 2023-10-03 17:30:13.089985294 UTC

Endpoint label: 2023-10-03 17:30:15.000000000 UTC

Endpoint known-by: 2023-10-03 17:30:16.023995866 UTC

Parent: 20231003:dip-19633-1696354197:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354325 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:32:05.000000000 UTC

Actual recognition: 2023-10-03 17:32:56.377491518 UTC

Endpoint label: 2023-10-03 17:32:20.000000000 UTC

Endpoint known-by: 2023-10-03 17:32:21.185878614 UTC

Parent: 20231003:dip-19633-1696354325:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354392 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:33:12.000000000 UTC

Actual recognition: 2023-10-03 17:34:03.363777111 UTC

Endpoint label: 2023-10-03 17:33:37.000000000 UTC

Endpoint known-by: 2023-10-03 17:33:38.174617786 UTC

Parent: 20231003:dip-19633-1696354392:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354507 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:35:07.000000000 UTC

Actual recognition: 2023-10-03 17:35:59.184337294 UTC

Endpoint label: 2023-10-03 17:36:05.000000000 UTC

Endpoint known-by: 2023-10-03 17:36:06.209965405 UTC

Parent: 20231003:dip-19633-1696354507:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354671 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:37:51.000000000 UTC

Actual recognition: 2023-10-03 17:38:42.651933890 UTC

Endpoint label: 2023-10-03 17:38:23.000000000 UTC

Endpoint known-by: 2023-10-03 17:38:24.086638375 UTC

Parent: 20231003:dip-19633-1696354671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354766 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:39:26.000000000 UTC

Actual recognition: 2023-10-03 17:40:17.078940576 UTC

Endpoint label: 2023-10-03 17:39:41.000000000 UTC

Endpoint known-by: 2023-10-03 17:39:42.508870513 UTC

Parent: 20231003:dip-19633-1696354766:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354811 | SAME


One whole lifecycle: opposite_hold3 | 107 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:40:11.000000000 UTC

Actual recognition: 2023-10-03 17:41:04.957673981 UTC

Endpoint label: 2023-10-03 17:41:57.000000000 UTC

Endpoint known-by: 2023-10-03 17:41:59.075609630 UTC

Parent: 20231003:dip-19633-1696354811:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354898 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:41:38.000000000 UTC

Actual recognition: 2023-10-03 17:41:57.182747488 UTC

Endpoint label: 2023-10-03 17:41:57.000000000 UTC

Endpoint known-by: 2023-10-03 17:41:59.075609630 UTC

Parent: 20231003:dip-19633-1696354898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696354958 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:42:38.000000000 UTC

Actual recognition: 2023-10-03 17:43:26.064225105 UTC

Endpoint label: 2023-10-03 17:43:22.000000000 UTC

Endpoint known-by: 2023-10-03 17:43:23.147651968 UTC

Parent: 20231003:dip-19633-1696354958:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355023 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:43:43.000000000 UTC

Actual recognition: 2023-10-03 17:44:34.953057119 UTC

Endpoint label: 2023-10-03 17:43:50.000000000 UTC

Endpoint known-by: 2023-10-03 17:43:52.375645669 UTC

Parent: 20231003:dip-19633-1696355023:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355098 | FLIP


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:44:58.000000000 UTC

Actual recognition: 2023-10-03 17:45:48.037308428 UTC

Endpoint label: 2023-10-03 17:46:51.000000000 UTC

Endpoint known-by: 2023-10-03 17:46:52.088454846 UTC

Parent: 20231003:dip-19633-1696355098:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355153 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:45:53.000000000 UTC

Actual recognition: 2023-10-03 17:46:44.588763462 UTC

Endpoint label: 2023-10-03 17:46:10.000000000 UTC

Endpoint known-by: 2023-10-03 17:46:12.050861680 UTC

Parent: 20231003:dip-19633-1696355153:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355206 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:46:46.000000000 UTC

Actual recognition: 2023-10-03 17:47:35.767014006 UTC

Endpoint label: 2023-10-03 17:46:51.000000000 UTC

Endpoint known-by: 2023-10-03 17:46:52.088454846 UTC

Parent: 20231003:dip-19633-1696355206:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355300 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:48:20.000000000 UTC

Actual recognition: 2023-10-03 17:49:12.503917443 UTC

Endpoint label: 2023-10-03 17:48:52.000000000 UTC

Endpoint known-by: 2023-10-03 17:48:53.871343997 UTC

Parent: 20231003:dip-19633-1696355300:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355436 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:50:36.000000000 UTC

Actual recognition: 2023-10-03 17:51:27.970067930 UTC

Endpoint label: 2023-10-03 17:51:20.000000000 UTC

Endpoint known-by: 2023-10-03 17:51:22.023753772 UTC

Parent: 20231003:dip-19633-1696355436:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355481 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:51:21.000000000 UTC

Actual recognition: 2023-10-03 17:52:12.619814492 UTC

Endpoint label: 2023-10-03 17:51:31.000000000 UTC

Endpoint known-by: 2023-10-03 17:51:35.494389899 UTC

Parent: 20231003:dip-19633-1696355481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355561 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:52:41.000000000 UTC

Actual recognition: 2023-10-03 17:53:32.031002444 UTC

Endpoint label: 2023-10-03 17:53:01.000000000 UTC

Endpoint known-by: 2023-10-03 17:53:02.095490007 UTC

Parent: 20231003:dip-19633-1696355561:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355635 | FLIP


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:53:55.000000000 UTC

Actual recognition: 2023-10-03 17:54:46.120568113 UTC

Endpoint label: 2023-10-03 17:54:59.000000000 UTC

Endpoint known-by: 2023-10-03 17:55:00.101216352 UTC

Parent: 20231003:dip-19633-1696355635:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355680 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:54:40.000000000 UTC

Actual recognition: 2023-10-03 17:55:31.127695072 UTC

Endpoint label: 2023-10-03 17:54:59.000000000 UTC

Endpoint known-by: 2023-10-03 17:55:00.101216352 UTC

Parent: 20231003:dip-19633-1696355680:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355735 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:55:35.000000000 UTC

Actual recognition: 2023-10-03 17:56:24.096977878 UTC

Endpoint label: 2023-10-03 17:56:01.000000000 UTC

Endpoint known-by: 2023-10-03 17:56:02.052430383 UTC

Parent: 20231003:dip-19633-1696355735:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355920 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:58:40.000000000 UTC

Actual recognition: 2023-10-03 17:59:32.191267020 UTC

Endpoint label: 2023-10-03 17:59:12.000000000 UTC

Endpoint known-by: 2023-10-03 17:59:13.121072218 UTC

Parent: 20231003:dip-19633-1696355920:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696355992 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 17:59:52.000000000 UTC

Actual recognition: 2023-10-03 18:00:28.752004976 UTC

Endpoint label: 2023-10-03 18:00:11.000000000 UTC

Endpoint known-by: 2023-10-03 18:00:12.226377380 UTC

Parent: 20231003:dip-19633-1696355992:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356210 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:03:30.000000000 UTC

Actual recognition: 2023-10-03 18:04:21.191945703 UTC

Endpoint label: 2023-10-03 18:04:07.000000000 UTC

Endpoint known-by: 2023-10-03 18:04:08.291933598 UTC

Parent: 20231003:dip-19633-1696356210:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356264 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:04:24.000000000 UTC

Actual recognition: 2023-10-03 18:05:15.264441221 UTC

Endpoint label: 2023-10-03 18:04:51.000000000 UTC

Endpoint known-by: 2023-10-03 18:04:52.192950743 UTC

Parent: 20231003:dip-19633-1696356264:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.