
# 20231003 control2 | dip-19633-1696318543 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:35:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:36:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:36:32.233736121 UTC

Parent: 20231003:dip-19633-1696318543:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696312782 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:36:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:36:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:36:32.233736121 UTC

Parent: 20231003:dip-19633-1696312782:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696322074 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:36:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:36:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:36:32.233736121 UTC

Parent: 20231003:dip-19633-1696322074:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696321765 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:36:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:36:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:36:32.233736121 UTC

Parent: 20231003:dip-19633-1696321765:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696312981 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:36:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:36:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:36:32.233736121 UTC

Parent: 20231003:dip-19633-1696312981:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696329506 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:45:29.000000000 UTC

Endpoint known-by: 2023-10-03 03:45:31.075942526 UTC

Parent: 20231003:dip-19633-1696329506:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696325104 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:45:30.000000000 UTC

Endpoint known-by: 2023-10-03 03:45:31.075942526 UTC

Parent: 20231003:dip-19633-1696325104:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696329235 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:45:56.000000000 UTC

Endpoint known-by: 2023-10-03 03:45:57.923711847 UTC

Parent: 20231003:dip-19633-1696329235:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696332878 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:45:56.000000000 UTC

Endpoint known-by: 2023-10-03 03:45:57.923711847 UTC

Parent: 20231003:dip-19633-1696332878:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306097 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:45:56.000000000 UTC

Endpoint known-by: 2023-10-03 03:45:57.923711847 UTC

Parent: 20231003:dip-19633-1696306097:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324162 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:46:09.000000000 UTC

Endpoint known-by: 2023-10-03 03:46:12.286821361 UTC

Parent: 20231003:dip-19633-1696324162:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696328689 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:46:09.000000000 UTC

Endpoint known-by: 2023-10-03 03:46:12.286821361 UTC

Parent: 20231003:dip-19633-1696328689:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696354766 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:46:09.000000000 UTC

Endpoint known-by: 2023-10-03 03:46:12.286821361 UTC

Parent: 20231003:dip-19633-1696354766:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696361690 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:45:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 03:46:09.000000000 UTC

Endpoint known-by: 2023-10-03 03:46:12.286821361 UTC

Parent: 20231003:dip-19633-1696361690:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696322933 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:02:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:02:24.000000000 UTC

Endpoint known-by: 2023-10-03 04:02:29.793441250 UTC

Parent: 20231003:dip-19633-1696322933:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696303744 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:02:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:02:24.000000000 UTC

Endpoint known-by: 2023-10-03 04:02:29.793441250 UTC

Parent: 20231003:dip-19633-1696303744:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330680 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:05:44.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:07:02.000000000 UTC

Endpoint known-by: 2023-10-03 04:07:03.192653073 UTC

Parent: 20231003:dip-19633-1696330680:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696304552 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:05:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:07:02.000000000 UTC

Endpoint known-by: 2023-10-03 04:07:03.192653073 UTC

Parent: 20231003:dip-19633-1696304552:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696321625 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:15:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:16:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:16:57.444381343 UTC

Parent: 20231003:dip-19633-1696321625:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696311023 | FLIP


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:15:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:16:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:16:57.444381343 UTC

Parent: 20231003:dip-19633-1696311023:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696364217 | SAME


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:15:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:16:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:16:57.444381343 UTC

Parent: 20231003:dip-19633-1696364217:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696320318 | FLIP


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:15:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:16:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:16:57.444381343 UTC

Parent: 20231003:dip-19633-1696320318:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696293128 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:45:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:45:36.000000000 UTC

Endpoint known-by: 2023-10-03 04:45:47.995225320 UTC

Parent: 20231003:dip-19633-1696293128:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696295036 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:46:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:46:00.000000000 UTC

Endpoint known-by: 2023-10-03 04:46:03.416782500 UTC

Parent: 20231003:dip-19633-1696295036:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365841 | FLIP


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:46:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:47:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:48:08.090861083 UTC

Parent: 20231003:dip-19633-1696365841:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696328771 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:46:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:46:46.000000000 UTC

Endpoint known-by: 2023-10-03 04:47:04.373635101 UTC

Parent: 20231003:dip-19633-1696328771:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696301345 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:50:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:50:36.000000000 UTC

Endpoint known-by: 2023-10-03 04:50:51.988089038 UTC

Parent: 20231003:dip-19633-1696301345:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365442 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:50:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:50:36.000000000 UTC

Endpoint known-by: 2023-10-03 04:50:51.988089038 UTC

Parent: 20231003:dip-19633-1696365442:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696317520 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:51:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:51:09.000000000 UTC

Endpoint known-by: 2023-10-03 04:51:37.101208471 UTC

Parent: 20231003:dip-19633-1696317520:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696303680 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:51:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:51:28.000000000 UTC

Endpoint known-by: 2023-10-03 04:51:37.101208471 UTC

Parent: 20231003:dip-19633-1696303680:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696317643 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:51:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:51:29.000000000 UTC

Endpoint known-by: 2023-10-03 04:51:37.101208471 UTC

Parent: 20231003:dip-19633-1696317643:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696288810 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:56:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:56:20.000000000 UTC

Endpoint known-by: 2023-10-03 04:56:36.011362646 UTC

Parent: 20231003:dip-19633-1696288810:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696292677 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:56:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:56:37.000000000 UTC

Endpoint known-by: 2023-10-03 04:57:04.792023401 UTC

Parent: 20231003:dip-19633-1696292677:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314515 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:56:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:56:38.000000000 UTC

Endpoint known-by: 2023-10-03 04:57:04.792023401 UTC

Parent: 20231003:dip-19633-1696314515:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324741 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:57:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:57:02.000000000 UTC

Endpoint known-by: 2023-10-03 04:57:04.792023401 UTC

Parent: 20231003:dip-19633-1696324741:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696289704 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:57:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:57:07.000000000 UTC

Endpoint known-by: 2023-10-03 04:57:48.945080786 UTC

Parent: 20231003:dip-19633-1696289704:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314385 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:57:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:57:19.000000000 UTC

Endpoint known-by: 2023-10-03 04:57:48.945080786 UTC

Parent: 20231003:dip-19633-1696314385:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696302081 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:57:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:57:52.000000000 UTC

Endpoint known-by: 2023-10-03 04:59:38.398651799 UTC

Parent: 20231003:dip-19633-1696302081:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315806 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:58:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:58:13.000000000 UTC

Endpoint known-by: 2023-10-03 04:59:38.398651799 UTC

Parent: 20231003:dip-19633-1696315806:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696312409 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:58:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:58:15.000000000 UTC

Endpoint known-by: 2023-10-03 04:59:38.398651799 UTC

Parent: 20231003:dip-19633-1696312409:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696308468 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:58:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:58:21.000000000 UTC

Endpoint known-by: 2023-10-03 04:59:38.398651799 UTC

Parent: 20231003:dip-19633-1696308468:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696296892 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:59:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:59:41.000000000 UTC

Endpoint known-by: 2023-10-03 04:59:49.150377301 UTC

Parent: 20231003:dip-19633-1696296892:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696308581 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:59:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 04:59:52.000000000 UTC

Endpoint known-by: 2023-10-03 05:00:00.100880014 UTC

Parent: 20231003:dip-19633-1696308581:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696366547 | FLIP


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:01:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:02:28.000000000 UTC

Endpoint known-by: 2023-10-03 05:02:29.111229048 UTC

Parent: 20231003:dip-19633-1696366547:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696320856 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:01:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:02:28.000000000 UTC

Endpoint known-by: 2023-10-03 05:02:29.111229048 UTC

Parent: 20231003:dip-19633-1696320856:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696325955 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:02:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:02:49.000000000 UTC

Endpoint known-by: 2023-10-03 05:02:57.906924694 UTC

Parent: 20231003:dip-19633-1696325955:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324903 | SAME


One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:02:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:04:38.000000000 UTC

Endpoint known-by: 2023-10-03 05:04:39.112871840 UTC

Parent: 20231003:dip-19633-1696324903:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696321156 | FLIP


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:02:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:04:38.000000000 UTC

Endpoint known-by: 2023-10-03 05:04:39.112871840 UTC

Parent: 20231003:dip-19633-1696321156:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696321082 | FLIP


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:03:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:04:38.000000000 UTC

Endpoint known-by: 2023-10-03 05:04:39.112871840 UTC

Parent: 20231003:dip-19633-1696321082:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696361371 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:03:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:03:15.000000000 UTC

Endpoint known-by: 2023-10-03 05:03:32.922251018 UTC

Parent: 20231003:dip-19633-1696361371:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696305842 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:03:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:03:17.000000000 UTC

Endpoint known-by: 2023-10-03 05:03:32.922251018 UTC

Parent: 20231003:dip-19633-1696305842:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696331083 | FLIP

One whole lifecycle: opposite_hold3 | 148 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:08:50.000000000 UTC

Endpoint known-by: 2023-10-03 05:08:51.194099070 UTC

Parent: 20231003:dip-19633-1696331083:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365654 | FLIP

One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:08:50.000000000 UTC

Endpoint known-by: 2023-10-03 05:08:51.194099070 UTC

Parent: 20231003:dip-19633-1696365654:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330075 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:06:41.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696330075:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315931 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:06:54.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696315931:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696318485 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:06:55.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696318485:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365201 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:07:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:07:03.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696365201:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365361 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:07:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:07:09.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696365361:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696291970 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:07:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:07:16.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696291970:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696297490 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:07:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:07:22.000000000 UTC

Endpoint known-by: 2023-10-03 05:07:31.146651029 UTC

Parent: 20231003:dip-19633-1696297490:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696290541 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:20:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:20:20.000000000 UTC

Endpoint known-by: 2023-10-03 05:20:57.798518663 UTC

Parent: 20231003:dip-19633-1696290541:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696305011 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:20:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:20:27.000000000 UTC

Endpoint known-by: 2023-10-03 05:20:57.798518663 UTC

Parent: 20231003:dip-19633-1696305011:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696285682 | NO_PREDECESSOR


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:20:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:20:29.000000000 UTC

Endpoint known-by: 2023-10-03 05:20:57.798518663 UTC

Parent: 20231003:dip-19633-1696285682:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696297195 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:28:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:28:33.000000000 UTC

Endpoint known-by: 2023-10-03 05:29:10.135833444 UTC

Parent: 20231003:dip-19633-1696297195:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324280 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:54:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:54:56.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:32.864940416 UTC

Parent: 20231003:dip-19633-1696324280:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696319815 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:55:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:55:00.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:32.864940416 UTC

Parent: 20231003:dip-19633-1696319815:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696304941 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:55:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:55:24.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:32.864940416 UTC

Parent: 20231003:dip-19633-1696304941:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330753 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:55:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:55:24.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:32.864940416 UTC

Parent: 20231003:dip-19633-1696330753:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696328563 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:07.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696328563:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696298769 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:13.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696298769:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696316272 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:17.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696316272:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314106 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:24.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696314106:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696285974 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:27.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696285974:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696310515 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:57:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:57:36.000000000 UTC

Endpoint known-by: 2023-10-03 05:57:58.054214638 UTC

Parent: 20231003:dip-19633-1696310515:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696302190 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:58:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:58:31.000000000 UTC

Endpoint known-by: 2023-10-03 05:58:43.161874758 UTC

Parent: 20231003:dip-19633-1696302190:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696308182 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:58:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 05:58:31.000000000 UTC

Endpoint known-by: 2023-10-03 05:58:43.161874758 UTC

Parent: 20231003:dip-19633-1696308182:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696363368 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:03:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:03:22.000000000 UTC

Endpoint known-by: 2023-10-03 06:03:28.014831130 UTC

Parent: 20231003:dip-19633-1696363368:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313818 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:06:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:06:02.000000000 UTC

Endpoint known-by: 2023-10-03 06:06:05.743328249 UTC

Parent: 20231003:dip-19633-1696313818:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330327 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:24:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:24:59.000000000 UTC

Endpoint known-by: 2023-10-03 06:25:02.307272314 UTC

Parent: 20231003:dip-19633-1696330327:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696310146 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:25:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:25:20.000000000 UTC

Endpoint known-by: 2023-10-03 06:25:24.000384057 UTC

Parent: 20231003:dip-19633-1696310146:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696298879 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:25:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:25:22.000000000 UTC

Endpoint known-by: 2023-10-03 06:25:24.000384057 UTC

Parent: 20231003:dip-19633-1696298879:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696288527 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:27:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:27:28.000000000 UTC

Endpoint known-by: 2023-10-03 06:27:40.451343641 UTC

Parent: 20231003:dip-19633-1696288527:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696331021 | FLIP


One whole lifecycle: opposite_hold3 | 118 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:35:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:37:06.000000000 UTC

Endpoint known-by: 2023-10-03 06:37:09.541416774 UTC

Parent: 20231003:dip-19633-1696331021:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696291044 | FLIP


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:35:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:37:06.000000000 UTC

Endpoint known-by: 2023-10-03 06:37:09.541416774 UTC

Parent: 20231003:dip-19633-1696291044:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314879 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:53:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:53:31.000000000 UTC

Endpoint known-by: 2023-10-03 06:53:32.241871011 UTC

Parent: 20231003:dip-19633-1696314879:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696286491 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:53:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 06:53:57.000000000 UTC

Endpoint known-by: 2023-10-03 06:54:43.220510994 UTC

Parent: 20231003:dip-19633-1696286491:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696312229 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:23:49.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:23:49.000000000 UTC

Endpoint known-by: 2023-10-03 07:24:05.093699098 UTC

Parent: 20231003:dip-19633-1696312229:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696293422 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:07.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:08.509777126 UTC

Parent: 20231003:dip-19633-1696293422:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696326470 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:10.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:19.159415147 UTC

Parent: 20231003:dip-19633-1696326470:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696304880 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:14.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:19.159415147 UTC

Parent: 20231003:dip-19633-1696304880:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330152 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:17.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:19.159415147 UTC

Parent: 20231003:dip-19633-1696330152:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696290327 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:38.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:40.975668799 UTC

Parent: 20231003:dip-19633-1696290327:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696318274 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 07:46:39.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 07:46:39.000000000 UTC

Endpoint known-by: 2023-10-03 07:46:40.975668799 UTC

Parent: 20231003:dip-19633-1696318274:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696329422 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 08:44:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 08:44:48.000000000 UTC

Endpoint known-by: 2023-10-03 08:44:52.717114557 UTC

Parent: 20231003:dip-19633-1696329422:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315184 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 08:44:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 08:44:51.000000000 UTC

Endpoint known-by: 2023-10-03 08:44:52.717114557 UTC

Parent: 20231003:dip-19633-1696315184:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696353150 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 08:44:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 08:44:53.000000000 UTC

Endpoint known-by: 2023-10-03 08:44:56.267508089 UTC

Parent: 20231003:dip-19633-1696353150:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696359305 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 08:44:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 08:44:55.000000000 UTC

Endpoint known-by: 2023-10-03 08:44:56.267508089 UTC

Parent: 20231003:dip-19633-1696359305:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696294810 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 08:52:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 08:52:15.000000000 UTC

Endpoint known-by: 2023-10-03 08:52:20.318718032 UTC

Parent: 20231003:dip-19633-1696294810:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696294315 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 09:11:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 09:11:38.000000000 UTC

Endpoint known-by: 2023-10-03 09:11:43.052518509 UTC

Parent: 20231003:dip-19633-1696294315:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696360267 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 09:30:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-03 09:30:39.000000000 UTC

Endpoint known-by: 2023-10-03 09:30:40.191182088 UTC

Parent: 20231003:dip-19633-1696360267:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.