
20231017 candidate | dip-19647-1697511311 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:55:11.000000000 UTC

Actual recognition: 2023-10-17 02:56:13.697392863 UTC

Endpoint label: 2023-10-17 02:55:29.000000000 UTC

Endpoint known-by: 2023-10-17 02:55:32.402843701 UTC

Parent: 20231017:dip-19647-1697511311:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511591 | SAME


One whole lifecycle: opposite_hold3 | 143 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 02:59:51.000000000 UTC

Actual recognition: 2023-10-17 03:01:11.592107843 UTC

Endpoint label: 2023-10-17 03:02:13.000000000 UTC

Endpoint known-by: 2023-10-17 03:02:23.904663831 UTC

Parent: 20231017:dip-19647-1697511591:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511636 | SAME


One whole lifecycle: opposite_hold3 | 98 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:00:36.000000000 UTC

Actual recognition: 2023-10-17 03:01:30.508959314 UTC

Endpoint label: 2023-10-17 03:02:13.000000000 UTC

Endpoint known-by: 2023-10-17 03:02:23.904663831 UTC

Parent: 20231017:dip-19647-1697511636:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511687 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:01:27.000000000 UTC

Actual recognition: 2023-10-17 03:02:23.904663831 UTC

Endpoint label: 2023-10-17 03:02:13.000000000 UTC

Endpoint known-by: 2023-10-17 03:02:23.904663831 UTC

Parent: 20231017:dip-19647-1697511687:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511775 | SAME


One whole lifecycle: opposite_hold3 | 197 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:02:55.000000000 UTC

Actual recognition: 2023-10-17 03:03:47.894860607 UTC

Endpoint label: 2023-10-17 03:06:11.000000000 UTC

Endpoint known-by: 2023-10-17 03:06:17.263401519 UTC

Parent: 20231017:dip-19647-1697511775:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511932 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:05:32.000000000 UTC

Actual recognition: 2023-10-17 03:06:29.185660005 UTC

Endpoint label: 2023-10-17 03:06:11.000000000 UTC

Endpoint known-by: 2023-10-17 03:06:17.263401519 UTC

Parent: 20231017:dip-19647-1697511932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697511977 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:06:17.000000000 UTC

Actual recognition: 2023-10-17 03:07:08.085782183 UTC

Endpoint label: 2023-10-17 03:07:19.000000000 UTC

Endpoint known-by: 2023-10-17 03:07:21.230996205 UTC

Parent: 20231017:dip-19647-1697511977:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512039 | FLIP


One whole lifecycle: opposite_hold3 | 293 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:07:19.000000000 UTC

Actual recognition: 2023-10-17 03:08:17.543630693 UTC

Endpoint label: 2023-10-17 03:12:11.000000000 UTC

Endpoint known-by: 2023-10-17 03:12:12.122860369 UTC

Parent: 20231017:dip-19647-1697512039:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512084 | SAME


One whole lifecycle: opposite_hold3 | 248 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:08:04.000000000 UTC

Actual recognition: 2023-10-17 03:09:01.575798525 UTC

Endpoint label: 2023-10-17 03:12:11.000000000 UTC

Endpoint known-by: 2023-10-17 03:12:12.122860369 UTC

Parent: 20231017:dip-19647-1697512084:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512247 | SAME


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:10:47.000000000 UTC

Actual recognition: 2023-10-17 03:11:42.059325359 UTC

Endpoint label: 2023-10-17 03:12:11.000000000 UTC

Endpoint known-by: 2023-10-17 03:12:12.122860369 UTC

Parent: 20231017:dip-19647-1697512247:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512329 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:12:09.000000000 UTC

Actual recognition: 2023-10-17 03:13:05.909243017 UTC

Endpoint label: 2023-10-17 03:13:50.000000000 UTC

Endpoint known-by: 2023-10-17 03:14:04.119476122 UTC

Parent: 20231017:dip-19647-1697512329:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512444 | SAME


One whole lifecycle: opposite_hold3 | 245 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:14:04.000000000 UTC

Actual recognition: 2023-10-17 03:15:04.165262533 UTC

Endpoint label: 2023-10-17 03:18:08.000000000 UTC

Endpoint known-by: 2023-10-17 03:18:51.040171644 UTC

Parent: 20231017:dip-19647-1697512444:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512504 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:15:04.000000000 UTC

Actual recognition: 2023-10-17 03:15:55.008107582 UTC

Endpoint label: 2023-10-17 03:15:07.000000000 UTC

Endpoint known-by: 2023-10-17 03:15:08.421431464 UTC

Parent: 20231017:dip-19647-1697512504:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512701 | SAME


One whole lifecycle: opposite_hold3 | 303 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:18:21.000000000 UTC

Actual recognition: 2023-10-17 03:19:32.392850132 UTC

Endpoint label: 2023-10-17 03:23:23.000000000 UTC

Endpoint known-by: 2023-10-17 03:23:24.109754628 UTC

Parent: 20231017:dip-19647-1697512701:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697512981 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:23:01.000000000 UTC

Actual recognition: 2023-10-17 03:23:53.703540271 UTC

Endpoint label: 2023-10-17 03:23:23.000000000 UTC

Endpoint known-by: 2023-10-17 03:23:24.109754628 UTC

Parent: 20231017:dip-19647-1697512981:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513275 | SAME


One whole lifecycle: opposite_hold3 | 468 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:27:55.000000000 UTC

Actual recognition: 2023-10-17 03:28:50.670971802 UTC

Endpoint label: 2023-10-17 03:35:42.000000000 UTC

Endpoint known-by: 2023-10-17 03:35:45.786579861 UTC

Parent: 20231017:dip-19647-1697513275:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513515 | SAME


One whole lifecycle: opposite_hold3 | 228 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:31:55.000000000 UTC

Actual recognition: 2023-10-17 03:32:47.720220747 UTC

Endpoint label: 2023-10-17 03:35:42.000000000 UTC

Endpoint known-by: 2023-10-17 03:35:45.786579861 UTC

Parent: 20231017:dip-19647-1697513515:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513634 | SAME


One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:33:54.000000000 UTC

Actual recognition: 2023-10-17 03:34:19.044597030 UTC

Endpoint label: 2023-10-17 03:35:42.000000000 UTC

Endpoint known-by: 2023-10-17 03:35:45.786579861 UTC

Parent: 20231017:dip-19647-1697513634:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513740 | FLIP


One whole lifecycle: opposite_hold3 | 370 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:35:40.000000000 UTC

Actual recognition: 2023-10-17 03:37:02.964851513 UTC

Endpoint label: 2023-10-17 03:41:49.000000000 UTC

Endpoint known-by: 2023-10-17 03:42:02.737705754 UTC

Parent: 20231017:dip-19647-1697513740:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513918 | SAME


One whole lifecycle: opposite_hold3 | 192 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:38:38.000000000 UTC

Actual recognition: 2023-10-17 03:39:32.704479663 UTC

Endpoint label: 2023-10-17 03:41:49.000000000 UTC

Endpoint known-by: 2023-10-17 03:42:02.737705754 UTC

Parent: 20231017:dip-19647-1697513918:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697513985 | SAME


One whole lifecycle: opposite_hold3 | 125 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:39:45.000000000 UTC

Actual recognition: 2023-10-17 03:40:18.222256413 UTC

Endpoint label: 2023-10-17 03:41:49.000000000 UTC

Endpoint known-by: 2023-10-17 03:42:02.737705754 UTC

Parent: 20231017:dip-19647-1697513985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514040 | SAME


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:40:40.000000000 UTC

Actual recognition: 2023-10-17 03:41:47.018896039 UTC

Endpoint label: 2023-10-17 03:41:49.000000000 UTC

Endpoint known-by: 2023-10-17 03:42:02.737705754 UTC

Parent: 20231017:dip-19647-1697514040:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514107 | FLIP


One whole lifecycle: opposite_hold3 | 144 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:41:47.000000000 UTC

Actual recognition: 2023-10-17 03:42:38.227335965 UTC

Endpoint label: 2023-10-17 03:44:10.000000000 UTC

Endpoint known-by: 2023-10-17 03:44:13.525387054 UTC

Parent: 20231017:dip-19647-1697514107:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514248 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:44:08.000000000 UTC

Actual recognition: 2023-10-17 03:45:19.653924116 UTC

Endpoint label: 2023-10-17 03:44:35.000000000 UTC

Endpoint known-by: 2023-10-17 03:44:36.153278087 UTC

Parent: 20231017:dip-19647-1697514248:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514416 | SAME


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:46:56.000000000 UTC

Actual recognition: 2023-10-17 03:47:47.633036177 UTC

Endpoint label: 2023-10-17 03:48:45.000000000 UTC

Endpoint known-by: 2023-10-17 03:48:46.385799138 UTC

Parent: 20231017:dip-19647-1697514416:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514523 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:48:43.000000000 UTC

Actual recognition: 2023-10-17 03:49:45.496396851 UTC

Endpoint label: 2023-10-17 03:49:58.000000000 UTC

Endpoint known-by: 2023-10-17 03:49:59.729260538 UTC

Parent: 20231017:dip-19647-1697514523:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514596 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:49:56.000000000 UTC

Actual recognition: 2023-10-17 03:50:50.175454281 UTC

Endpoint label: 2023-10-17 03:50:18.000000000 UTC

Endpoint known-by: 2023-10-17 03:50:27.365599255 UTC

Parent: 20231017:dip-19647-1697514596:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514641 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:50:41.000000000 UTC

Actual recognition: 2023-10-17 03:51:46.302502576 UTC

Endpoint label: 2023-10-17 03:51:29.000000000 UTC

Endpoint known-by: 2023-10-17 03:51:46.302502576 UTC

Parent: 20231017:dip-19647-1697514641:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514687 | FLIP


One whole lifecycle: opposite_hold3 | 239 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:51:27.000000000 UTC

Actual recognition: 2023-10-17 03:52:53.998714556 UTC

Endpoint label: 2023-10-17 03:55:25.000000000 UTC

Endpoint known-by: 2023-10-17 03:55:27.332929131 UTC

Parent: 20231017:dip-19647-1697514687:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514732 | SAME


One whole lifecycle: opposite_hold3 | 194 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:52:12.000000000 UTC

Actual recognition: 2023-10-17 03:53:06.644226533 UTC

Endpoint label: 2023-10-17 03:55:25.000000000 UTC

Endpoint known-by: 2023-10-17 03:55:27.332929131 UTC

Parent: 20231017:dip-19647-1697514732:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514817 | SAME


One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:53:37.000000000 UTC

Actual recognition: 2023-10-17 03:54:42.320550919 UTC

Endpoint label: 2023-10-17 03:55:25.000000000 UTC

Endpoint known-by: 2023-10-17 03:55:27.332929131 UTC

Parent: 20231017:dip-19647-1697514817:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514892 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:54:52.000000000 UTC

Actual recognition: 2023-10-17 03:56:21.420701545 UTC

Endpoint label: 2023-10-17 03:55:25.000000000 UTC

Endpoint known-by: 2023-10-17 03:55:27.332929131 UTC

Parent: 20231017:dip-19647-1697514892:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697514981 | FLIP


One whole lifecycle: opposite_hold3 | 176 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:56:21.000000000 UTC

Actual recognition: 2023-10-17 03:56:55.708329280 UTC

Endpoint label: 2023-10-17 03:59:16.000000000 UTC

Endpoint known-by: 2023-10-17 03:59:39.869431407 UTC

Parent: 20231017:dip-19647-1697514981:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515154 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 03:59:14.000000000 UTC

Actual recognition: 2023-10-17 04:00:06.375509117 UTC

Endpoint label: 2023-10-17 03:59:57.000000000 UTC

Endpoint known-by: 2023-10-17 04:00:00.403212203 UTC

Parent: 20231017:dip-19647-1697515154:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515229 | SAME


One whole lifecycle: opposite_hold3 | 321 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:00:29.000000000 UTC

Actual recognition: 2023-10-17 04:00:58.674394007 UTC

Endpoint label: 2023-10-17 04:05:49.000000000 UTC

Endpoint known-by: 2023-10-17 04:05:52.174404641 UTC

Parent: 20231017:dip-19647-1697515229:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515315 | SAME


One whole lifecycle: opposite_hold3 | 235 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:01:55.000000000 UTC

Actual recognition: 2023-10-17 04:02:47.780605109 UTC

Endpoint label: 2023-10-17 04:05:49.000000000 UTC

Endpoint known-by: 2023-10-17 04:05:52.174404641 UTC

Parent: 20231017:dip-19647-1697515315:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515372 | SAME


One whole lifecycle: opposite_hold3 | 178 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:02:52.000000000 UTC

Actual recognition: 2023-10-17 04:04:18.515972936 UTC

Endpoint label: 2023-10-17 04:05:49.000000000 UTC

Endpoint known-by: 2023-10-17 04:05:52.174404641 UTC

Parent: 20231017:dip-19647-1697515372:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515417 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:03:37.000000000 UTC

Actual recognition: 2023-10-17 04:04:30.284771962 UTC

Endpoint label: 2023-10-17 04:05:49.000000000 UTC

Endpoint known-by: 2023-10-17 04:05:52.174404641 UTC

Parent: 20231017:dip-19647-1697515417:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515547 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:05:47.000000000 UTC

Actual recognition: 2023-10-17 04:06:39.000504618 UTC

Endpoint label: 2023-10-17 04:05:54.000000000 UTC

Endpoint known-by: 2023-10-17 04:05:55.686114773 UTC

Parent: 20231017:dip-19647-1697515547:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515644 | SAME


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:07:24.000000000 UTC

Actual recognition: 2023-10-17 04:08:29.772759179 UTC

Endpoint label: 2023-10-17 04:10:02.000000000 UTC

Endpoint known-by: 2023-10-17 04:10:14.652465375 UTC

Parent: 20231017:dip-19647-1697515644:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515800 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:10:00.000000000 UTC

Actual recognition: 2023-10-17 04:11:04.138041603 UTC

Endpoint label: 2023-10-17 04:11:06.000000000 UTC

Endpoint known-by: 2023-10-17 04:11:30.537155159 UTC

Parent: 20231017:dip-19647-1697515800:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515845 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:10:45.000000000 UTC

Actual recognition: 2023-10-17 04:11:50.856829812 UTC

Endpoint label: 2023-10-17 04:11:06.000000000 UTC

Endpoint known-by: 2023-10-17 04:11:30.537155159 UTC

Parent: 20231017:dip-19647-1697515845:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697515961 | FLIP


One whole lifecycle: opposite_hold3 | 215 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:12:41.000000000 UTC

Actual recognition: 2023-10-17 04:13:46.683459002 UTC

Endpoint label: 2023-10-17 04:16:15.000000000 UTC

Endpoint known-by: 2023-10-17 04:16:31.712987866 UTC

Parent: 20231017:dip-19647-1697515961:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516068 | SAME


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:14:28.000000000 UTC

Actual recognition: 2023-10-17 04:15:42.581950641 UTC

Endpoint label: 2023-10-17 04:16:15.000000000 UTC

Endpoint known-by: 2023-10-17 04:16:31.712987866 UTC

Parent: 20231017:dip-19647-1697516068:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516153 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:15:53.000000000 UTC

Actual recognition: 2023-10-17 04:16:47.330898262 UTC

Endpoint label: 2023-10-17 04:16:15.000000000 UTC

Endpoint known-by: 2023-10-17 04:16:31.712987866 UTC

Parent: 20231017:dip-19647-1697516153:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516414 | FLIP


One whole lifecycle: opposite_hold3 | 320 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:20:14.000000000 UTC

Actual recognition: 2023-10-17 04:22:00.127008337 UTC

Endpoint label: 2023-10-17 04:25:33.000000000 UTC

Endpoint known-by: 2023-10-17 04:25:34.109740337 UTC

Parent: 20231017:dip-19647-1697516414:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516466 | SAME


One whole lifecycle: opposite_hold3 | 268 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:21:06.000000000 UTC

Actual recognition: 2023-10-17 04:22:00.127008337 UTC

Endpoint label: 2023-10-17 04:25:33.000000000 UTC

Endpoint known-by: 2023-10-17 04:25:34.109740337 UTC

Parent: 20231017:dip-19647-1697516466:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516595 | SAME


One whole lifecycle: opposite_hold3 | 139 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:23:15.000000000 UTC

Actual recognition: 2023-10-17 04:24:44.848963287 UTC

Endpoint label: 2023-10-17 04:25:33.000000000 UTC

Endpoint known-by: 2023-10-17 04:25:34.109740337 UTC

Parent: 20231017:dip-19647-1697516595:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516645 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:24:05.000000000 UTC

Actual recognition: 2023-10-17 04:25:31.457533968 UTC

Endpoint label: 2023-10-17 04:25:33.000000000 UTC

Endpoint known-by: 2023-10-17 04:25:34.109740337 UTC

Parent: 20231017:dip-19647-1697516645:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516731 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:25:31.000000000 UTC

Actual recognition: 2023-10-17 04:26:42.084522154 UTC

Endpoint label: 2023-10-17 04:26:52.000000000 UTC

Endpoint known-by: 2023-10-17 04:28:09.728650955 UTC

Parent: 20231017:dip-19647-1697516731:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516810 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:26:50.000000000 UTC

Actual recognition: 2023-10-17 04:28:09.728650955 UTC

Endpoint label: 2023-10-17 04:28:11.000000000 UTC

Endpoint known-by: 2023-10-17 04:28:12.128568629 UTC

Parent: 20231017:dip-19647-1697516810:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516889 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:28:09.000000000 UTC

Actual recognition: 2023-10-17 04:29:08.655924483 UTC

Endpoint label: 2023-10-17 04:28:51.000000000 UTC

Endpoint known-by: 2023-10-17 04:28:55.210437006 UTC

Parent: 20231017:dip-19647-1697516889:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697516971 | FLIP


One whole lifecycle: opposite_hold3 | 565 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:29:31.000000000 UTC

Actual recognition: 2023-10-17 04:31:00.718547101 UTC

Endpoint label: 2023-10-17 04:38:55.000000000 UTC

Endpoint known-by: 2023-10-17 04:38:56.142900388 UTC

Parent: 20231017:dip-19647-1697516971:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517060 | SAME


One whole lifecycle: opposite_hold3 | 476 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:31:00.000000000 UTC

Actual recognition: 2023-10-17 04:32:22.990828831 UTC

Endpoint label: 2023-10-17 04:38:55.000000000 UTC

Endpoint known-by: 2023-10-17 04:38:56.142900388 UTC

Parent: 20231017:dip-19647-1697517060:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517533 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:38:53.000000000 UTC

Actual recognition: 2023-10-17 04:39:44.453986756 UTC

Endpoint label: 2023-10-17 04:39:48.000000000 UTC

Endpoint known-by: 2023-10-17 04:40:06.153395083 UTC

Parent: 20231017:dip-19647-1697517533:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517584 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:39:44.000000000 UTC

Actual recognition: 2023-10-17 04:40:38.445288241 UTC

Endpoint label: 2023-10-17 04:39:48.000000000 UTC

Endpoint known-by: 2023-10-17 04:40:06.153395083 UTC

Parent: 20231017:dip-19647-1697517584:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517676 | FLIP


One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:41:16.000000000 UTC

Actual recognition: 2023-10-17 04:42:18.815590017 UTC

Endpoint label: 2023-10-17 04:43:31.000000000 UTC

Endpoint known-by: 2023-10-17 04:43:32.263921474 UTC

Parent: 20231017:dip-19647-1697517676:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517748 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:42:28.000000000 UTC

Actual recognition: 2023-10-17 04:43:19.328905945 UTC

Endpoint label: 2023-10-17 04:43:31.000000000 UTC

Endpoint known-by: 2023-10-17 04:43:32.263921474 UTC

Parent: 20231017:dip-19647-1697517748:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517796 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:43:16.000000000 UTC

Actual recognition: 2023-10-17 04:44:15.515668938 UTC

Endpoint label: 2023-10-17 04:43:31.000000000 UTC

Endpoint known-by: 2023-10-17 04:43:32.263921474 UTC

Parent: 20231017:dip-19647-1697517796:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697517869 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:44:29.000000000 UTC

Actual recognition: 2023-10-17 04:45:29.761848397 UTC

Endpoint label: 2023-10-17 04:46:10.000000000 UTC

Endpoint known-by: 2023-10-17 04:46:18.693364132 UTC

Parent: 20231017:dip-19647-1697517869:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518177 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:49:37.000000000 UTC

Actual recognition: 2023-10-17 04:50:30.919531410 UTC

Endpoint label: 2023-10-17 04:51:20.000000000 UTC

Endpoint known-by: 2023-10-17 04:51:29.260080356 UTC

Parent: 20231017:dip-19647-1697518177:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518278 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:51:18.000000000 UTC

Actual recognition: 2023-10-17 04:53:55.822860900 UTC

Endpoint label: 2023-10-17 04:51:40.000000000 UTC

Endpoint known-by: 2023-10-17 04:51:41.460646230 UTC

Parent: 20231017:dip-19647-1697518278:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518435 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:53:55.000000000 UTC

Actual recognition: 2023-10-17 04:54:50.882077831 UTC

Endpoint label: 2023-10-17 04:54:37.000000000 UTC

Endpoint known-by: 2023-10-17 04:54:50.882077831 UTC

Parent: 20231017:dip-19647-1697518435:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518480 | FLIP


One whole lifecycle: opposite_hold3 | 196 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:54:40.000000000 UTC

Actual recognition: 2023-10-17 04:55:35.465881639 UTC

Endpoint label: 2023-10-17 04:57:55.000000000 UTC

Endpoint known-by: 2023-10-17 04:58:24.779404382 UTC

Parent: 20231017:dip-19647-1697518480:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518673 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:57:53.000000000 UTC

Actual recognition: 2023-10-17 04:58:49.546962584 UTC

Endpoint label: 2023-10-17 04:58:51.000000000 UTC

Endpoint known-by: 2023-10-17 04:59:03.090905291 UTC

Parent: 20231017:dip-19647-1697518673:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518718 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:58:38.000000000 UTC

Actual recognition: 2023-10-17 04:59:29.131304150 UTC

Endpoint label: 2023-10-17 04:58:51.000000000 UTC

Endpoint known-by: 2023-10-17 04:59:03.090905291 UTC

Parent: 20231017:dip-19647-1697518718:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518792 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 04:59:52.000000000 UTC

Actual recognition: 2023-10-17 05:00:14.643686652 UTC

Endpoint label: 2023-10-17 05:00:45.000000000 UTC

Endpoint known-by: 2023-10-17 05:00:47.421083606 UTC

Parent: 20231017:dip-19647-1697518792:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518880 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:01:20.000000000 UTC

Actual recognition: 2023-10-17 05:02:11.360080441 UTC

Endpoint label: 2023-10-17 05:02:25.000000000 UTC

Endpoint known-by: 2023-10-17 05:02:27.365349381 UTC

Parent: 20231017:dip-19647-1697518880:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697518935 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:02:15.000000000 UTC

Actual recognition: 2023-10-17 05:03:12.836631524 UTC

Endpoint label: 2023-10-17 05:02:25.000000000 UTC

Endpoint known-by: 2023-10-17 05:02:27.365349381 UTC

Parent: 20231017:dip-19647-1697518935:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519174 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:06:14.000000000 UTC

Actual recognition: 2023-10-17 05:07:01.019930062 UTC

Endpoint label: 2023-10-17 05:07:03.000000000 UTC

Endpoint known-by: 2023-10-17 05:07:11.023444385 UTC

Parent: 20231017:dip-19647-1697519174:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519221 | FLIP


One whole lifecycle: opposite_hold3 | 267 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:07:01.000000000 UTC

Actual recognition: 2023-10-17 05:08:21.095828428 UTC

Endpoint label: 2023-10-17 05:11:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:11:44.376054791 UTC

Parent: 20231017:dip-19647-1697519221:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519310 | SAME


One whole lifecycle: opposite_hold3 | 178 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:08:30.000000000 UTC

Actual recognition: 2023-10-17 05:09:30.108084490 UTC

Endpoint label: 2023-10-17 05:11:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:11:44.376054791 UTC

Parent: 20231017:dip-19647-1697519310:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519485 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:11:25.000000000 UTC

Actual recognition: 2023-10-17 05:12:17.143902758 UTC

Endpoint label: 2023-10-17 05:11:55.000000000 UTC

Endpoint known-by: 2023-10-17 05:11:57.525746819 UTC

Parent: 20231017:dip-19647-1697519485:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519534 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:12:14.000000000 UTC

Actual recognition: 2023-10-17 05:13:05.892526490 UTC

Endpoint label: 2023-10-17 05:14:52.000000000 UTC

Endpoint known-by: 2023-10-17 05:15:03.380751627 UTC

Parent: 20231017:dip-19647-1697519534:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519690 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:14:50.000000000 UTC

Actual recognition: 2023-10-17 05:15:55.005528160 UTC

Endpoint label: 2023-10-17 05:15:16.000000000 UTC

Endpoint known-by: 2023-10-17 05:15:20.645556983 UTC

Parent: 20231017:dip-19647-1697519690:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697519817 | FLIP


One whole lifecycle: opposite_hold3 | 191 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:16:57.000000000 UTC

Actual recognition: 2023-10-17 05:17:50.628282193 UTC

Endpoint label: 2023-10-17 05:20:07.000000000 UTC

Endpoint known-by: 2023-10-17 05:20:08.523716868 UTC

Parent: 20231017:dip-19647-1697519817:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520005 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:20:05.000000000 UTC

Actual recognition: 2023-10-17 05:21:00.970372627 UTC

Endpoint label: 2023-10-17 05:20:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:20:29.571485936 UTC

Parent: 20231017:dip-19647-1697520005:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520138 | FLIP


One whole lifecycle: opposite_hold3 | 377 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:22:18.000000000 UTC

Actual recognition: 2023-10-17 05:24:02.068615736 UTC

Endpoint label: 2023-10-17 05:28:34.000000000 UTC

Endpoint known-by: 2023-10-17 05:28:48.725610585 UTC

Parent: 20231017:dip-19647-1697520138:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520298 | SAME


One whole lifecycle: opposite_hold3 | 217 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:24:58.000000000 UTC

Actual recognition: 2023-10-17 05:25:52.379530021 UTC

Endpoint label: 2023-10-17 05:28:34.000000000 UTC

Endpoint known-by: 2023-10-17 05:28:48.725610585 UTC

Parent: 20231017:dip-19647-1697520298:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520476 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:27:56.000000000 UTC

Actual recognition: 2023-10-17 05:28:48.725610585 UTC

Endpoint label: 2023-10-17 05:28:34.000000000 UTC

Endpoint known-by: 2023-10-17 05:28:48.725610585 UTC

Parent: 20231017:dip-19647-1697520476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520590 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:29:50.000000000 UTC

Actual recognition: 2023-10-17 05:30:43.603835837 UTC

Endpoint label: 2023-10-17 05:30:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:30:43.603835837 UTC

Parent: 20231017:dip-19647-1697520590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520723 | SAME


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:32:03.000000000 UTC

Actual recognition: 2023-10-17 05:33:03.794718787 UTC

Endpoint label: 2023-10-17 05:34:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:34:31.439380393 UTC

Parent: 20231017:dip-19647-1697520723:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520783 | SAME


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:33:03.000000000 UTC

Actual recognition: 2023-10-17 05:34:05.669177905 UTC

Endpoint label: 2023-10-17 05:34:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:34:31.439380393 UTC

Parent: 20231017:dip-19647-1697520783:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520851 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:34:11.000000000 UTC

Actual recognition: 2023-10-17 05:35:02.223632786 UTC

Endpoint label: 2023-10-17 05:34:27.000000000 UTC

Endpoint known-by: 2023-10-17 05:34:31.439380393 UTC

Parent: 20231017:dip-19647-1697520851:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697520896 | FLIP


One whole lifecycle: opposite_hold3 | 372 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:34:56.000000000 UTC

Actual recognition: 2023-10-17 05:35:47.726273519 UTC

Endpoint label: 2023-10-17 05:41:07.000000000 UTC

Endpoint known-by: 2023-10-17 05:41:10.490983367 UTC

Parent: 20231017:dip-19647-1697520896:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521066 | SAME


One whole lifecycle: opposite_hold3 | 202 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:37:46.000000000 UTC

Actual recognition: 2023-10-17 05:38:43.597259143 UTC

Endpoint label: 2023-10-17 05:41:07.000000000 UTC

Endpoint known-by: 2023-10-17 05:41:10.490983367 UTC

Parent: 20231017:dip-19647-1697521066:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521111 | SAME


One whole lifecycle: opposite_hold3 | 157 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:38:31.000000000 UTC

Actual recognition: 2023-10-17 05:39:22.232664294 UTC

Endpoint label: 2023-10-17 05:41:07.000000000 UTC

Endpoint known-by: 2023-10-17 05:41:10.490983367 UTC

Parent: 20231017:dip-19647-1697521111:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521190 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:39:50.000000000 UTC

Actual recognition: 2023-10-17 05:40:11.625288056 UTC

Endpoint label: 2023-10-17 05:40:05.000000000 UTC

Endpoint known-by: 2023-10-17 05:40:11.625288056 UTC

Parent: 20231017:dip-19647-1697521190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521237 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:40:37.000000000 UTC

Actual recognition: 2023-10-17 05:41:26.058649885 UTC

Endpoint label: 2023-10-17 05:41:07.000000000 UTC

Endpoint known-by: 2023-10-17 05:41:10.490983367 UTC

Parent: 20231017:dip-19647-1697521237:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521297 | FLIP


One whole lifecycle: opposite_hold3 | 222 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:41:37.000000000 UTC

Actual recognition: 2023-10-17 05:42:13.038073329 UTC

Endpoint label: 2023-10-17 05:45:18.000000000 UTC

Endpoint known-by: 2023-10-17 05:45:19.103828524 UTC

Parent: 20231017:dip-19647-1697521297:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521342 | SAME


One whole lifecycle: opposite_hold3 | 177 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:42:22.000000000 UTC

Actual recognition: 2023-10-17 05:43:13.069258335 UTC

Endpoint label: 2023-10-17 05:45:18.000000000 UTC

Endpoint known-by: 2023-10-17 05:45:19.103828524 UTC

Parent: 20231017:dip-19647-1697521342:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521510 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:45:10.000000000 UTC

Actual recognition: 2023-10-17 05:46:10.498451575 UTC

Endpoint label: 2023-10-17 05:45:18.000000000 UTC

Endpoint known-by: 2023-10-17 05:45:19.103828524 UTC

Parent: 20231017:dip-19647-1697521510:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521587 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:46:27.000000000 UTC

Actual recognition: 2023-10-17 05:47:38.016403067 UTC

Endpoint label: 2023-10-17 05:46:54.000000000 UTC

Endpoint known-by: 2023-10-17 05:47:11.422651408 UTC

Parent: 20231017:dip-19647-1697521587:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521632 | SAME


One whole lifecycle: opposite_hold3 | 247 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:47:12.000000000 UTC

Actual recognition: 2023-10-17 05:49:05.893339713 UTC

Endpoint label: 2023-10-17 05:51:18.000000000 UTC

Endpoint known-by: 2023-10-17 05:51:19.239231526 UTC

Parent: 20231017:dip-19647-1697521632:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521945 | SAME


One whole lifecycle: opposite_hold3 | 222 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:52:25.000000000 UTC

Actual recognition: 2023-10-17 05:53:27.912660000 UTC

Endpoint label: 2023-10-17 05:56:06.000000000 UTC

Endpoint known-by: 2023-10-17 05:56:18.175988316 UTC

Parent: 20231017:dip-19647-1697521945:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697521990 | SAME


One whole lifecycle: opposite_hold3 | 177 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:53:10.000000000 UTC

Actual recognition: 2023-10-17 05:54:03.125206983 UTC

Endpoint label: 2023-10-17 05:56:06.000000000 UTC

Endpoint known-by: 2023-10-17 05:56:18.175988316 UTC

Parent: 20231017:dip-19647-1697521990:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697522072 | SAME


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:54:32.000000000 UTC

Actual recognition: 2023-10-17 05:55:57.935388575 UTC

Endpoint label: 2023-10-17 05:56:06.000000000 UTC

Endpoint known-by: 2023-10-17 05:56:18.175988316 UTC

Parent: 20231017:dip-19647-1697522072:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697522164 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:56:04.000000000 UTC

Actual recognition: 2023-10-17 05:56:58.491957026 UTC

Endpoint label: 2023-10-17 05:56:20.000000000 UTC

Endpoint known-by: 2023-10-17 05:56:31.607684397 UTC

Parent: 20231017:dip-19647-1697522164:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697522244 | FLIP


One whole lifecycle: opposite_hold3 | 106 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:57:24.000000000 UTC

Actual recognition: 2023-10-17 05:57:51.805151889 UTC

Endpoint label: 2023-10-17 05:59:09.000000000 UTC

Endpoint known-by: 2023-10-17 05:59:13.050894776 UTC

Parent: 20231017:dip-19647-1697522244:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697522347 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 05:59:07.000000000 UTC

Actual recognition: 2023-10-17 06:00:02.385892832 UTC

Endpoint label: 2023-10-17 05:59:29.000000000 UTC

Endpoint known-by: 2023-10-17 05:59:35.272524455 UTC

Parent: 20231017:dip-19647-1697522347:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.