
20231017 control1 | dip-19647-1697543035 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:03:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:04:18.000000000 UTC

Endpoint known-by: 2023-10-17 12:04:22.310074444 UTC

Parent: 20231017:dip-19647-1697543035:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697536921 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:04:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:04:18.000000000 UTC

Endpoint known-by: 2023-10-17 12:04:22.310074444 UTC

Parent: 20231017:dip-19647-1697536921:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697545683 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:04:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:05:07.000000000 UTC

Endpoint known-by: 2023-10-17 12:05:09.408054831 UTC

Parent: 20231017:dip-19647-1697545683:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553163 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:05:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:05:30.000000000 UTC

Endpoint known-by: 2023-10-17 12:05:32.511948504 UTC

Parent: 20231017:dip-19647-1697553163:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573223 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:14:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:14:15.000000000 UTC

Endpoint known-by: 2023-10-17 12:14:17.032685149 UTC

Parent: 20231017:dip-19647-1697573223:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543549 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:14:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:15:03.000000000 UTC

Endpoint known-by: 2023-10-17 12:15:04.001842582 UTC

Parent: 20231017:dip-19647-1697543549:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561976 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:15:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:16:04.000000000 UTC

Endpoint known-by: 2023-10-17 12:16:05.017820178 UTC

Parent: 20231017:dip-19647-1697561976:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565534 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:17:44.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:17:47.000000000 UTC

Endpoint known-by: 2023-10-17 12:17:48.035551444 UTC

Parent: 20231017:dip-19647-1697565534:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697574091 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:18:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:18:29.000000000 UTC

Endpoint known-by: 2023-10-17 12:18:30.000202284 UTC

Parent: 20231017:dip-19647-1697574091:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564614 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:18:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:18:51.000000000 UTC

Endpoint known-by: 2023-10-17 12:18:52.297600697 UTC

Parent: 20231017:dip-19647-1697564614:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570178 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:19:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:19:15.000000000 UTC

Endpoint known-by: 2023-10-17 12:19:16.995570115 UTC

Parent: 20231017:dip-19647-1697570178:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697508654 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:19:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:19:17.000000000 UTC

Endpoint known-by: 2023-10-17 12:19:19.289612525 UTC

Parent: 20231017:dip-19647-1697508654:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697526421 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:19:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:19:44.000000000 UTC

Endpoint known-by: 2023-10-17 12:19:46.268487808 UTC

Parent: 20231017:dip-19647-1697526421:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564472 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:19:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:21:04.000000000 UTC

Endpoint known-by: 2023-10-17 12:21:05.058618424 UTC

Parent: 20231017:dip-19647-1697564472:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552305 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:21:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:21:42.000000000 UTC

Endpoint known-by: 2023-10-17 12:21:43.194771348 UTC

Parent: 20231017:dip-19647-1697552305:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565362 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:21:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:21:42.000000000 UTC

Endpoint known-by: 2023-10-17 12:21:43.194771348 UTC

Parent: 20231017:dip-19647-1697565362:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697549341 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:21:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:21:42.000000000 UTC

Endpoint known-by: 2023-10-17 12:21:43.194771348 UTC

Parent: 20231017:dip-19647-1697549341:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553622 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:38.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:39.763996278 UTC

Parent: 20231017:dip-19647-1697553622:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572578 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:38.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:39.763996278 UTC

Parent: 20231017:dip-19647-1697572578:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571203 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:42.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:49.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:50.028923785 UTC

Parent: 20231017:dip-19647-1697571203:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542825 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:45.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:45.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:47.237565764 UTC

Parent: 20231017:dip-19647-1697542825:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543080 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:45.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:45.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:47.237565764 UTC

Parent: 20231017:dip-19647-1697543080:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572343 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:45.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:22:45.000000000 UTC

Endpoint known-by: 2023-10-17 12:22:47.237565764 UTC

Parent: 20231017:dip-19647-1697572343:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569034 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:22:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:23:27.000000000 UTC

Endpoint known-by: 2023-10-17 12:23:28.035840062 UTC

Parent: 20231017:dip-19647-1697569034:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697551858 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:24:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:25:09.000000000 UTC

Endpoint known-by: 2023-10-17 12:25:10.076998708 UTC

Parent: 20231017:dip-19647-1697551858:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697519174 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:25:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:25:05.000000000 UTC

Endpoint known-by: 2023-10-17 12:25:07.020583483 UTC

Parent: 20231017:dip-19647-1697519174:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555075 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:25:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:25:25.000000000 UTC

Endpoint known-by: 2023-10-17 12:25:26.540519649 UTC

Parent: 20231017:dip-19647-1697555075:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697528094 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:30:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:31:04.000000000 UTC

Endpoint known-by: 2023-10-17 12:31:05.118860286 UTC

Parent: 20231017:dip-19647-1697528094:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697538583 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:32:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:33:21.000000000 UTC

Endpoint known-by: 2023-10-17 12:33:23.033169302 UTC

Parent: 20231017:dip-19647-1697538583:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565478 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:34:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:35:09.000000000 UTC

Endpoint known-by: 2023-10-17 12:35:11.107235409 UTC

Parent: 20231017:dip-19647-1697565478:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565010 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:34:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:35:09.000000000 UTC

Endpoint known-by: 2023-10-17 12:35:11.107235409 UTC

Parent: 20231017:dip-19647-1697565010:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561062 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:35:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:35:09.000000000 UTC

Endpoint known-by: 2023-10-17 12:35:11.107235409 UTC

Parent: 20231017:dip-19647-1697561062:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543166 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:39:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:39:47.000000000 UTC

Endpoint known-by: 2023-10-17 12:39:48.156258979 UTC

Parent: 20231017:dip-19647-1697543166:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697548656 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:39:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:39:47.000000000 UTC

Endpoint known-by: 2023-10-17 12:39:48.156258979 UTC

Parent: 20231017:dip-19647-1697548656:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562990 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:47:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:47:58.000000000 UTC

Endpoint known-by: 2023-10-17 12:47:59.528200546 UTC

Parent: 20231017:dip-19647-1697562990:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697558149 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:52:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:52:17.000000000 UTC

Endpoint known-by: 2023-10-17 12:52:18.111579898 UTC

Parent: 20231017:dip-19647-1697558149:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560040 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:52:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:52:17.000000000 UTC

Endpoint known-by: 2023-10-17 12:52:18.111579898 UTC

Parent: 20231017:dip-19647-1697560040:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560513 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:52:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:52:17.000000000 UTC

Endpoint known-by: 2023-10-17 12:52:18.111579898 UTC

Parent: 20231017:dip-19647-1697560513:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566451 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:59:39.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 12:59:51.000000000 UTC

Endpoint known-by: 2023-10-17 12:59:53.182338983 UTC

Parent: 20231017:dip-19647-1697566451:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564678 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:06:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:06:24.000000000 UTC

Endpoint known-by: 2023-10-17 13:06:25.284740866 UTC

Parent: 20231017:dip-19647-1697564678:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697527409 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:07:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:08:09.000000000 UTC

Endpoint known-by: 2023-10-17 13:08:10.005147621 UTC

Parent: 20231017:dip-19647-1697527409:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697509263 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:07:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:08:09.000000000 UTC

Endpoint known-by: 2023-10-17 13:08:10.005147621 UTC

Parent: 20231017:dip-19647-1697509263:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697541480 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:10:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:10:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:10:52.000475813 UTC

Parent: 20231017:dip-19647-1697541480:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553738 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:10:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:10:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:10:52.000475813 UTC

Parent: 20231017:dip-19647-1697553738:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570223 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:10:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:10:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:10:52.000475813 UTC

Parent: 20231017:dip-19647-1697570223:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568156 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:10:43.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:10:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:10:52.000475813 UTC

Parent: 20231017:dip-19647-1697568156:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562789 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:13:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:13:26.000000000 UTC

Endpoint known-by: 2023-10-17 13:13:27.910747318 UTC

Parent: 20231017:dip-19647-1697562789:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697526102 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:15:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:16:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:16:05.068092125 UTC

Parent: 20231017:dip-19647-1697526102:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540230 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:15:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:16:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:16:05.068092125 UTC

Parent: 20231017:dip-19647-1697540230:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697518792 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:15:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:16:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:16:05.068092125 UTC

Parent: 20231017:dip-19647-1697518792:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554120 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:15:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:16:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:16:05.068092125 UTC

Parent: 20231017:dip-19647-1697554120:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697567993 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:20:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:07.474159614 UTC

Parent: 20231017:dip-19647-1697567993:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570707 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:20:52.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:04.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:07.474159614 UTC

Parent: 20231017:dip-19647-1697570707:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554565 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:21:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:16.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:17.034801767 UTC

Parent: 20231017:dip-19647-1697554565:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573505 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:21:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:16.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:17.034801767 UTC

Parent: 20231017:dip-19647-1697573505:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555937 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:21:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:51.023192877 UTC

Parent: 20231017:dip-19647-1697555937:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555588 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:21:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:21:50.000000000 UTC

Endpoint known-by: 2023-10-17 13:21:51.023192877 UTC

Parent: 20231017:dip-19647-1697555588:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560158 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:22:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:24:07.000000000 UTC

Endpoint known-by: 2023-10-17 13:24:08.249737448 UTC

Parent: 20231017:dip-19647-1697560158:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697547450 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:23:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:24:07.000000000 UTC

Endpoint known-by: 2023-10-17 13:24:08.249737448 UTC

Parent: 20231017:dip-19647-1697547450:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552627 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:23:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:24:07.000000000 UTC

Endpoint known-by: 2023-10-17 13:24:08.249737448 UTC

Parent: 20231017:dip-19647-1697552627:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554222 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:26:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:26:56.000000000 UTC

Endpoint known-by: 2023-10-17 13:26:57.650385525 UTC

Parent: 20231017:dip-19647-1697554222:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697530898 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:27:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:27:49.000000000 UTC

Endpoint known-by: 2023-10-17 13:27:50.404095161 UTC

Parent: 20231017:dip-19647-1697530898:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697551981 | SAME


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:30:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:31:20.000000000 UTC

Endpoint known-by: 2023-10-17 13:31:21.325834830 UTC

Parent: 20231017:dip-19647-1697551981:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560340 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:30:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:31:20.000000000 UTC

Endpoint known-by: 2023-10-17 13:31:21.325834830 UTC

Parent: 20231017:dip-19647-1697560340:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554403 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:32:43.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:32:54.000000000 UTC

Endpoint known-by: 2023-10-17 13:32:55.092904811 UTC

Parent: 20231017:dip-19647-1697554403:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553959 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:41:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:41:05.000000000 UTC

Endpoint known-by: 2023-10-17 13:41:07.020759043 UTC

Parent: 20231017:dip-19647-1697553959:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571060 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:41:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:42:10.000000000 UTC

Endpoint known-by: 2023-10-17 13:42:11.000145866 UTC

Parent: 20231017:dip-19647-1697571060:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554896 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:09.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:10.101941380 UTC

Parent: 20231017:dip-19647-1697554896:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552798 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:24.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:25.008335045 UTC

Parent: 20231017:dip-19647-1697552798:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697567772 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:24.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:25.008335045 UTC

Parent: 20231017:dip-19647-1697567772:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564362 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:24.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:25.008335045 UTC

Parent: 20231017:dip-19647-1697564362:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553397 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:24.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:25.008335045 UTC

Parent: 20231017:dip-19647-1697553397:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559535 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:47:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:47:44.000000000 UTC

Endpoint known-by: 2023-10-17 13:47:45.200945048 UTC

Parent: 20231017:dip-19647-1697559535:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697504058 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:51:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:51:32.000000000 UTC

Endpoint known-by: 2023-10-17 13:51:34.083402553 UTC

Parent: 20231017:dip-19647-1697504058:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571333 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:54:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 13:54:37.558433666 UTC

Parent: 20231017:dip-19647-1697571333:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561157 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:54:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 13:54:37.558433666 UTC

Parent: 20231017:dip-19647-1697561157:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566175 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:55:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:56:03.000000000 UTC

Endpoint known-by: 2023-10-17 13:56:04.011131884 UTC

Parent: 20231017:dip-19647-1697566175:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542593 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:56:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 13:56:20.000000000 UTC

Endpoint known-by: 2023-10-17 13:56:21.065271422 UTC

Parent: 20231017:dip-19647-1697542593:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697545438 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:59:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:00:03.000000000 UTC

Endpoint known-by: 2023-10-17 14:00:04.039017261 UTC

Parent: 20231017:dip-19647-1697545438:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697547056 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:01:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:02:24.000000000 UTC

Endpoint known-by: 2023-10-17 14:02:25.170425823 UTC

Parent: 20231017:dip-19647-1697547056:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697538401 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:08:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:08:11.000000000 UTC

Endpoint known-by: 2023-10-17 14:08:12.214308308 UTC

Parent: 20231017:dip-19647-1697538401:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697551497 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:21:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:21:20.000000000 UTC

Endpoint known-by: 2023-10-17 14:21:23.306403660 UTC

Parent: 20231017:dip-19647-1697551497:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561790 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:24:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:25:15.000000000 UTC

Endpoint known-by: 2023-10-17 14:25:16.510433230 UTC

Parent: 20231017:dip-19647-1697561790:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569102 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:25:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:25:50.000000000 UTC

Endpoint known-by: 2023-10-17 14:25:52.482399382 UTC

Parent: 20231017:dip-19647-1697569102:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697548476 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:33:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:34:09.000000000 UTC

Endpoint known-by: 2023-10-17 14:34:10.709150686 UTC

Parent: 20231017:dip-19647-1697548476:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562910 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:34:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:34:37.000000000 UTC

Endpoint known-by: 2023-10-17 14:34:38.813621064 UTC

Parent: 20231017:dip-19647-1697562910:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552988 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:58:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 14:59:03.000000000 UTC

Endpoint known-by: 2023-10-17 14:59:04.020559778 UTC

Parent: 20231017:dip-19647-1697552988:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572706 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:05:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:05:25.000000000 UTC

Endpoint known-by: 2023-10-17 15:05:26.381560119 UTC

Parent: 20231017:dip-19647-1697572706:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568989 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:05:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:05:25.000000000 UTC

Endpoint known-by: 2023-10-17 15:05:26.381560119 UTC

Parent: 20231017:dip-19647-1697568989:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697558747 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:05:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:05:25.000000000 UTC

Endpoint known-by: 2023-10-17 15:05:26.381560119 UTC

Parent: 20231017:dip-19647-1697558747:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543727 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:21:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:21:57.000000000 UTC

Endpoint known-by: 2023-10-17 15:21:58.483972013 UTC

Parent: 20231017:dip-19647-1697543727:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697557183 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:21:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:21:57.000000000 UTC

Endpoint known-by: 2023-10-17 15:21:58.483972013 UTC

Parent: 20231017:dip-19647-1697557183:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697525394 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:30:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:30:06.000000000 UTC

Endpoint known-by: 2023-10-17 15:30:07.008056780 UTC

Parent: 20231017:dip-19647-1697525394:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543932 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:34:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:34:46.000000000 UTC

Endpoint known-by: 2023-10-17 15:34:48.094402745 UTC

Parent: 20231017:dip-19647-1697543932:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561210 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:35:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:35:23.000000000 UTC

Endpoint known-by: 2023-10-17 15:35:24.162319904 UTC

Parent: 20231017:dip-19647-1697561210:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561297 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:37:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:38:12.000000000 UTC

Endpoint known-by: 2023-10-17 15:38:17.331551472 UTC

Parent: 20231017:dip-19647-1697561297:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559908 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:37:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:38:12.000000000 UTC

Endpoint known-by: 2023-10-17 15:38:17.331551472 UTC

Parent: 20231017:dip-19647-1697559908:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697544469 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:38:12.000000000 UTC

Endpoint known-by: 2023-10-17 15:38:17.331551472 UTC

Parent: 20231017:dip-19647-1697544469:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563116 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:38:19.000000000 UTC

Endpoint known-by: 2023-10-17 15:38:20.305196832 UTC

Parent: 20231017:dip-19647-1697563116:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562670 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:38:19.000000000 UTC

Endpoint known-by: 2023-10-17 15:38:20.305196832 UTC

Parent: 20231017:dip-19647-1697562670:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.