
20231017 control1 | dip-19647-1697562329 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:53.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:54.407920848 UTC

Parent: 20231017:dip-19647-1697562329:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573344 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:37:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:37:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:37:08.554579753 UTC

Parent: 20231017:dip-19647-1697573344:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559605 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:37:45.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:38:04.000000000 UTC

Endpoint known-by: 2023-10-17 18:38:05.131833554 UTC

Parent: 20231017:dip-19647-1697559605:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571509 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:18:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:18:02.000000000 UTC

Endpoint known-by: 2023-10-17 19:18:03.064830445 UTC

Parent: 20231017:dip-19647-1697571509:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697575655 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:18:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:18:04.000000000 UTC

Endpoint known-by: 2023-10-17 19:18:05.028050699 UTC

Parent: 20231017:dip-19647-1697575655:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697567049 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:22:49.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:22:53.000000000 UTC

Endpoint known-by: 2023-10-17 19:22:54.699308091 UTC

Parent: 20231017:dip-19647-1697567049:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542768 | FLIP


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:22:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697542768:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569230 | SAME


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:22:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697569230:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697557257 | SAME


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697557257:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566840 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697566840:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697537006 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697537006:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566110 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697566110:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697531192 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697531192:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569298 | FLIP


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697569298:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555982 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697555982:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697553820 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:19.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:23.891848651 UTC

Parent: 20231017:dip-19647-1697553820:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555819 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:21.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:23.891848651 UTC

Parent: 20231017:dip-19647-1697555819:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564280 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:26.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:28.782852808 UTC

Parent: 20231017:dip-19647-1697564280:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697529670 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:37.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:38.099486271 UTC

Parent: 20231017:dip-19647-1697529670:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697533976 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:37.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:38.099486271 UTC

Parent: 20231017:dip-19647-1697533976:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572400 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:34.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:23:37.000000000 UTC

Endpoint known-by: 2023-10-17 19:23:38.099486271 UTC

Parent: 20231017:dip-19647-1697572400:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697536734 | SAME


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697536734:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697557884 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:23:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:24:46.000000000 UTC

Endpoint known-by: 2023-10-17 19:24:47.163392644 UTC

Parent: 20231017:dip-19647-1697557884:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697574221 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:41:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:42:03.000000000 UTC

Endpoint known-by: 2023-10-17 19:42:04.832916570 UTC

Parent: 20231017:dip-19647-1697574221:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564148 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:41:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:42:03.000000000 UTC

Endpoint known-by: 2023-10-17 19:42:04.832916570 UTC

Parent: 20231017:dip-19647-1697564148:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565427 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:48:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:49:16.000000000 UTC

Endpoint known-by: 2023-10-17 19:49:17.149678026 UTC

Parent: 20231017:dip-19647-1697565427:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573460 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697573460:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697515315 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697515315:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697545757 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697545757:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697513275 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697513275:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697508918 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697508918:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697536788 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 19:54:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 19:54:36.000000000 UTC

Endpoint known-by: 2023-10-17 19:54:40.409401109 UTC

Parent: 20231017:dip-19647-1697536788:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566307 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:05:18.000000000 UTC

Endpoint known-by: 2023-10-17 20:05:20.798931877 UTC

Parent: 20231017:dip-19647-1697566307:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554620 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:08.954886951 UTC

Parent: 20231017:dip-19647-1697554620:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555395 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:08.954886951 UTC

Parent: 20231017:dip-19647-1697555395:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568207 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:08.954886951 UTC

Parent: 20231017:dip-19647-1697568207:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697556241 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:08.954886951 UTC

Parent: 20231017:dip-19647-1697556241:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542404 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:05:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:08.954886951 UTC

Parent: 20231017:dip-19647-1697542404:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697548833 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:06:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:06:20.000000000 UTC

Endpoint known-by: 2023-10-17 20:06:23.572462089 UTC

Parent: 20231017:dip-19647-1697548833:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540142 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 20:13:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 20:14:02.000000000 UTC

Endpoint known-by: 2023-10-17 20:14:03.104355661 UTC

Parent: 20231017:dip-19647-1697540142:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.