
20231018 candidate | dip-19648-1697590183 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:49:43.000000000 UTC

Actual recognition: 2023-10-18 00:50:42.669536154 UTC

Endpoint label: 2023-10-18 00:49:47.000000000 UTC

Endpoint known-by: 2023-10-18 00:49:48.361511947 UTC

Parent: 20231018:dip-19648-1697590183:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590246 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:50:46.000000000 UTC

Actual recognition: 2023-10-18 00:51:39.179033786 UTC

Endpoint label: 2023-10-18 00:51:08.000000000 UTC

Endpoint known-by: 2023-10-18 00:51:12.082606987 UTC

Parent: 20231018:dip-19648-1697590246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590334 | FLIP


One whole lifecycle: opposite_hold3 | 148 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:52:14.000000000 UTC

Actual recognition: 2023-10-18 00:52:32.904606257 UTC

Endpoint label: 2023-10-18 00:54:41.000000000 UTC

Endpoint known-by: 2023-10-18 00:54:42.658632979 UTC

Parent: 20231018:dip-19648-1697590334:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590438 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:53:58.000000000 UTC

Actual recognition: 2023-10-18 00:54:49.019771033 UTC

Endpoint label: 2023-10-18 00:54:41.000000000 UTC

Endpoint known-by: 2023-10-18 00:54:42.658632979 UTC

Parent: 20231018:dip-19648-1697590438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590501 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:55:01.000000000 UTC

Actual recognition: 2023-10-18 00:55:59.814068074 UTC

Endpoint label: 2023-10-18 00:56:42.000000000 UTC

Endpoint known-by: 2023-10-18 00:56:45.578542393 UTC

Parent: 20231018:dip-19648-1697590501:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590590 | FLIP


One whole lifecycle: opposite_hold3 | 203 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:56:30.000000000 UTC

Actual recognition: 2023-10-18 00:57:30.906762976 UTC

Endpoint label: 2023-10-18 00:59:52.000000000 UTC

Endpoint known-by: 2023-10-18 00:59:55.098589189 UTC

Parent: 20231018:dip-19648-1697590590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590790 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 00:59:50.000000000 UTC

Actual recognition: 2023-10-18 01:00:51.391285454 UTC

Endpoint label: 2023-10-18 01:00:12.000000000 UTC

Endpoint known-by: 2023-10-18 01:00:25.347074182 UTC

Parent: 20231018:dip-19648-1697590790:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590835 | FLIP


One whole lifecycle: opposite_hold3 | 126 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:00:35.000000000 UTC

Actual recognition: 2023-10-18 01:01:34.002813801 UTC

Endpoint label: 2023-10-18 01:02:40.000000000 UTC

Endpoint known-by: 2023-10-18 01:02:41.655799540 UTC

Parent: 20231018:dip-19648-1697590835:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697590978 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:02:58.000000000 UTC

Actual recognition: 2023-10-18 01:03:57.335341185 UTC

Endpoint label: 2023-10-18 01:03:17.000000000 UTC

Endpoint known-by: 2023-10-18 01:03:31.215476834 UTC

Parent: 20231018:dip-19648-1697590978:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591045 | SAME


One whole lifecycle: opposite_hold3 | 166 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:04:05.000000000 UTC

Actual recognition: 2023-10-18 01:04:56.102757214 UTC

Endpoint label: 2023-10-18 01:06:50.000000000 UTC

Endpoint known-by: 2023-10-18 01:06:52.400235652 UTC

Parent: 20231018:dip-19648-1697591045:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591096 | SAME


One whole lifecycle: opposite_hold3 | 115 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:04:56.000000000 UTC

Actual recognition: 2023-10-18 01:06:02.784296747 UTC

Endpoint label: 2023-10-18 01:06:50.000000000 UTC

Endpoint known-by: 2023-10-18 01:06:52.400235652 UTC

Parent: 20231018:dip-19648-1697591096:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591162 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:06:02.000000000 UTC

Actual recognition: 2023-10-18 01:06:53.321322216 UTC

Endpoint label: 2023-10-18 01:06:50.000000000 UTC

Endpoint known-by: 2023-10-18 01:06:52.400235652 UTC

Parent: 20231018:dip-19648-1697591162:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591212 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:06:52.000000000 UTC

Actual recognition: 2023-10-18 01:08:16.094158548 UTC

Endpoint label: 2023-10-18 01:07:35.000000000 UTC

Endpoint known-by: 2023-10-18 01:08:16.094158548 UTC

Parent: 20231018:dip-19648-1697591212:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591258 | FLIP


One whole lifecycle: opposite_hold3 | 394 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:07:38.000000000 UTC

Actual recognition: 2023-10-18 01:08:29.530095099 UTC

Endpoint label: 2023-10-18 01:14:11.000000000 UTC

Endpoint known-by: 2023-10-18 01:14:12.079730798 UTC

Parent: 20231018:dip-19648-1697591258:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591329 | SAME


One whole lifecycle: opposite_hold3 | 323 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:08:49.000000000 UTC

Actual recognition: 2023-10-18 01:10:04.100369374 UTC

Endpoint label: 2023-10-18 01:14:11.000000000 UTC

Endpoint known-by: 2023-10-18 01:14:12.079730798 UTC

Parent: 20231018:dip-19648-1697591329:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591616 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:13:36.000000000 UTC

Actual recognition: 2023-10-18 01:14:31.155115064 UTC

Endpoint label: 2023-10-18 01:14:11.000000000 UTC

Endpoint known-by: 2023-10-18 01:14:12.079730798 UTC

Parent: 20231018:dip-19648-1697591616:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591699 | FLIP


One whole lifecycle: opposite_hold3 | 245 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:14:59.000000000 UTC

Actual recognition: 2023-10-18 01:15:35.537552149 UTC

Endpoint label: 2023-10-18 01:19:03.000000000 UTC

Endpoint known-by: 2023-10-18 01:19:10.869315875 UTC

Parent: 20231018:dip-19648-1697591699:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697591941 | FLIP


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:19:01.000000000 UTC

Actual recognition: 2023-10-18 01:19:53.347499218 UTC

Endpoint label: 2023-10-18 01:20:13.000000000 UTC

Endpoint known-by: 2023-10-18 01:20:55.851409278 UTC

Parent: 20231018:dip-19648-1697591941:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592011 | FLIP


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:20:11.000000000 UTC

Actual recognition: 2023-10-18 01:21:05.694955110 UTC

Endpoint label: 2023-10-18 01:21:08.000000000 UTC

Endpoint known-by: 2023-10-18 01:21:09.148397536 UTC

Parent: 20231018:dip-19648-1697592011:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592066 | FLIP


One whole lifecycle: opposite_hold3 | 203 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:21:06.000000000 UTC

Actual recognition: 2023-10-18 01:22:05.162605733 UTC

Endpoint label: 2023-10-18 01:24:28.000000000 UTC

Endpoint known-by: 2023-10-18 01:24:32.837025647 UTC

Parent: 20231018:dip-19648-1697592066:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592266 | FLIP


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:24:26.000000000 UTC

Actual recognition: 2023-10-18 01:25:22.177030198 UTC

Endpoint label: 2023-10-18 01:25:01.000000000 UTC

Endpoint known-by: 2023-10-18 01:25:02.654985127 UTC

Parent: 20231018:dip-19648-1697592266:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592311 | FLIP


One whole lifecycle: opposite_hold3 | 282 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:25:11.000000000 UTC

Actual recognition: 2023-10-18 01:26:10.491870145 UTC

Endpoint label: 2023-10-18 01:29:52.000000000 UTC

Endpoint known-by: 2023-10-18 01:29:55.294453382 UTC

Parent: 20231018:dip-19648-1697592311:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592356 | SAME


One whole lifecycle: opposite_hold3 | 237 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:25:56.000000000 UTC

Actual recognition: 2023-10-18 01:27:17.616653083 UTC

Endpoint label: 2023-10-18 01:29:52.000000000 UTC

Endpoint known-by: 2023-10-18 01:29:55.294453382 UTC

Parent: 20231018:dip-19648-1697592356:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592590 | FLIP


One whole lifecycle: opposite_hold3 | 156 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:29:50.000000000 UTC

Actual recognition: 2023-10-18 01:31:00.872137803 UTC

Endpoint label: 2023-10-18 01:32:25.000000000 UTC

Endpoint known-by: 2023-10-18 01:32:32.109534490 UTC

Parent: 20231018:dip-19648-1697592590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592663 | SAME


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:31:03.000000000 UTC

Actual recognition: 2023-10-18 01:31:56.569685390 UTC

Endpoint label: 2023-10-18 01:32:25.000000000 UTC

Endpoint known-by: 2023-10-18 01:32:32.109534490 UTC

Parent: 20231018:dip-19648-1697592663:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592723 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:32:03.000000000 UTC

Actual recognition: 2023-10-18 01:32:54.643261374 UTC

Endpoint label: 2023-10-18 01:32:25.000000000 UTC

Endpoint known-by: 2023-10-18 01:32:32.109534490 UTC

Parent: 20231018:dip-19648-1697592723:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697592944 | FLIP


One whole lifecycle: opposite_hold3 | 602 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:35:44.000000000 UTC

Actual recognition: 2023-10-18 01:36:52.579717906 UTC

Endpoint label: 2023-10-18 01:45:45.000000000 UTC

Endpoint known-by: 2023-10-18 01:45:46.869093794 UTC

Parent: 20231018:dip-19648-1697592944:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593355 | SAME


One whole lifecycle: opposite_hold3 | 191 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:42:35.000000000 UTC

Actual recognition: 2023-10-18 01:43:26.121587259 UTC

Endpoint label: 2023-10-18 01:45:45.000000000 UTC

Endpoint known-by: 2023-10-18 01:45:46.869093794 UTC

Parent: 20231018:dip-19648-1697593355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593405 | SAME


One whole lifecycle: opposite_hold3 | 141 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:43:25.000000000 UTC

Actual recognition: 2023-10-18 01:44:15.724514478 UTC

Endpoint label: 2023-10-18 01:45:45.000000000 UTC

Endpoint known-by: 2023-10-18 01:45:46.869093794 UTC

Parent: 20231018:dip-19648-1697593405:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593454 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:44:14.000000000 UTC

Actual recognition: 2023-10-18 01:45:01.561269376 UTC

Endpoint label: 2023-10-18 01:45:45.000000000 UTC

Endpoint known-by: 2023-10-18 01:45:46.869093794 UTC

Parent: 20231018:dip-19648-1697593454:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593552 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:45:52.000000000 UTC

Actual recognition: 2023-10-18 01:46:01.143632901 UTC

Endpoint label: 2023-10-18 01:46:08.000000000 UTC

Endpoint known-by: 2023-10-18 01:46:26.250731092 UTC

Parent: 20231018:dip-19648-1697593552:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593603 | FLIP


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:46:43.000000000 UTC

Actual recognition: 2023-10-18 01:47:40.515639619 UTC

Endpoint label: 2023-10-18 01:48:05.000000000 UTC

Endpoint known-by: 2023-10-18 01:48:31.523770428 UTC

Parent: 20231018:dip-19648-1697593603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593670 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:47:50.000000000 UTC

Actual recognition: 2023-10-18 01:48:35.873330446 UTC

Endpoint label: 2023-10-18 01:48:05.000000000 UTC

Endpoint known-by: 2023-10-18 01:48:31.523770428 UTC

Parent: 20231018:dip-19648-1697593670:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593730 | FLIP


One whole lifecycle: opposite_hold3 | 676 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:48:50.000000000 UTC

Actual recognition: 2023-10-18 01:49:43.049838323 UTC

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697593730:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697593783 | SAME


One whole lifecycle: opposite_hold3 | 623 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:49:43.000000000 UTC

Actual recognition: 2023-10-18 01:51:01.236112948 UTC

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697593783:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594071 | SAME


One whole lifecycle: opposite_hold3 | 335 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:54:31.000000000 UTC

Actual recognition: 2023-10-18 01:55:31.378635310 UTC

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697594071:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594141 | SAME


One whole lifecycle: opposite_hold3 | 265 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:55:41.000000000 UTC

Actual recognition: 2023-10-18 01:56:45.585660240 UTC

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697594141:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594288 | SAME


One whole lifecycle: opposite_hold3 | 118 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 01:58:08.000000000 UTC

Actual recognition: 2023-10-18 01:59:08.929096214 UTC

Endpoint label: 2023-10-18 02:00:05.000000000 UTC

Endpoint known-by: 2023-10-18 02:00:07.147869512 UTC

Parent: 20231018:dip-19648-1697594288:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594403 | FLIP


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:00:03.000000000 UTC

Actual recognition: 2023-10-18 02:00:54.017809749 UTC

Endpoint label: 2023-10-18 02:01:38.000000000 UTC

Endpoint known-by: 2023-10-18 02:01:40.909562525 UTC

Parent: 20231018:dip-19648-1697594403:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594502 | FLIP


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:01:42.000000000 UTC

Actual recognition: 2023-10-18 02:02:11.034354358 UTC

Endpoint label: 2023-10-18 02:02:29.000000000 UTC

Endpoint known-by: 2023-10-18 02:02:30.842162517 UTC

Parent: 20231018:dip-19648-1697594502:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594547 | FLIP


One whole lifecycle: opposite_hold3 | 257 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:02:27.000000000 UTC

Actual recognition: 2023-10-18 02:03:28.771038643 UTC

Endpoint label: 2023-10-18 02:06:43.000000000 UTC

Endpoint known-by: 2023-10-18 02:06:56.351796624 UTC

Parent: 20231018:dip-19648-1697594547:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594640 | SAME


One whole lifecycle: opposite_hold3 | 164 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:04:00.000000000 UTC

Actual recognition: 2023-10-18 02:04:57.665494508 UTC

Endpoint label: 2023-10-18 02:06:43.000000000 UTC

Endpoint known-by: 2023-10-18 02:06:56.351796624 UTC

Parent: 20231018:dip-19648-1697594640:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594714 | SAME


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:05:14.000000000 UTC

Actual recognition: 2023-10-18 02:06:16.481110092 UTC

Endpoint label: 2023-10-18 02:06:43.000000000 UTC

Endpoint known-by: 2023-10-18 02:06:56.351796624 UTC

Parent: 20231018:dip-19648-1697594714:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594776 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:06:16.000000000 UTC

Actual recognition: 2023-10-18 02:07:08.272463166 UTC

Endpoint label: 2023-10-18 02:06:43.000000000 UTC

Endpoint known-by: 2023-10-18 02:06:56.351796624 UTC

Parent: 20231018:dip-19648-1697594776:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594850 | FLIP


One whole lifecycle: opposite_hold3 | 147 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:07:30.000000000 UTC

Actual recognition: 2023-10-18 02:08:02.159556567 UTC

Endpoint label: 2023-10-18 02:09:56.000000000 UTC

Endpoint known-by: 2023-10-18 02:09:59.629508821 UTC

Parent: 20231018:dip-19648-1697594850:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594895 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:08:15.000000000 UTC

Actual recognition: 2023-10-18 02:09:07.030568325 UTC

Endpoint label: 2023-10-18 02:09:56.000000000 UTC

Endpoint known-by: 2023-10-18 02:09:59.629508821 UTC

Parent: 20231018:dip-19648-1697594895:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697594960 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:09:20.000000000 UTC

Actual recognition: 2023-10-18 02:10:11.102838019 UTC

Endpoint label: 2023-10-18 02:09:56.000000000 UTC

Endpoint known-by: 2023-10-18 02:09:59.629508821 UTC

Parent: 20231018:dip-19648-1697594960:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595048 | SAME


One whole lifecycle: opposite_hold3 | 86 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:10:48.000000000 UTC

Actual recognition: 2023-10-18 02:11:29.086709843 UTC

Endpoint label: 2023-10-18 02:12:13.000000000 UTC

Endpoint known-by: 2023-10-18 02:12:14.826401659 UTC

Parent: 20231018:dip-19648-1697595048:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595131 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:12:11.000000000 UTC

Actual recognition: 2023-10-18 02:13:03.409032114 UTC

Endpoint label: 2023-10-18 02:13:02.000000000 UTC

Endpoint known-by: 2023-10-18 02:13:03.409032114 UTC

Parent: 20231018:dip-19648-1697595131:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595181 | FLIP


One whole lifecycle: opposite_hold3 | 131 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:13:01.000000000 UTC

Actual recognition: 2023-10-18 02:13:53.869309805 UTC

Endpoint label: 2023-10-18 02:15:11.000000000 UTC

Endpoint known-by: 2023-10-18 02:15:12.923314306 UTC

Parent: 20231018:dip-19648-1697595181:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595309 | FLIP


One whole lifecycle: opposite_hold3 | 204 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:15:09.000000000 UTC

Actual recognition: 2023-10-18 02:16:10.948475239 UTC

Endpoint label: 2023-10-18 02:18:32.000000000 UTC

Endpoint known-by: 2023-10-18 02:19:36.408627615 UTC

Parent: 20231018:dip-19648-1697595309:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595399 | SAME


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:16:39.000000000 UTC

Actual recognition: 2023-10-18 02:17:52.535191066 UTC

Endpoint label: 2023-10-18 02:18:32.000000000 UTC

Endpoint known-by: 2023-10-18 02:19:36.408627615 UTC

Parent: 20231018:dip-19648-1697595399:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595510 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:18:30.000000000 UTC

Actual recognition: 2023-10-18 02:19:36.408627615 UTC

Endpoint label: 2023-10-18 02:19:38.000000000 UTC

Endpoint known-by: 2023-10-18 02:19:39.410062391 UTC

Parent: 20231018:dip-19648-1697595510:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595576 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:19:36.000000000 UTC

Actual recognition: 2023-10-18 02:20:32.660903040 UTC

Endpoint label: 2023-10-18 02:19:59.000000000 UTC

Endpoint known-by: 2023-10-18 02:20:02.335681793 UTC

Parent: 20231018:dip-19648-1697595576:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697595929 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:25:29.000000000 UTC

Actual recognition: 2023-10-18 02:26:36.732699270 UTC

Endpoint label: 2023-10-18 02:27:41.000000000 UTC

Endpoint known-by: 2023-10-18 02:27:58.410526601 UTC

Parent: 20231018:dip-19648-1697595929:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596003 | SAME


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:26:43.000000000 UTC

Actual recognition: 2023-10-18 02:27:34.485746700 UTC

Endpoint label: 2023-10-18 02:27:41.000000000 UTC

Endpoint known-by: 2023-10-18 02:27:58.410526601 UTC

Parent: 20231018:dip-19648-1697596003:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596059 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:27:39.000000000 UTC

Actual recognition: 2023-10-18 02:28:40.777995354 UTC

Endpoint label: 2023-10-18 02:28:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:28:01.268481458 UTC

Parent: 20231018:dip-19648-1697596059:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596147 | SAME


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:29:07.000000000 UTC

Actual recognition: 2023-10-18 02:29:56.572210421 UTC

Endpoint label: 2023-10-18 02:31:31.000000000 UTC

Endpoint known-by: 2023-10-18 02:31:39.002378880 UTC

Parent: 20231018:dip-19648-1697596147:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596197 | SAME


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:29:57.000000000 UTC

Actual recognition: 2023-10-18 02:31:09.280442841 UTC

Endpoint label: 2023-10-18 02:31:31.000000000 UTC

Endpoint known-by: 2023-10-18 02:31:39.002378880 UTC

Parent: 20231018:dip-19648-1697596197:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596269 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:31:09.000000000 UTC

Actual recognition: 2023-10-18 02:32:01.454975446 UTC

Endpoint label: 2023-10-18 02:31:31.000000000 UTC

Endpoint known-by: 2023-10-18 02:31:39.002378880 UTC

Parent: 20231018:dip-19648-1697596269:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596325 | FLIP


One whole lifecycle: opposite_hold3 | 178 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:32:05.000000000 UTC

Actual recognition: 2023-10-18 02:33:07.938265716 UTC

Endpoint label: 2023-10-18 02:35:02.000000000 UTC

Endpoint known-by: 2023-10-18 02:35:03.085268511 UTC

Parent: 20231018:dip-19648-1697596325:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596370 | SAME


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:32:50.000000000 UTC

Actual recognition: 2023-10-18 02:33:41.096663262 UTC

Endpoint label: 2023-10-18 02:35:02.000000000 UTC

Endpoint known-by: 2023-10-18 02:35:03.085268511 UTC

Parent: 20231018:dip-19648-1697596370:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596427 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:33:47.000000000 UTC

Actual recognition: 2023-10-18 02:35:00.039600336 UTC

Endpoint label: 2023-10-18 02:35:02.000000000 UTC

Endpoint known-by: 2023-10-18 02:35:03.085268511 UTC

Parent: 20231018:dip-19648-1697596427:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596500 | FLIP


One whole lifecycle: opposite_hold3 | 140 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:35:00.000000000 UTC

Actual recognition: 2023-10-18 02:36:00.012496671 UTC

Endpoint label: 2023-10-18 02:37:19.000000000 UTC

Endpoint known-by: 2023-10-18 02:37:29.558574715 UTC

Parent: 20231018:dip-19648-1697596500:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596637 | FLIP


One whole lifecycle: opposite_hold3 | 316 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:37:17.000000000 UTC

Actual recognition: 2023-10-18 02:38:11.966323458 UTC

Endpoint label: 2023-10-18 02:42:32.000000000 UTC

Endpoint known-by: 2023-10-18 02:42:45.047704839 UTC

Parent: 20231018:dip-19648-1697596637:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697596930 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:42:10.000000000 UTC

Actual recognition: 2023-10-18 02:43:24.774209445 UTC

Endpoint label: 2023-10-18 02:42:32.000000000 UTC

Endpoint known-by: 2023-10-18 02:42:45.047704839 UTC

Parent: 20231018:dip-19648-1697596930:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597004 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:43:24.000000000 UTC

Actual recognition: 2023-10-18 02:44:21.131003409 UTC

Endpoint label: 2023-10-18 02:44:14.000000000 UTC

Endpoint known-by: 2023-10-18 02:44:21.131003409 UTC

Parent: 20231018:dip-19648-1697597004:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597052 | FLIP


One whole lifecycle: opposite_hold3 | 289 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:44:12.000000000 UTC

Actual recognition: 2023-10-18 02:45:03.292787054 UTC

Endpoint label: 2023-10-18 02:49:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:49:03.223605517 UTC

Parent: 20231018:dip-19648-1697597052:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597111 | SAME


One whole lifecycle: opposite_hold3 | 230 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:45:11.000000000 UTC

Actual recognition: 2023-10-18 02:46:02.068564789 UTC

Endpoint label: 2023-10-18 02:49:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:49:03.223605517 UTC

Parent: 20231018:dip-19648-1697597111:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597233 | SAME


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:47:13.000000000 UTC

Actual recognition: 2023-10-18 02:48:23.432775483 UTC

Endpoint label: 2023-10-18 02:49:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:49:03.223605517 UTC

Parent: 20231018:dip-19648-1697597233:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597303 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:48:23.000000000 UTC

Actual recognition: 2023-10-18 02:49:14.256624930 UTC

Endpoint label: 2023-10-18 02:49:00.000000000 UTC

Endpoint known-by: 2023-10-18 02:49:03.223605517 UTC

Parent: 20231018:dip-19648-1697597303:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597357 | FLIP


One whole lifecycle: opposite_hold3 | 741 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:49:17.000000000 UTC

Actual recognition: 2023-10-18 02:50:41.747269866 UTC

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697597357:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597536 | SAME


One whole lifecycle: opposite_hold3 | 562 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:52:16.000000000 UTC

Actual recognition: 2023-10-18 02:53:12.994959082 UTC

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697597536:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597677 | SAME


One whole lifecycle: opposite_hold3 | 421 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:54:37.000000000 UTC

Actual recognition: 2023-10-18 02:55:56.765568439 UTC

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697597677:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597853 | SAME


One whole lifecycle: opposite_hold3 | 245 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:57:33.000000000 UTC

Actual recognition: 2023-10-18 02:58:24.641879348 UTC

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697597853:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697597898 | SAME


One whole lifecycle: opposite_hold3 | 200 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 02:58:18.000000000 UTC

Actual recognition: 2023-10-18 02:59:53.842259415 UTC

Endpoint label: 2023-10-18 03:01:37.000000000 UTC

Endpoint known-by: 2023-10-18 03:02:00.011331335 UTC

Parent: 20231018:dip-19648-1697597898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598095 | FLIP


One whole lifecycle: opposite_hold3 | 465 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:01:35.000000000 UTC

Actual recognition: 2023-10-18 03:02:43.276991361 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598095:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598301 | SAME


One whole lifecycle: opposite_hold3 | 259 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:05:01.000000000 UTC

Actual recognition: 2023-10-18 03:06:01.336173231 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598301:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598362 | SAME


One whole lifecycle: opposite_hold3 | 198 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:06:02.000000000 UTC

Actual recognition: 2023-10-18 03:06:58.605236513 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598362:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598428 | SAME


One whole lifecycle: opposite_hold3 | 132 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:07:08.000000000 UTC

Actual recognition: 2023-10-18 03:08:09.037796623 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598428:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598500 | SAME


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:08:20.000000000 UTC

Actual recognition: 2023-10-18 03:09:17.118611488 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598500:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598545 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:09:05.000000000 UTC

Actual recognition: 2023-10-18 03:10:03.278589553 UTC

Endpoint label: 2023-10-18 03:09:19.000000000 UTC

Endpoint known-by: 2023-10-18 03:09:23.715141444 UTC

Parent: 20231018:dip-19648-1697598545:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598607 | SAME


One whole lifecycle: opposite_hold3 | 111 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:10:07.000000000 UTC

Actual recognition: 2023-10-18 03:11:06.418272371 UTC

Endpoint label: 2023-10-18 03:11:57.000000000 UTC

Endpoint known-by: 2023-10-18 03:12:00.089266827 UTC

Parent: 20231018:dip-19648-1697598607:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697598743 | SAME


One whole lifecycle: opposite_hold3 | 309 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:12:23.000000000 UTC

Actual recognition: 2023-10-18 03:13:19.512775363 UTC

Endpoint label: 2023-10-18 03:17:31.000000000 UTC

Endpoint known-by: 2023-10-18 03:17:32.101680475 UTC

Parent: 20231018:dip-19648-1697598743:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599049 | FLIP


One whole lifecycle: opposite_hold3 | 233 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:17:29.000000000 UTC

Actual recognition: 2023-10-18 03:18:20.095007533 UTC

Endpoint label: 2023-10-18 03:21:21.000000000 UTC

Endpoint known-by: 2023-10-18 03:21:24.318765605 UTC

Parent: 20231018:dip-19648-1697599049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599101 | SAME


One whole lifecycle: opposite_hold3 | 181 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:18:21.000000000 UTC

Actual recognition: 2023-10-18 03:19:31.216828954 UTC

Endpoint label: 2023-10-18 03:21:21.000000000 UTC

Endpoint known-by: 2023-10-18 03:21:24.318765605 UTC

Parent: 20231018:dip-19648-1697599101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599279 | FLIP


One whole lifecycle: opposite_hold3 | 529 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:21:19.000000000 UTC

Actual recognition: 2023-10-18 03:22:19.790044905 UTC

Endpoint label: 2023-10-18 03:30:07.000000000 UTC

Endpoint known-by: 2023-10-18 03:30:51.976917450 UTC

Parent: 20231018:dip-19648-1697599279:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599343 | SAME


One whole lifecycle: opposite_hold3 | 465 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:22:23.000000000 UTC

Actual recognition: 2023-10-18 03:23:23.429095621 UTC

Endpoint label: 2023-10-18 03:30:07.000000000 UTC

Endpoint known-by: 2023-10-18 03:30:51.976917450 UTC

Parent: 20231018:dip-19648-1697599343:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599715 | FLIP


One whole lifecycle: opposite_hold3 | 207 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:28:35.000000000 UTC

Actual recognition: 2023-10-18 03:29:59.074706226 UTC

Endpoint label: 2023-10-18 03:32:01.000000000 UTC

Endpoint known-by: 2023-10-18 03:32:02.177280174 UTC

Parent: 20231018:dip-19648-1697599715:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599805 | SAME


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:30:05.000000000 UTC

Actual recognition: 2023-10-18 03:31:03.352254710 UTC

Endpoint label: 2023-10-18 03:32:01.000000000 UTC

Endpoint known-by: 2023-10-18 03:32:02.177280174 UTC

Parent: 20231018:dip-19648-1697599805:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599898 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:31:38.000000000 UTC

Actual recognition: 2023-10-18 03:32:29.184595670 UTC

Endpoint label: 2023-10-18 03:32:01.000000000 UTC

Endpoint known-by: 2023-10-18 03:32:02.177280174 UTC

Parent: 20231018:dip-19648-1697599898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599946 | FLIP


One whole lifecycle: opposite_hold3 | 158 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:32:26.000000000 UTC

Actual recognition: 2023-10-18 03:33:23.091758973 UTC

Endpoint label: 2023-10-18 03:35:03.000000000 UTC

Endpoint known-by: 2023-10-18 03:35:06.246231514 UTC

Parent: 20231018:dip-19648-1697599946:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697599991 | SAME


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:33:11.000000000 UTC

Actual recognition: 2023-10-18 03:34:02.285998643 UTC

Endpoint label: 2023-10-18 03:35:03.000000000 UTC

Endpoint known-by: 2023-10-18 03:35:06.246231514 UTC

Parent: 20231018:dip-19648-1697599991:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600101 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:35:01.000000000 UTC

Actual recognition: 2023-10-18 03:35:56.853074189 UTC

Endpoint label: 2023-10-18 03:35:23.000000000 UTC

Endpoint known-by: 2023-10-18 03:35:27.443168268 UTC

Parent: 20231018:dip-19648-1697600101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600167 | SAME


One whole lifecycle: opposite_hold3 | 229 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:36:07.000000000 UTC

Actual recognition: 2023-10-18 03:36:59.862820449 UTC

Endpoint label: 2023-10-18 03:39:55.000000000 UTC

Endpoint known-by: 2023-10-18 03:39:59.111349401 UTC

Parent: 20231018:dip-19648-1697600167:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600281 | SAME


One whole lifecycle: opposite_hold3 | 115 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:38:01.000000000 UTC

Actual recognition: 2023-10-18 03:39:27.490727070 UTC

Endpoint label: 2023-10-18 03:39:55.000000000 UTC

Endpoint known-by: 2023-10-18 03:39:59.111349401 UTC

Parent: 20231018:dip-19648-1697600281:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600332 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:38:52.000000000 UTC

Actual recognition: 2023-10-18 03:39:49.031112975 UTC

Endpoint label: 2023-10-18 03:39:55.000000000 UTC

Endpoint known-by: 2023-10-18 03:39:59.111349401 UTC

Parent: 20231018:dip-19648-1697600332:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600393 | FLIP


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:39:53.000000000 UTC

Actual recognition: 2023-10-18 03:40:50.116722729 UTC

Endpoint label: 2023-10-18 03:41:33.000000000 UTC

Endpoint known-by: 2023-10-18 03:41:40.112255468 UTC

Parent: 20231018:dip-19648-1697600393:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600438 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:40:38.000000000 UTC

Actual recognition: 2023-10-18 03:41:30.571502058 UTC

Endpoint label: 2023-10-18 03:41:33.000000000 UTC

Endpoint known-by: 2023-10-18 03:41:40.112255468 UTC

Parent: 20231018:dip-19648-1697600438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697600491 | FLIP


One whole lifecycle: opposite_hold3 | 428 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 03:41:31.000000000 UTC

Actual recognition: 2023-10-18 03:42:49.552183925 UTC

Endpoint label: 2023-10-18 03:48:38.000000000 UTC

Endpoint known-by: 2023-10-18 03:48:44.758233768 UTC

Parent: 20231018:dip-19648-1697600491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.