
20231018 candidate | dip-19648-1697617516 | FLIP


One whole lifecycle: opposite_hold3 | 211 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:25:16.000000000 UTC

Actual recognition: 2023-10-18 08:26:07.164045407 UTC

Endpoint label: 2023-10-18 08:28:46.000000000 UTC

Endpoint known-by: 2023-10-18 08:28:49.460196221 UTC

Parent: 20231018:dip-19648-1697617516:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617570 | SAME


One whole lifecycle: opposite_hold3 | 157 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:26:10.000000000 UTC

Actual recognition: 2023-10-18 08:27:04.797843513 UTC

Endpoint label: 2023-10-18 08:28:46.000000000 UTC

Endpoint known-by: 2023-10-18 08:28:49.460196221 UTC

Parent: 20231018:dip-19648-1697617570:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617630 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:27:10.000000000 UTC

Actual recognition: 2023-10-18 08:28:03.353123994 UTC

Endpoint label: 2023-10-18 08:28:46.000000000 UTC

Endpoint known-by: 2023-10-18 08:28:49.460196221 UTC

Parent: 20231018:dip-19648-1697617630:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617681 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:28:01.000000000 UTC

Actual recognition: 2023-10-18 08:28:51.141530845 UTC

Endpoint label: 2023-10-18 08:28:46.000000000 UTC

Endpoint known-by: 2023-10-18 08:28:49.460196221 UTC

Parent: 20231018:dip-19648-1697617681:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617771 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:29:31.000000000 UTC

Actual recognition: 2023-10-18 08:30:22.145132816 UTC

Endpoint label: 2023-10-18 08:30:05.000000000 UTC

Endpoint known-by: 2023-10-18 08:30:06.219671890 UTC

Parent: 20231018:dip-19648-1697617771:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617823 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:30:23.000000000 UTC

Actual recognition: 2023-10-18 08:31:23.403098231 UTC

Endpoint label: 2023-10-18 08:30:38.000000000 UTC

Endpoint known-by: 2023-10-18 08:30:42.694737904 UTC

Parent: 20231018:dip-19648-1697617823:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617907 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:31:47.000000000 UTC

Actual recognition: 2023-10-18 08:32:05.154967555 UTC

Endpoint label: 2023-10-18 08:31:50.000000000 UTC

Endpoint known-by: 2023-10-18 08:31:52.162550562 UTC

Parent: 20231018:dip-19648-1697617907:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697617985 | FLIP


One whole lifecycle: opposite_hold3 | 388 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:33:05.000000000 UTC

Actual recognition: 2023-10-18 08:34:00.205801353 UTC

Endpoint label: 2023-10-18 08:39:32.000000000 UTC

Endpoint known-by: 2023-10-18 08:39:33.588679273 UTC

Parent: 20231018:dip-19648-1697617985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618109 | SAME


One whole lifecycle: opposite_hold3 | 264 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:35:09.000000000 UTC

Actual recognition: 2023-10-18 08:36:01.687232844 UTC

Endpoint label: 2023-10-18 08:39:32.000000000 UTC

Endpoint known-by: 2023-10-18 08:39:33.588679273 UTC

Parent: 20231018:dip-19648-1697618109:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618231 | SAME


One whole lifecycle: opposite_hold3 | 142 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:37:11.000000000 UTC

Actual recognition: 2023-10-18 08:38:11.995308050 UTC

Endpoint label: 2023-10-18 08:39:32.000000000 UTC

Endpoint known-by: 2023-10-18 08:39:33.588679273 UTC

Parent: 20231018:dip-19648-1697618231:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618286 | SAME


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:38:06.000000000 UTC

Actual recognition: 2023-10-18 08:39:06.479943768 UTC

Endpoint label: 2023-10-18 08:39:32.000000000 UTC

Endpoint known-by: 2023-10-18 08:39:33.588679273 UTC

Parent: 20231018:dip-19648-1697618286:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618376 | FLIP


One whole lifecycle: opposite_hold3 | 160 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:39:36.000000000 UTC

Actual recognition: 2023-10-18 08:40:27.961060878 UTC

Endpoint label: 2023-10-18 08:42:15.000000000 UTC

Endpoint known-by: 2023-10-18 08:42:16.075723997 UTC

Parent: 20231018:dip-19648-1697618376:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618445 | SAME


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:40:45.000000000 UTC

Actual recognition: 2023-10-18 08:41:54.112541013 UTC

Endpoint label: 2023-10-18 08:42:15.000000000 UTC

Endpoint known-by: 2023-10-18 08:42:16.075723997 UTC

Parent: 20231018:dip-19648-1697618445:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618533 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:42:13.000000000 UTC

Actual recognition: 2023-10-18 08:43:04.396798215 UTC

Endpoint label: 2023-10-18 08:42:59.000000000 UTC

Endpoint known-by: 2023-10-18 08:43:00.000832840 UTC

Parent: 20231018:dip-19648-1697618533:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618602 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:43:22.000000000 UTC

Actual recognition: 2023-10-18 08:44:23.747717307 UTC

Endpoint label: 2023-10-18 08:43:35.000000000 UTC

Endpoint known-by: 2023-10-18 08:43:36.164791598 UTC

Parent: 20231018:dip-19648-1697618602:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618663 | FLIP


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:44:23.000000000 UTC

Actual recognition: 2023-10-18 08:45:14.557737622 UTC

Endpoint label: 2023-10-18 08:45:11.000000000 UTC

Endpoint known-by: 2023-10-18 08:45:12.078579757 UTC

Parent: 20231018:dip-19648-1697618663:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618749 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:45:49.000000000 UTC

Actual recognition: 2023-10-18 08:46:48.378276426 UTC

Endpoint label: 2023-10-18 08:46:51.000000000 UTC

Endpoint known-by: 2023-10-18 08:46:58.455619182 UTC

Parent: 20231018:dip-19648-1697618749:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618808 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:46:48.000000000 UTC

Actual recognition: 2023-10-18 08:47:42.524792762 UTC

Endpoint label: 2023-10-18 08:46:51.000000000 UTC

Endpoint known-by: 2023-10-18 08:46:58.455619182 UTC

Parent: 20231018:dip-19648-1697618808:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618862 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:47:42.000000000 UTC

Actual recognition: 2023-10-18 08:48:34.894599455 UTC

Endpoint label: 2023-10-18 08:47:45.000000000 UTC

Endpoint known-by: 2023-10-18 08:47:46.371200827 UTC

Parent: 20231018:dip-19648-1697618862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697618954 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:49:14.000000000 UTC

Actual recognition: 2023-10-18 08:50:21.000478698 UTC

Endpoint label: 2023-10-18 08:50:00.000000000 UTC

Endpoint known-by: 2023-10-18 08:50:01.694622356 UTC

Parent: 20231018:dip-19648-1697618954:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619006 | FLIP


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:50:06.000000000 UTC

Actual recognition: 2023-10-18 08:50:51.931321341 UTC

Endpoint label: 2023-10-18 08:51:17.000000000 UTC

Endpoint known-by: 2023-10-18 08:51:20.499785320 UTC

Parent: 20231018:dip-19648-1697619006:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619156 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:52:36.000000000 UTC

Actual recognition: 2023-10-18 08:52:46.467267501 UTC

Endpoint label: 2023-10-18 08:52:54.000000000 UTC

Endpoint known-by: 2023-10-18 08:52:55.169254234 UTC

Parent: 20231018:dip-19648-1697619156:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619316 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:55:16.000000000 UTC

Actual recognition: 2023-10-18 08:56:07.503215953 UTC

Endpoint label: 2023-10-18 08:56:04.000000000 UTC

Endpoint known-by: 2023-10-18 08:56:05.992471825 UTC

Parent: 20231018:dip-19648-1697619316:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619400 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:56:40.000000000 UTC

Actual recognition: 2023-10-18 08:57:31.617725238 UTC

Endpoint label: 2023-10-18 08:57:33.000000000 UTC

Endpoint known-by: 2023-10-18 08:57:34.038630047 UTC

Parent: 20231018:dip-19648-1697619400:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619471 | SAME


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:57:51.000000000 UTC

Actual recognition: 2023-10-18 08:58:43.918243296 UTC

Endpoint label: 2023-10-18 08:59:17.000000000 UTC

Endpoint known-by: 2023-10-18 08:59:30.227461158 UTC

Parent: 20231018:dip-19648-1697619471:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619530 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 08:58:50.000000000 UTC

Actual recognition: 2023-10-18 08:59:37.975352271 UTC

Endpoint label: 2023-10-18 08:59:17.000000000 UTC

Endpoint known-by: 2023-10-18 08:59:30.227461158 UTC

Parent: 20231018:dip-19648-1697619530:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619614 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:00:14.000000000 UTC

Actual recognition: 2023-10-18 09:01:07.281789228 UTC

Endpoint label: 2023-10-18 09:00:24.000000000 UTC

Endpoint known-by: 2023-10-18 09:00:26.430264919 UTC

Parent: 20231018:dip-19648-1697619614:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619671 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:01:11.000000000 UTC

Actual recognition: 2023-10-18 09:02:03.107946062 UTC

Endpoint label: 2023-10-18 09:01:21.000000000 UTC

Endpoint known-by: 2023-10-18 09:01:23.073617039 UTC

Parent: 20231018:dip-19648-1697619671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619728 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:02:08.000000000 UTC

Actual recognition: 2023-10-18 09:03:01.693257654 UTC

Endpoint label: 2023-10-18 09:02:19.000000000 UTC

Endpoint known-by: 2023-10-18 09:02:20.007574346 UTC

Parent: 20231018:dip-19648-1697619728:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619815 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:03:35.000000000 UTC

Actual recognition: 2023-10-18 09:03:53.353434829 UTC

Endpoint label: 2023-10-18 09:03:54.000000000 UTC

Endpoint known-by: 2023-10-18 09:03:55.107286326 UTC

Parent: 20231018:dip-19648-1697619815:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619860 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:04:20.000000000 UTC

Actual recognition: 2023-10-18 09:05:13.714058691 UTC

Endpoint label: 2023-10-18 09:04:40.000000000 UTC

Endpoint known-by: 2023-10-18 09:04:41.510456456 UTC

Parent: 20231018:dip-19648-1697619860:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697619953 | SAME


One whole lifecycle: opposite_hold3 | 123 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:05:53.000000000 UTC

Actual recognition: 2023-10-18 09:06:49.771412329 UTC

Endpoint label: 2023-10-18 09:07:55.000000000 UTC

Endpoint known-by: 2023-10-18 09:08:02.249736242 UTC

Parent: 20231018:dip-19648-1697619953:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620012 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:06:52.000000000 UTC

Actual recognition: 2023-10-18 09:07:43.246070400 UTC

Endpoint label: 2023-10-18 09:07:55.000000000 UTC

Endpoint known-by: 2023-10-18 09:08:02.249736242 UTC

Parent: 20231018:dip-19648-1697620012:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620084 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:08:04.000000000 UTC

Actual recognition: 2023-10-18 09:08:59.579818741 UTC

Endpoint label: 2023-10-18 09:08:11.000000000 UTC

Endpoint known-by: 2023-10-18 09:08:15.239591662 UTC

Parent: 20231018:dip-19648-1697620084:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620145 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:09:05.000000000 UTC

Actual recognition: 2023-10-18 09:09:50.583276686 UTC

Endpoint label: 2023-10-18 09:09:15.000000000 UTC

Endpoint known-by: 2023-10-18 09:09:19.557116355 UTC

Parent: 20231018:dip-19648-1697620145:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620190 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:09:50.000000000 UTC

Actual recognition: 2023-10-18 09:10:44.066601576 UTC

Endpoint label: 2023-10-18 09:10:03.000000000 UTC

Endpoint known-by: 2023-10-18 09:10:04.111442083 UTC

Parent: 20231018:dip-19648-1697620190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620241 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:10:41.000000000 UTC

Actual recognition: 2023-10-18 09:11:27.276275391 UTC

Endpoint label: 2023-10-18 09:11:26.000000000 UTC

Endpoint known-by: 2023-10-18 09:11:27.276275391 UTC

Parent: 20231018:dip-19648-1697620241:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620314 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:11:54.000000000 UTC

Actual recognition: 2023-10-18 09:12:19.454145340 UTC

Endpoint label: 2023-10-18 09:12:04.000000000 UTC

Endpoint known-by: 2023-10-18 09:12:08.176693702 UTC

Parent: 20231018:dip-19648-1697620314:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620449 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:14:09.000000000 UTC

Actual recognition: 2023-10-18 09:15:00.200999664 UTC

Endpoint label: 2023-10-18 09:14:51.000000000 UTC

Endpoint known-by: 2023-10-18 09:14:53.163742062 UTC

Parent: 20231018:dip-19648-1697620449:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620494 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:14:54.000000000 UTC

Actual recognition: 2023-10-18 09:15:49.497646915 UTC

Endpoint label: 2023-10-18 09:15:13.000000000 UTC

Endpoint known-by: 2023-10-18 09:15:17.491150482 UTC

Parent: 20231018:dip-19648-1697620494:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620549 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:15:49.000000000 UTC

Actual recognition: 2023-10-18 09:16:40.677866988 UTC

Endpoint label: 2023-10-18 09:16:49.000000000 UTC

Endpoint known-by: 2023-10-18 09:16:52.341849015 UTC

Parent: 20231018:dip-19648-1697620549:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620643 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:17:23.000000000 UTC

Actual recognition: 2023-10-18 09:18:14.909306030 UTC

Endpoint label: 2023-10-18 09:17:49.000000000 UTC

Endpoint known-by: 2023-10-18 09:17:50.036019835 UTC

Parent: 20231018:dip-19648-1697620643:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620722 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:18:42.000000000 UTC

Actual recognition: 2023-10-18 09:19:10.466436033 UTC

Endpoint label: 2023-10-18 09:18:46.000000000 UTC

Endpoint known-by: 2023-10-18 09:18:49.497140938 UTC

Parent: 20231018:dip-19648-1697620722:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620774 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:19:34.000000000 UTC

Actual recognition: 2023-10-18 09:20:20.532378050 UTC

Endpoint label: 2023-10-18 09:19:38.000000000 UTC

Endpoint known-by: 2023-10-18 09:19:40.317397636 UTC

Parent: 20231018:dip-19648-1697620774:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620847 | FLIP


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:20:47.000000000 UTC

Actual recognition: 2023-10-18 09:21:40.329381507 UTC

Endpoint label: 2023-10-18 09:21:59.000000000 UTC

Endpoint known-by: 2023-10-18 09:22:00.086832740 UTC

Parent: 20231018:dip-19648-1697620847:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620902 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:21:42.000000000 UTC

Actual recognition: 2023-10-18 09:22:26.093956008 UTC

Endpoint label: 2023-10-18 09:21:59.000000000 UTC

Endpoint known-by: 2023-10-18 09:22:00.086832740 UTC

Parent: 20231018:dip-19648-1697620902:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697620968 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:22:48.000000000 UTC

Actual recognition: 2023-10-18 09:23:39.017695340 UTC

Endpoint label: 2023-10-18 09:23:03.000000000 UTC

Endpoint known-by: 2023-10-18 09:23:04.746233092 UTC

Parent: 20231018:dip-19648-1697620968:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621013 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:23:33.000000000 UTC

Actual recognition: 2023-10-18 09:24:25.073309886 UTC

Endpoint label: 2023-10-18 09:23:51.000000000 UTC

Endpoint known-by: 2023-10-18 09:23:56.173340020 UTC

Parent: 20231018:dip-19648-1697621013:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621060 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:24:20.000000000 UTC

Actual recognition: 2023-10-18 09:25:12.531237396 UTC

Endpoint label: 2023-10-18 09:25:02.000000000 UTC

Endpoint known-by: 2023-10-18 09:25:03.927862926 UTC

Parent: 20231018:dip-19648-1697621060:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621136 | SAME


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:25:36.000000000 UTC

Actual recognition: 2023-10-18 09:25:56.669353285 UTC

Endpoint label: 2023-10-18 09:26:42.000000000 UTC

Endpoint known-by: 2023-10-18 09:26:43.523816835 UTC

Parent: 20231018:dip-19648-1697621136:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621201 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:26:41.000000000 UTC

Actual recognition: 2023-10-18 09:27:33.031834638 UTC

Endpoint label: 2023-10-18 09:27:25.000000000 UTC

Endpoint known-by: 2023-10-18 09:27:26.782332571 UTC

Parent: 20231018:dip-19648-1697621201:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621263 | SAME


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:27:43.000000000 UTC

Actual recognition: 2023-10-18 09:28:41.310164046 UTC

Endpoint label: 2023-10-18 09:29:10.000000000 UTC

Endpoint known-by: 2023-10-18 09:29:12.072283089 UTC

Parent: 20231018:dip-19648-1697621263:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621308 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:28:28.000000000 UTC

Actual recognition: 2023-10-18 09:29:19.243480574 UTC

Endpoint label: 2023-10-18 09:29:10.000000000 UTC

Endpoint known-by: 2023-10-18 09:29:12.072283089 UTC

Parent: 20231018:dip-19648-1697621308:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621431 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:30:31.000000000 UTC

Actual recognition: 2023-10-18 09:31:22.171898944 UTC

Endpoint label: 2023-10-18 09:31:14.000000000 UTC

Endpoint known-by: 2023-10-18 09:31:22.171898944 UTC

Parent: 20231018:dip-19648-1697621431:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621512 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:31:52.000000000 UTC

Actual recognition: 2023-10-18 09:32:07.193504239 UTC

Endpoint label: 2023-10-18 09:32:15.000000000 UTC

Endpoint known-by: 2023-10-18 09:32:17.132453396 UTC

Parent: 20231018:dip-19648-1697621512:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621599 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:33:19.000000000 UTC

Actual recognition: 2023-10-18 09:34:13.973855632 UTC

Endpoint label: 2023-10-18 09:34:05.000000000 UTC

Endpoint known-by: 2023-10-18 09:34:13.973855632 UTC

Parent: 20231018:dip-19648-1697621599:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621669 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:34:29.000000000 UTC

Actual recognition: 2023-10-18 09:35:04.148218855 UTC

Endpoint label: 2023-10-18 09:34:33.000000000 UTC

Endpoint known-by: 2023-10-18 09:34:35.650580208 UTC

Parent: 20231018:dip-19648-1697621669:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621717 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:35:17.000000000 UTC

Actual recognition: 2023-10-18 09:36:11.367540098 UTC

Endpoint label: 2023-10-18 09:35:53.000000000 UTC

Endpoint known-by: 2023-10-18 09:35:54.793987429 UTC

Parent: 20231018:dip-19648-1697621717:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621762 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:36:02.000000000 UTC

Actual recognition: 2023-10-18 09:36:56.356390285 UTC

Endpoint label: 2023-10-18 09:36:36.000000000 UTC

Endpoint known-by: 2023-10-18 09:36:37.107133882 UTC

Parent: 20231018:dip-19648-1697621762:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621844 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:37:24.000000000 UTC

Actual recognition: 2023-10-18 09:38:14.481167470 UTC

Endpoint label: 2023-10-18 09:40:02.000000000 UTC

Endpoint known-by: 2023-10-18 09:40:04.175668619 UTC

Parent: 20231018:dip-19648-1697621844:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697621899 | SAME


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:38:19.000000000 UTC

Actual recognition: 2023-10-18 09:39:25.961888848 UTC

Endpoint label: 2023-10-18 09:40:02.000000000 UTC

Endpoint known-by: 2023-10-18 09:40:04.175668619 UTC

Parent: 20231018:dip-19648-1697621899:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622025 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:40:25.000000000 UTC

Actual recognition: 2023-10-18 09:40:47.998095039 UTC

Endpoint label: 2023-10-18 09:41:21.000000000 UTC

Endpoint known-by: 2023-10-18 09:41:25.983322916 UTC

Parent: 20231018:dip-19648-1697622025:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622079 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:41:19.000000000 UTC

Actual recognition: 2023-10-18 09:42:13.194557896 UTC

Endpoint label: 2023-10-18 09:42:15.000000000 UTC

Endpoint known-by: 2023-10-18 09:42:32.079786943 UTC

Parent: 20231018:dip-19648-1697622079:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622133 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:42:13.000000000 UTC

Actual recognition: 2023-10-18 09:43:19.495346413 UTC

Endpoint label: 2023-10-18 09:42:59.000000000 UTC

Endpoint known-by: 2023-10-18 09:43:00.820188686 UTC

Parent: 20231018:dip-19648-1697622133:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622178 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:42:58.000000000 UTC

Actual recognition: 2023-10-18 09:43:49.976232454 UTC

Endpoint label: 2023-10-18 09:44:42.000000000 UTC

Endpoint known-by: 2023-10-18 09:44:49.056165315 UTC

Parent: 20231018:dip-19648-1697622178:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622227 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:43:47.000000000 UTC

Actual recognition: 2023-10-18 09:44:39.286370798 UTC

Endpoint label: 2023-10-18 09:44:42.000000000 UTC

Endpoint known-by: 2023-10-18 09:44:49.056165315 UTC

Parent: 20231018:dip-19648-1697622227:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622296 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:44:56.000000000 UTC

Actual recognition: 2023-10-18 09:45:24.726681114 UTC

Endpoint label: 2023-10-18 09:45:03.000000000 UTC

Endpoint known-by: 2023-10-18 09:45:05.009411255 UTC

Parent: 20231018:dip-19648-1697622296:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622375 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:46:15.000000000 UTC

Actual recognition: 2023-10-18 09:47:10.183895322 UTC

Endpoint label: 2023-10-18 09:46:32.000000000 UTC

Endpoint known-by: 2023-10-18 09:46:33.201320239 UTC

Parent: 20231018:dip-19648-1697622375:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622475 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:47:55.000000000 UTC

Actual recognition: 2023-10-18 09:48:19.972997847 UTC

Endpoint label: 2023-10-18 09:48:06.000000000 UTC

Endpoint known-by: 2023-10-18 09:48:09.221965305 UTC

Parent: 20231018:dip-19648-1697622475:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622520 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:48:40.000000000 UTC

Actual recognition: 2023-10-18 09:49:31.009242365 UTC

Endpoint label: 2023-10-18 09:49:37.000000000 UTC

Endpoint known-by: 2023-10-18 09:49:39.148197889 UTC

Parent: 20231018:dip-19648-1697622520:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622590 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:49:50.000000000 UTC

Actual recognition: 2023-10-18 09:50:47.956722251 UTC

Endpoint label: 2023-10-18 09:50:09.000000000 UTC

Endpoint known-by: 2023-10-18 09:50:11.041200144 UTC

Parent: 20231018:dip-19648-1697622590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622667 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:51:07.000000000 UTC

Actual recognition: 2023-10-18 09:51:33.366104403 UTC

Endpoint label: 2023-10-18 09:51:53.000000000 UTC

Endpoint known-by: 2023-10-18 09:52:07.854319621 UTC

Parent: 20231018:dip-19648-1697622667:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622744 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:52:24.000000000 UTC

Actual recognition: 2023-10-18 09:53:18.381810532 UTC

Endpoint label: 2023-10-18 09:53:08.000000000 UTC

Endpoint known-by: 2023-10-18 09:53:11.914992307 UTC

Parent: 20231018:dip-19648-1697622744:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622789 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:53:09.000000000 UTC

Actual recognition: 2023-10-18 09:54:09.799530256 UTC

Endpoint label: 2023-10-18 09:53:28.000000000 UTC

Endpoint known-by: 2023-10-18 09:53:30.951474184 UTC

Parent: 20231018:dip-19648-1697622789:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622853 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:54:13.000000000 UTC

Actual recognition: 2023-10-18 09:55:01.769419299 UTC

Endpoint label: 2023-10-18 09:54:20.000000000 UTC

Endpoint known-by: 2023-10-18 09:54:25.052825075 UTC

Parent: 20231018:dip-19648-1697622853:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622908 | FLIP


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:55:08.000000000 UTC

Actual recognition: 2023-10-18 09:56:04.897747106 UTC

Endpoint label: 2023-10-18 09:56:55.000000000 UTC

Endpoint known-by: 2023-10-18 09:56:56.634306245 UTC

Parent: 20231018:dip-19648-1697622908:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697622984 | SAME


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:56:24.000000000 UTC

Actual recognition: 2023-10-18 09:57:16.360817017 UTC

Endpoint label: 2023-10-18 09:56:55.000000000 UTC

Endpoint known-by: 2023-10-18 09:56:56.634306245 UTC

Parent: 20231018:dip-19648-1697622984:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623033 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:57:13.000000000 UTC

Actual recognition: 2023-10-18 09:58:07.659605063 UTC

Endpoint label: 2023-10-18 09:57:33.000000000 UTC

Endpoint known-by: 2023-10-18 09:57:37.680186912 UTC

Parent: 20231018:dip-19648-1697623033:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623095 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:58:15.000000000 UTC

Actual recognition: 2023-10-18 09:59:07.263596942 UTC

Endpoint label: 2023-10-18 09:58:56.000000000 UTC

Endpoint known-by: 2023-10-18 09:58:59.660200836 UTC

Parent: 20231018:dip-19648-1697623095:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623142 | FLIP


One whole lifecycle: opposite_hold3 | 174 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 09:59:02.000000000 UTC

Actual recognition: 2023-10-18 09:59:57.626467006 UTC

Endpoint label: 2023-10-18 10:01:55.000000000 UTC

Endpoint known-by: 2023-10-18 10:02:01.320652977 UTC

Parent: 20231018:dip-19648-1697623142:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623242 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:00:42.000000000 UTC

Actual recognition: 2023-10-18 10:01:01.996403318 UTC

Endpoint label: 2023-10-18 10:01:55.000000000 UTC

Endpoint known-by: 2023-10-18 10:02:01.320652977 UTC

Parent: 20231018:dip-19648-1697623242:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623317 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:01:57.000000000 UTC

Actual recognition: 2023-10-18 10:02:55.786352482 UTC

Endpoint label: 2023-10-18 10:02:24.000000000 UTC

Endpoint known-by: 2023-10-18 10:02:25.156531029 UTC

Parent: 20231018:dip-19648-1697623317:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623365 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:02:45.000000000 UTC

Actual recognition: 2023-10-18 10:03:40.773153162 UTC

Endpoint label: 2023-10-18 10:02:57.000000000 UTC

Endpoint known-by: 2023-10-18 10:02:58.084469428 UTC

Parent: 20231018:dip-19648-1697623365:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623427 | FLIP


One whole lifecycle: opposite_hold3 | 136 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:03:47.000000000 UTC

Actual recognition: 2023-10-18 10:04:39.082306742 UTC

Endpoint label: 2023-10-18 10:06:02.000000000 UTC

Endpoint known-by: 2023-10-18 10:06:03.653868205 UTC

Parent: 20231018:dip-19648-1697623427:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623560 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:06:00.000000000 UTC

Actual recognition: 2023-10-18 10:06:52.350819052 UTC

Endpoint label: 2023-10-18 10:06:22.000000000 UTC

Endpoint known-by: 2023-10-18 10:06:24.458016753 UTC

Parent: 20231018:dip-19648-1697623560:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623652 | FLIP


One whole lifecycle: opposite_hold3 | 103 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:07:32.000000000 UTC

Actual recognition: 2023-10-18 10:07:46.910780270 UTC

Endpoint label: 2023-10-18 10:09:14.000000000 UTC

Endpoint known-by: 2023-10-18 10:09:19.206570249 UTC

Parent: 20231018:dip-19648-1697623652:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623697 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:08:17.000000000 UTC

Actual recognition: 2023-10-18 10:09:08.929602373 UTC

Endpoint label: 2023-10-18 10:09:14.000000000 UTC

Endpoint known-by: 2023-10-18 10:09:19.206570249 UTC

Parent: 20231018:dip-19648-1697623697:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623749 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:09:09.000000000 UTC

Actual recognition: 2023-10-18 10:10:01.420823282 UTC

Endpoint label: 2023-10-18 10:09:14.000000000 UTC

Endpoint known-by: 2023-10-18 10:09:19.206570249 UTC

Parent: 20231018:dip-19648-1697623749:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623837 | FLIP


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:10:37.000000000 UTC

Actual recognition: 2023-10-18 10:11:30.883937511 UTC

Endpoint label: 2023-10-18 10:13:28.000000000 UTC

Endpoint known-by: 2023-10-18 10:13:30.673356243 UTC

Parent: 20231018:dip-19648-1697623837:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623886 | SAME


One whole lifecycle: opposite_hold3 | 123 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:11:26.000000000 UTC

Actual recognition: 2023-10-18 10:12:16.555050699 UTC

Endpoint label: 2023-10-18 10:13:28.000000000 UTC

Endpoint known-by: 2023-10-18 10:13:30.673356243 UTC

Parent: 20231018:dip-19648-1697623886:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697623943 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:12:23.000000000 UTC

Actual recognition: 2023-10-18 10:13:21.992168592 UTC

Endpoint label: 2023-10-18 10:13:28.000000000 UTC

Endpoint known-by: 2023-10-18 10:13:30.673356243 UTC

Parent: 20231018:dip-19648-1697623943:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624034 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:13:54.000000000 UTC

Actual recognition: 2023-10-18 10:14:37.821487453 UTC

Endpoint label: 2023-10-18 10:14:18.000000000 UTC

Endpoint known-by: 2023-10-18 10:14:22.729445018 UTC

Parent: 20231018:dip-19648-1697624034:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624105 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:15:05.000000000 UTC

Actual recognition: 2023-10-18 10:15:30.346966701 UTC

Endpoint label: 2023-10-18 10:15:16.000000000 UTC

Endpoint known-by: 2023-10-18 10:15:20.107247651 UTC

Parent: 20231018:dip-19648-1697624105:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624220 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:17:00.000000000 UTC

Actual recognition: 2023-10-18 10:18:04.711763927 UTC

Endpoint label: 2023-10-18 10:17:29.000000000 UTC

Endpoint known-by: 2023-10-18 10:17:35.556757516 UTC

Parent: 20231018:dip-19648-1697624220:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624431 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:20:31.000000000 UTC

Actual recognition: 2023-10-18 10:20:51.769787080 UTC

Endpoint label: 2023-10-18 10:20:44.000000000 UTC

Endpoint known-by: 2023-10-18 10:20:51.769787080 UTC

Parent: 20231018:dip-19648-1697624431:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624566 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:22:46.000000000 UTC

Actual recognition: 2023-10-18 10:23:03.504223382 UTC

Endpoint label: 2023-10-18 10:23:05.000000000 UTC

Endpoint known-by: 2023-10-18 10:23:09.867717979 UTC

Parent: 20231018:dip-19648-1697624566:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624611 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:23:31.000000000 UTC

Actual recognition: 2023-10-18 10:24:26.897392191 UTC

Endpoint label: 2023-10-18 10:24:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:24:41.600717633 UTC

Parent: 20231018:dip-19648-1697624611:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624705 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:25:05.000000000 UTC

Actual recognition: 2023-10-18 10:25:48.222403710 UTC

Endpoint label: 2023-10-18 10:25:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:25:40.642993697 UTC

Parent: 20231018:dip-19648-1697624705:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624788 | FLIP


One whole lifecycle: opposite_hold3 | 80 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:26:28.000000000 UTC

Actual recognition: 2023-10-18 10:26:51.287602024 UTC

Endpoint label: 2023-10-18 10:27:47.000000000 UTC

Endpoint known-by: 2023-10-18 10:27:53.463580825 UTC

Parent: 20231018:dip-19648-1697624788:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697624981 | FLIP


One whole lifecycle: opposite_hold3 | 179 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:29:41.000000000 UTC

Actual recognition: 2023-10-18 10:30:36.339553585 UTC

Endpoint label: 2023-10-18 10:32:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:32:42.219767389 UTC

Parent: 20231018:dip-19648-1697624981:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.