
20231018 candidate | dip-19648-1697625049 | SAME


One whole lifecycle: opposite_hold3 | 111 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:30:49.000000000 UTC

Actual recognition: 2023-10-18 10:31:40.627394393 UTC

Endpoint label: 2023-10-18 10:32:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:32:42.219767389 UTC

Parent: 20231018:dip-19648-1697625049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625116 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:31:56.000000000 UTC

Actual recognition: 2023-10-18 10:32:47.654310120 UTC

Endpoint label: 2023-10-18 10:32:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:32:42.219767389 UTC

Parent: 20231018:dip-19648-1697625116:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625164 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:32:44.000000000 UTC

Actual recognition: 2023-10-18 10:33:36.606416660 UTC

Endpoint label: 2023-10-18 10:32:51.000000000 UTC

Endpoint known-by: 2023-10-18 10:32:59.178789356 UTC

Parent: 20231018:dip-19648-1697625164:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625211 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:33:31.000000000 UTC

Actual recognition: 2023-10-18 10:34:25.679834844 UTC

Endpoint label: 2023-10-18 10:34:08.000000000 UTC

Endpoint known-by: 2023-10-18 10:34:09.991853391 UTC

Parent: 20231018:dip-19648-1697625211:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625380 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:36:20.000000000 UTC

Actual recognition: 2023-10-18 10:37:15.541177941 UTC

Endpoint label: 2023-10-18 10:36:38.000000000 UTC

Endpoint known-by: 2023-10-18 10:36:41.517745545 UTC

Parent: 20231018:dip-19648-1697625380:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625436 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:37:16.000000000 UTC

Actual recognition: 2023-10-18 10:38:08.257367069 UTC

Endpoint label: 2023-10-18 10:37:35.000000000 UTC

Endpoint known-by: 2023-10-18 10:37:36.734892738 UTC

Parent: 20231018:dip-19648-1697625436:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625518 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:38:38.000000000 UTC

Actual recognition: 2023-10-18 10:38:52.793485984 UTC

Endpoint label: 2023-10-18 10:38:54.000000000 UTC

Endpoint known-by: 2023-10-18 10:39:01.246894833 UTC

Parent: 20231018:dip-19648-1697625518:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625588 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:39:48.000000000 UTC

Actual recognition: 2023-10-18 10:40:20.436051208 UTC

Endpoint label: 2023-10-18 10:40:01.000000000 UTC

Endpoint known-by: 2023-10-18 10:40:02.753463358 UTC

Parent: 20231018:dip-19648-1697625588:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625646 | FLIP


One whole lifecycle: opposite_hold3 | 93 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:40:46.000000000 UTC

Actual recognition: 2023-10-18 10:41:42.694401497 UTC

Endpoint label: 2023-10-18 10:42:18.000000000 UTC

Endpoint known-by: 2023-10-18 10:42:31.981490234 UTC

Parent: 20231018:dip-19648-1697625646:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625706 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:41:46.000000000 UTC

Actual recognition: 2023-10-18 10:42:44.643601594 UTC

Endpoint label: 2023-10-18 10:42:18.000000000 UTC

Endpoint known-by: 2023-10-18 10:42:31.981490234 UTC

Parent: 20231018:dip-19648-1697625706:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625751 | FLIP


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:42:31.000000000 UTC

Actual recognition: 2023-10-18 10:43:24.681261265 UTC

Endpoint label: 2023-10-18 10:44:18.000000000 UTC

Endpoint known-by: 2023-10-18 10:44:19.276217722 UTC

Parent: 20231018:dip-19648-1697625751:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625921 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:45:21.000000000 UTC

Actual recognition: 2023-10-18 10:45:41.680676142 UTC

Endpoint label: 2023-10-18 10:45:26.000000000 UTC

Endpoint known-by: 2023-10-18 10:45:27.026606626 UTC

Parent: 20231018:dip-19648-1697625921:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697625966 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:46:06.000000000 UTC

Actual recognition: 2023-10-18 10:46:57.026842265 UTC

Endpoint label: 2023-10-18 10:47:02.000000000 UTC

Endpoint known-by: 2023-10-18 10:47:05.284719274 UTC

Parent: 20231018:dip-19648-1697625966:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626037 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:47:17.000000000 UTC

Actual recognition: 2023-10-18 10:48:08.626489074 UTC

Endpoint label: 2023-10-18 10:47:26.000000000 UTC

Endpoint known-by: 2023-10-18 10:47:27.693814876 UTC

Parent: 20231018:dip-19648-1697626037:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626091 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:48:11.000000000 UTC

Actual recognition: 2023-10-18 10:49:08.534064097 UTC

Endpoint label: 2023-10-18 10:48:14.000000000 UTC

Endpoint known-by: 2023-10-18 10:48:15.960704822 UTC

Parent: 20231018:dip-19648-1697626091:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626168 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:49:28.000000000 UTC

Actual recognition: 2023-10-18 10:49:48.669432007 UTC

Endpoint label: 2023-10-18 10:49:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:49:42.426462936 UTC

Parent: 20231018:dip-19648-1697626168:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626240 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:50:40.000000000 UTC

Actual recognition: 2023-10-18 10:51:08.055370147 UTC

Endpoint label: 2023-10-18 10:51:01.000000000 UTC

Endpoint known-by: 2023-10-18 10:51:08.055370147 UTC

Parent: 20231018:dip-19648-1697626240:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626302 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:51:42.000000000 UTC

Actual recognition: 2023-10-18 10:52:33.481409099 UTC

Endpoint label: 2023-10-18 10:52:33.000000000 UTC

Endpoint known-by: 2023-10-18 10:52:34.332951079 UTC

Parent: 20231018:dip-19648-1697626302:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626367 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:52:47.000000000 UTC

Actual recognition: 2023-10-18 10:53:23.452411205 UTC

Endpoint label: 2023-10-18 10:53:36.000000000 UTC

Endpoint known-by: 2023-10-18 10:53:38.451647749 UTC

Parent: 20231018:dip-19648-1697626367:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626467 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:54:27.000000000 UTC

Actual recognition: 2023-10-18 10:55:19.686474100 UTC

Endpoint label: 2023-10-18 10:54:39.000000000 UTC

Endpoint known-by: 2023-10-18 10:54:40.275078939 UTC

Parent: 20231018:dip-19648-1697626467:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626519 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:55:19.000000000 UTC

Actual recognition: 2023-10-18 10:56:10.025831337 UTC

Endpoint label: 2023-10-18 10:56:22.000000000 UTC

Endpoint known-by: 2023-10-18 10:56:26.777553854 UTC

Parent: 20231018:dip-19648-1697626519:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626564 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:56:04.000000000 UTC

Actual recognition: 2023-10-18 10:56:57.763733814 UTC

Endpoint label: 2023-10-18 10:56:22.000000000 UTC

Endpoint known-by: 2023-10-18 10:56:26.777553854 UTC

Parent: 20231018:dip-19648-1697626564:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626667 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:57:47.000000000 UTC

Actual recognition: 2023-10-18 10:58:11.360136704 UTC

Endpoint label: 2023-10-18 10:58:27.000000000 UTC

Endpoint known-by: 2023-10-18 10:58:29.493787864 UTC

Parent: 20231018:dip-19648-1697626667:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626712 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:58:32.000000000 UTC

Actual recognition: 2023-10-18 10:59:25.558159547 UTC

Endpoint label: 2023-10-18 10:59:38.000000000 UTC

Endpoint known-by: 2023-10-18 10:59:39.487497687 UTC

Parent: 20231018:dip-19648-1697626712:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626757 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 10:59:17.000000000 UTC

Actual recognition: 2023-10-18 11:00:08.789031569 UTC

Endpoint label: 2023-10-18 10:59:38.000000000 UTC

Endpoint known-by: 2023-10-18 10:59:39.487497687 UTC

Parent: 20231018:dip-19648-1697626757:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626863 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:01:03.000000000 UTC

Actual recognition: 2023-10-18 11:01:49.452054965 UTC

Endpoint label: 2023-10-18 11:01:45.000000000 UTC

Endpoint known-by: 2023-10-18 11:01:46.446414061 UTC

Parent: 20231018:dip-19648-1697626863:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626946 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:02:26.000000000 UTC

Actual recognition: 2023-10-18 11:03:18.524070435 UTC

Endpoint label: 2023-10-18 11:03:07.000000000 UTC

Endpoint known-by: 2023-10-18 11:03:09.562784610 UTC

Parent: 20231018:dip-19648-1697626946:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697626994 | SAME


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:03:14.000000000 UTC

Actual recognition: 2023-10-18 11:04:05.182905264 UTC

Endpoint label: 2023-10-18 11:05:17.000000000 UTC

Endpoint known-by: 2023-10-18 11:05:18.051020511 UTC

Parent: 20231018:dip-19648-1697626994:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627052 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:04:12.000000000 UTC

Actual recognition: 2023-10-18 11:05:03.805573366 UTC

Endpoint label: 2023-10-18 11:05:17.000000000 UTC

Endpoint known-by: 2023-10-18 11:05:18.051020511 UTC

Parent: 20231018:dip-19648-1697627052:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627115 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:05:15.000000000 UTC

Actual recognition: 2023-10-18 11:06:07.373561046 UTC

Endpoint label: 2023-10-18 11:05:37.000000000 UTC

Endpoint known-by: 2023-10-18 11:05:41.863184826 UTC

Parent: 20231018:dip-19648-1697627115:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627160 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:06:00.000000000 UTC

Actual recognition: 2023-10-18 11:07:00.393439824 UTC

Endpoint label: 2023-10-18 11:06:23.000000000 UTC

Endpoint known-by: 2023-10-18 11:06:26.383519660 UTC

Parent: 20231018:dip-19648-1697627160:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627227 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:07:07.000000000 UTC

Actual recognition: 2023-10-18 11:07:59.750116238 UTC

Endpoint label: 2023-10-18 11:07:32.000000000 UTC

Endpoint known-by: 2023-10-18 11:07:34.058844923 UTC

Parent: 20231018:dip-19648-1697627227:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627330 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:08:50.000000000 UTC

Actual recognition: 2023-10-18 11:08:58.016152083 UTC

Endpoint label: 2023-10-18 11:09:32.000000000 UTC

Endpoint known-by: 2023-10-18 11:09:33.014642258 UTC

Parent: 20231018:dip-19648-1697627330:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627375 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:09:35.000000000 UTC

Actual recognition: 2023-10-18 11:10:31.185183298 UTC

Endpoint label: 2023-10-18 11:10:11.000000000 UTC

Endpoint known-by: 2023-10-18 11:10:14.376815523 UTC

Parent: 20231018:dip-19648-1697627375:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627523 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:12:03.000000000 UTC

Actual recognition: 2023-10-18 11:12:54.091171589 UTC

Endpoint label: 2023-10-18 11:12:55.000000000 UTC

Endpoint known-by: 2023-10-18 11:12:58.235306076 UTC

Parent: 20231018:dip-19648-1697627523:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627585 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:13:05.000000000 UTC

Actual recognition: 2023-10-18 11:13:55.210148053 UTC

Endpoint label: 2023-10-18 11:13:35.000000000 UTC

Endpoint known-by: 2023-10-18 11:13:41.240495762 UTC

Parent: 20231018:dip-19648-1697627585:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627684 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:14:44.000000000 UTC

Actual recognition: 2023-10-18 11:15:07.411050036 UTC

Endpoint label: 2023-10-18 11:15:09.000000000 UTC

Endpoint known-by: 2023-10-18 11:15:10.198874095 UTC

Parent: 20231018:dip-19648-1697627684:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627771 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:16:11.000000000 UTC

Actual recognition: 2023-10-18 11:17:03.410016128 UTC

Endpoint label: 2023-10-18 11:17:03.000000000 UTC

Endpoint known-by: 2023-10-18 11:17:06.662921291 UTC

Parent: 20231018:dip-19648-1697627771:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627859 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:17:39.000000000 UTC

Actual recognition: 2023-10-18 11:17:47.498871873 UTC

Endpoint label: 2023-10-18 11:17:53.000000000 UTC

Endpoint known-by: 2023-10-18 11:17:55.331444354 UTC

Parent: 20231018:dip-19648-1697627859:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627915 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:18:35.000000000 UTC

Actual recognition: 2023-10-18 11:19:27.164384417 UTC

Endpoint label: 2023-10-18 11:18:56.000000000 UTC

Endpoint known-by: 2023-10-18 11:18:57.067189264 UTC

Parent: 20231018:dip-19648-1697627915:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697627994 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:19:54.000000000 UTC

Actual recognition: 2023-10-18 11:20:38.461693415 UTC

Endpoint label: 2023-10-18 11:20:12.000000000 UTC

Endpoint known-by: 2023-10-18 11:20:17.629099398 UTC

Parent: 20231018:dip-19648-1697627994:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628039 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:20:39.000000000 UTC

Actual recognition: 2023-10-18 11:21:30.182603393 UTC

Endpoint label: 2023-10-18 11:20:46.000000000 UTC

Endpoint known-by: 2023-10-18 11:20:47.701100247 UTC

Parent: 20231018:dip-19648-1697628039:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628179 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:22:59.000000000 UTC

Actual recognition: 2023-10-18 11:23:45.174902800 UTC

Endpoint label: 2023-10-18 11:23:54.000000000 UTC

Endpoint known-by: 2023-10-18 11:23:58.491858059 UTC

Parent: 20231018:dip-19648-1697628179:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628290 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:24:50.000000000 UTC

Actual recognition: 2023-10-18 11:25:41.140505264 UTC

Endpoint label: 2023-10-18 11:25:22.000000000 UTC

Endpoint known-by: 2023-10-18 11:25:23.159549412 UTC

Parent: 20231018:dip-19648-1697628290:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628447 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:27:27.000000000 UTC

Actual recognition: 2023-10-18 11:27:41.225921653 UTC

Endpoint label: 2023-10-18 11:28:22.000000000 UTC

Endpoint known-by: 2023-10-18 11:28:24.581169176 UTC

Parent: 20231018:dip-19648-1697628447:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628528 | FLIP


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:28:48.000000000 UTC

Actual recognition: 2023-10-18 11:29:06.261742440 UTC

Endpoint label: 2023-10-18 11:29:55.000000000 UTC

Endpoint known-by: 2023-10-18 11:29:56.384332157 UTC

Parent: 20231018:dip-19648-1697628528:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628611 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:30:11.000000000 UTC

Actual recognition: 2023-10-18 11:31:07.305899208 UTC

Endpoint label: 2023-10-18 11:30:29.000000000 UTC

Endpoint known-by: 2023-10-18 11:30:31.277470047 UTC

Parent: 20231018:dip-19648-1697628611:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628675 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:31:15.000000000 UTC

Actual recognition: 2023-10-18 11:32:03.160609980 UTC

Endpoint label: 2023-10-18 11:31:22.000000000 UTC

Endpoint known-by: 2023-10-18 11:31:23.198483672 UTC

Parent: 20231018:dip-19648-1697628675:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628769 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:32:49.000000000 UTC

Actual recognition: 2023-10-18 11:33:40.062556565 UTC

Endpoint label: 2023-10-18 11:33:13.000000000 UTC

Endpoint known-by: 2023-10-18 11:33:22.333489153 UTC

Parent: 20231018:dip-19648-1697628769:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628814 | FLIP


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:33:34.000000000 UTC

Actual recognition: 2023-10-18 11:34:28.552084393 UTC

Endpoint label: 2023-10-18 11:34:43.000000000 UTC

Endpoint known-by: 2023-10-18 11:34:44.746968916 UTC

Parent: 20231018:dip-19648-1697628814:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628881 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:34:41.000000000 UTC

Actual recognition: 2023-10-18 11:35:35.479658146 UTC

Endpoint label: 2023-10-18 11:35:54.000000000 UTC

Endpoint known-by: 2023-10-18 11:36:09.668286938 UTC

Parent: 20231018:dip-19648-1697628881:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697628926 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:35:26.000000000 UTC

Actual recognition: 2023-10-18 11:36:19.088735576 UTC

Endpoint label: 2023-10-18 11:35:54.000000000 UTC

Endpoint known-by: 2023-10-18 11:36:09.668286938 UTC

Parent: 20231018:dip-19648-1697628926:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629027 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:37:07.000000000 UTC

Actual recognition: 2023-10-18 11:37:21.107498182 UTC

Endpoint label: 2023-10-18 11:37:34.000000000 UTC

Endpoint known-by: 2023-10-18 11:37:35.273316760 UTC

Parent: 20231018:dip-19648-1697629027:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629134 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:38:54.000000000 UTC

Actual recognition: 2023-10-18 11:39:05.340667371 UTC

Endpoint label: 2023-10-18 11:39:53.000000000 UTC

Endpoint known-by: 2023-10-18 11:39:55.168475969 UTC

Parent: 20231018:dip-19648-1697629134:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629207 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:40:07.000000000 UTC

Actual recognition: 2023-10-18 11:40:58.113164150 UTC

Endpoint label: 2023-10-18 11:40:11.000000000 UTC

Endpoint known-by: 2023-10-18 11:40:12.020580347 UTC

Parent: 20231018:dip-19648-1697629207:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629288 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:41:28.000000000 UTC

Actual recognition: 2023-10-18 11:42:21.359979459 UTC

Endpoint label: 2023-10-18 11:42:28.000000000 UTC

Endpoint known-by: 2023-10-18 11:42:33.036832825 UTC

Parent: 20231018:dip-19648-1697629288:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629363 | FLIP


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:42:43.000000000 UTC

Actual recognition: 2023-10-18 11:43:34.483172206 UTC

Endpoint label: 2023-10-18 11:43:14.000000000 UTC

Endpoint known-by: 2023-10-18 11:43:18.024811188 UTC

Parent: 20231018:dip-19648-1697629363:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629412 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:43:32.000000000 UTC

Actual recognition: 2023-10-18 11:44:23.258631019 UTC

Endpoint label: 2023-10-18 11:43:46.000000000 UTC

Endpoint known-by: 2023-10-18 11:43:50.628755709 UTC

Parent: 20231018:dip-19648-1697629412:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629480 | FLIP


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:44:40.000000000 UTC

Actual recognition: 2023-10-18 11:45:15.132358386 UTC

Endpoint label: 2023-10-18 11:46:18.000000000 UTC

Endpoint known-by: 2023-10-18 11:46:19.080258869 UTC

Parent: 20231018:dip-19648-1697629480:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629525 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:45:25.000000000 UTC

Actual recognition: 2023-10-18 11:46:16.380675087 UTC

Endpoint label: 2023-10-18 11:46:18.000000000 UTC

Endpoint known-by: 2023-10-18 11:46:19.080258869 UTC

Parent: 20231018:dip-19648-1697629525:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629621 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:47:01.000000000 UTC

Actual recognition: 2023-10-18 11:47:52.351385690 UTC

Endpoint label: 2023-10-18 11:47:30.000000000 UTC

Endpoint known-by: 2023-10-18 11:47:39.420899846 UTC

Parent: 20231018:dip-19648-1697629621:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629716 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:48:36.000000000 UTC

Actual recognition: 2023-10-18 11:49:26.844754978 UTC

Endpoint label: 2023-10-18 11:49:03.000000000 UTC

Endpoint known-by: 2023-10-18 11:49:04.098984408 UTC

Parent: 20231018:dip-19648-1697629716:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629784 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:49:44.000000000 UTC

Actual recognition: 2023-10-18 11:50:33.787484186 UTC

Endpoint label: 2023-10-18 11:50:08.000000000 UTC

Endpoint known-by: 2023-10-18 11:50:16.617463351 UTC

Parent: 20231018:dip-19648-1697629784:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629849 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:50:49.000000000 UTC

Actual recognition: 2023-10-18 11:51:20.056104028 UTC

Endpoint label: 2023-10-18 11:51:17.000000000 UTC

Endpoint known-by: 2023-10-18 11:51:18.282626819 UTC

Parent: 20231018:dip-19648-1697629849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697629978 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:52:58.000000000 UTC

Actual recognition: 2023-10-18 11:53:14.191073362 UTC

Endpoint label: 2023-10-18 11:53:54.000000000 UTC

Endpoint known-by: 2023-10-18 11:53:57.019561893 UTC

Parent: 20231018:dip-19648-1697629978:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630032 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:53:52.000000000 UTC

Actual recognition: 2023-10-18 11:54:43.159080123 UTC

Endpoint label: 2023-10-18 11:54:29.000000000 UTC

Endpoint known-by: 2023-10-18 11:54:30.972869247 UTC

Parent: 20231018:dip-19648-1697630032:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630138 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:55:38.000000000 UTC

Actual recognition: 2023-10-18 11:56:29.398392881 UTC

Endpoint label: 2023-10-18 11:56:01.000000000 UTC

Endpoint known-by: 2023-10-18 11:56:06.943662011 UTC

Parent: 20231018:dip-19648-1697630138:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630210 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:56:50.000000000 UTC

Actual recognition: 2023-10-18 11:57:34.261503696 UTC

Endpoint label: 2023-10-18 11:57:07.000000000 UTC

Endpoint known-by: 2023-10-18 11:57:09.553944063 UTC

Parent: 20231018:dip-19648-1697630210:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630269 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:57:49.000000000 UTC

Actual recognition: 2023-10-18 11:58:39.074210120 UTC

Endpoint label: 2023-10-18 11:57:52.000000000 UTC

Endpoint known-by: 2023-10-18 11:57:53.976139427 UTC

Parent: 20231018:dip-19648-1697630269:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630355 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 11:59:15.000000000 UTC

Actual recognition: 2023-10-18 11:59:37.013353261 UTC

Endpoint label: 2023-10-18 11:59:29.000000000 UTC

Endpoint known-by: 2023-10-18 11:59:30.001228878 UTC

Parent: 20231018:dip-19648-1697630355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630416 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:00:16.000000000 UTC

Actual recognition: 2023-10-18 12:01:07.573619052 UTC

Endpoint label: 2023-10-18 12:00:19.000000000 UTC

Endpoint known-by: 2023-10-18 12:00:20.298601275 UTC

Parent: 20231018:dip-19648-1697630416:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630510 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:01:50.000000000 UTC

Actual recognition: 2023-10-18 12:02:09.372921150 UTC

Endpoint label: 2023-10-18 12:02:17.000000000 UTC

Endpoint known-by: 2023-10-18 12:02:20.897091600 UTC

Parent: 20231018:dip-19648-1697630510:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630676 | SAME


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:04:36.000000000 UTC

Actual recognition: 2023-10-18 12:05:27.120282561 UTC

Endpoint label: 2023-10-18 12:05:34.000000000 UTC

Endpoint known-by: 2023-10-18 12:05:35.079540924 UTC

Parent: 20231018:dip-19648-1697630676:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630739 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:05:39.000000000 UTC

Actual recognition: 2023-10-18 12:06:23.630078576 UTC

Endpoint label: 2023-10-18 12:05:52.000000000 UTC

Endpoint known-by: 2023-10-18 12:05:53.117384268 UTC

Parent: 20231018:dip-19648-1697630739:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630932 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:08:52.000000000 UTC

Actual recognition: 2023-10-18 12:09:16.630526934 UTC

Endpoint label: 2023-10-18 12:09:00.000000000 UTC

Endpoint known-by: 2023-10-18 12:09:02.174789152 UTC

Parent: 20231018:dip-19648-1697630932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697630991 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:09:51.000000000 UTC

Actual recognition: 2023-10-18 12:10:40.461856359 UTC

Endpoint label: 2023-10-18 12:10:53.000000000 UTC

Endpoint known-by: 2023-10-18 12:10:54.105584288 UTC

Parent: 20231018:dip-19648-1697630991:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631047 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:10:47.000000000 UTC

Actual recognition: 2023-10-18 12:11:38.018610518 UTC

Endpoint label: 2023-10-18 12:10:53.000000000 UTC

Endpoint known-by: 2023-10-18 12:10:54.105584288 UTC

Parent: 20231018:dip-19648-1697631047:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631180 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:13:00.000000000 UTC

Actual recognition: 2023-10-18 12:13:53.720386095 UTC

Endpoint label: 2023-10-18 12:14:08.000000000 UTC

Endpoint known-by: 2023-10-18 12:14:09.461910298 UTC

Parent: 20231018:dip-19648-1697631180:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631225 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:13:45.000000000 UTC

Actual recognition: 2023-10-18 12:14:37.099034682 UTC

Endpoint label: 2023-10-18 12:14:08.000000000 UTC

Endpoint known-by: 2023-10-18 12:14:09.461910298 UTC

Parent: 20231018:dip-19648-1697631225:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631293 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:14:53.000000000 UTC

Actual recognition: 2023-10-18 12:15:49.851837764 UTC

Endpoint label: 2023-10-18 12:15:16.000000000 UTC

Endpoint known-by: 2023-10-18 12:15:17.492282293 UTC

Parent: 20231018:dip-19648-1697631293:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631342 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:15:42.000000000 UTC

Actual recognition: 2023-10-18 12:16:33.552219515 UTC

Endpoint label: 2023-10-18 12:15:59.000000000 UTC

Endpoint known-by: 2023-10-18 12:16:00.001472269 UTC

Parent: 20231018:dip-19648-1697631342:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631438 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:17:18.000000000 UTC

Actual recognition: 2023-10-18 12:18:09.495360184 UTC

Endpoint label: 2023-10-18 12:18:02.000000000 UTC

Endpoint known-by: 2023-10-18 12:18:03.813038766 UTC

Parent: 20231018:dip-19648-1697631438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631486 | FLIP


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:18:06.000000000 UTC

Actual recognition: 2023-10-18 12:18:58.267069356 UTC

Endpoint label: 2023-10-18 12:18:45.000000000 UTC

Endpoint known-by: 2023-10-18 12:18:47.371989753 UTC

Parent: 20231018:dip-19648-1697631486:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697631835 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:23:55.000000000 UTC

Actual recognition: 2023-10-18 12:24:47.272766590 UTC

Endpoint label: 2023-10-18 12:24:05.000000000 UTC

Endpoint known-by: 2023-10-18 12:24:06.256753991 UTC

Parent: 20231018:dip-19648-1697631835:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697632188 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:29:48.000000000 UTC

Actual recognition: 2023-10-18 12:29:59.086475593 UTC

Endpoint label: 2023-10-18 12:29:58.000000000 UTC

Endpoint known-by: 2023-10-18 12:29:59.086475593 UTC

Parent: 20231018:dip-19648-1697632188:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697632253 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:30:53.000000000 UTC

Actual recognition: 2023-10-18 12:31:44.029089279 UTC

Endpoint label: 2023-10-18 12:31:01.000000000 UTC

Endpoint known-by: 2023-10-18 12:31:03.582811044 UTC

Parent: 20231018:dip-19648-1697632253:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697632455 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:34:15.000000000 UTC

Actual recognition: 2023-10-18 12:35:07.627347880 UTC

Endpoint label: 2023-10-18 12:34:29.000000000 UTC

Endpoint known-by: 2023-10-18 12:34:31.992198797 UTC

Parent: 20231018:dip-19648-1697632455:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697632705 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:38:25.000000000 UTC

Actual recognition: 2023-10-18 12:39:16.283321937 UTC

Endpoint label: 2023-10-18 12:38:32.000000000 UTC

Endpoint known-by: 2023-10-18 12:38:33.319599860 UTC

Parent: 20231018:dip-19648-1697632705:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697632985 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:43:05.000000000 UTC

Actual recognition: 2023-10-18 12:43:56.303543548 UTC

Endpoint label: 2023-10-18 12:43:30.000000000 UTC

Endpoint known-by: 2023-10-18 12:43:31.239278142 UTC

Parent: 20231018:dip-19648-1697632985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633151 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:45:51.000000000 UTC

Actual recognition: 2023-10-18 12:46:34.127232531 UTC

Endpoint label: 2023-10-18 12:46:24.000000000 UTC

Endpoint known-by: 2023-10-18 12:46:27.182173611 UTC

Parent: 20231018:dip-19648-1697633151:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633211 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:46:51.000000000 UTC

Actual recognition: 2023-10-18 12:47:44.043086780 UTC

Endpoint label: 2023-10-18 12:47:37.000000000 UTC

Endpoint known-by: 2023-10-18 12:47:39.901489424 UTC

Parent: 20231018:dip-19648-1697633211:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633452 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:50:52.000000000 UTC

Actual recognition: 2023-10-18 12:51:43.602376636 UTC

Endpoint label: 2023-10-18 12:51:18.000000000 UTC

Endpoint known-by: 2023-10-18 12:51:19.471657645 UTC

Parent: 20231018:dip-19648-1697633452:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633557 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:52:37.000000000 UTC

Actual recognition: 2023-10-18 12:52:48.033753616 UTC

Endpoint label: 2023-10-18 12:52:48.000000000 UTC

Endpoint known-by: 2023-10-18 12:52:49.715596360 UTC

Parent: 20231018:dip-19648-1697633557:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633650 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:54:10.000000000 UTC

Actual recognition: 2023-10-18 12:54:59.151213721 UTC

Endpoint label: 2023-10-18 12:54:40.000000000 UTC

Endpoint known-by: 2023-10-18 12:54:44.340615830 UTC

Parent: 20231018:dip-19648-1697633650:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633824 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:57:04.000000000 UTC

Actual recognition: 2023-10-18 12:57:56.717752285 UTC

Endpoint label: 2023-10-18 12:57:23.000000000 UTC

Endpoint known-by: 2023-10-18 12:57:24.122005798 UTC

Parent: 20231018:dip-19648-1697633824:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697633986 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 12:59:46.000000000 UTC

Actual recognition: 2023-10-18 13:00:37.023070879 UTC

Endpoint label: 2023-10-18 13:00:51.000000000 UTC

Endpoint known-by: 2023-10-18 13:00:52.023826707 UTC

Parent: 20231018:dip-19648-1697633986:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697635112 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 13:18:32.000000000 UTC

Actual recognition: 2023-10-18 13:19:23.460545563 UTC

Endpoint label: 2023-10-18 13:18:41.000000000 UTC

Endpoint known-by: 2023-10-18 13:18:42.569521580 UTC

Parent: 20231018:dip-19648-1697635112:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697635405 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 13:23:25.000000000 UTC

Actual recognition: 2023-10-18 13:24:17.571055454 UTC

Endpoint label: 2023-10-18 13:23:30.000000000 UTC

Endpoint known-by: 2023-10-18 13:23:31.955459012 UTC

Parent: 20231018:dip-19648-1697635405:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697636186 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 13:36:26.000000000 UTC

Actual recognition: 2023-10-18 13:37:17.289638208 UTC

Endpoint label: 2023-10-18 13:36:50.000000000 UTC

Endpoint known-by: 2023-10-18 13:36:51.000587628 UTC

Parent: 20231018:dip-19648-1697636186:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697636481 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 13:41:21.000000000 UTC

Actual recognition: 2023-10-18 13:41:45.159764050 UTC

Endpoint label: 2023-10-18 13:41:53.000000000 UTC

Endpoint known-by: 2023-10-18 13:41:54.558848904 UTC

Parent: 20231018:dip-19648-1697636481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.