
20231018 candidate | dip-19648-1697657937 | SAME


One whole lifecycle: opposite_hold3 | 132 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:38:57.000000000 UTC

Actual recognition: 2023-10-18 19:39:56.430660988 UTC

Endpoint label: 2023-10-18 19:41:08.000000000 UTC

Endpoint known-by: 2023-10-18 19:41:09.488193235 UTC

Parent: 20231018:dip-19648-1697657937:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658024 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:40:24.000000000 UTC

Actual recognition: 2023-10-18 19:40:46.422133799 UTC

Endpoint label: 2023-10-18 19:41:08.000000000 UTC

Endpoint known-by: 2023-10-18 19:41:09.488193235 UTC

Parent: 20231018:dip-19648-1697658024:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658121 | SAME


One whole lifecycle: opposite_hold3 | 103 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:42:01.000000000 UTC

Actual recognition: 2023-10-18 19:42:19.081087685 UTC

Endpoint label: 2023-10-18 19:43:43.000000000 UTC

Endpoint known-by: 2023-10-18 19:43:47.455046978 UTC

Parent: 20231018:dip-19648-1697658121:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658171 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:42:51.000000000 UTC

Actual recognition: 2023-10-18 19:43:47.455046978 UTC

Endpoint label: 2023-10-18 19:43:43.000000000 UTC

Endpoint known-by: 2023-10-18 19:43:47.455046978 UTC

Parent: 20231018:dip-19648-1697658171:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658227 | FLIP


One whole lifecycle: opposite_hold3 | 100 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:43:47.000000000 UTC

Actual recognition: 2023-10-18 19:44:32.060546429 UTC

Endpoint label: 2023-10-18 19:45:26.000000000 UTC

Endpoint known-by: 2023-10-18 19:45:29.555586797 UTC

Parent: 20231018:dip-19648-1697658227:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658346 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:45:46.000000000 UTC

Actual recognition: 2023-10-18 19:46:08.070851571 UTC

Endpoint label: 2023-10-18 19:45:53.000000000 UTC

Endpoint known-by: 2023-10-18 19:45:55.484710786 UTC

Parent: 20231018:dip-19648-1697658346:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658431 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:47:11.000000000 UTC

Actual recognition: 2023-10-18 19:48:02.286915558 UTC

Endpoint label: 2023-10-18 19:47:35.000000000 UTC

Endpoint known-by: 2023-10-18 19:47:38.868939218 UTC

Parent: 20231018:dip-19648-1697658431:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658508 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:48:28.000000000 UTC

Actual recognition: 2023-10-18 19:48:51.260338881 UTC

Endpoint label: 2023-10-18 19:48:52.000000000 UTC

Endpoint known-by: 2023-10-18 19:48:55.208556207 UTC

Parent: 20231018:dip-19648-1697658508:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658553 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:49:13.000000000 UTC

Actual recognition: 2023-10-18 19:50:05.770039272 UTC

Endpoint label: 2023-10-18 19:49:26.000000000 UTC

Endpoint known-by: 2023-10-18 19:49:27.322406662 UTC

Parent: 20231018:dip-19648-1697658553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658752 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:52:32.000000000 UTC

Actual recognition: 2023-10-18 19:53:35.208681172 UTC

Endpoint label: 2023-10-18 19:52:47.000000000 UTC

Endpoint known-by: 2023-10-18 19:52:51.144351389 UTC

Parent: 20231018:dip-19648-1697658752:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658894 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:54:54.000000000 UTC

Actual recognition: 2023-10-18 19:55:45.209731613 UTC

Endpoint label: 2023-10-18 19:55:12.000000000 UTC

Endpoint known-by: 2023-10-18 19:55:13.207536746 UTC

Parent: 20231018:dip-19648-1697658894:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697658973 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:56:13.000000000 UTC

Actual recognition: 2023-10-18 19:56:31.472681852 UTC

Endpoint label: 2023-10-18 19:56:19.000000000 UTC

Endpoint known-by: 2023-10-18 19:56:20.203345908 UTC

Parent: 20231018:dip-19648-1697658973:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659065 | FLIP


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:57:45.000000000 UTC

Actual recognition: 2023-10-18 19:58:04.373236993 UTC

Endpoint label: 2023-10-18 19:58:29.000000000 UTC

Endpoint known-by: 2023-10-18 19:58:30.966554909 UTC

Parent: 20231018:dip-19648-1697659065:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659127 | FLIP


One whole lifecycle: opposite_hold3 | 111 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:58:47.000000000 UTC

Actual recognition: 2023-10-18 19:59:38.961711555 UTC

Endpoint label: 2023-10-18 20:00:37.000000000 UTC

Endpoint known-by: 2023-10-18 20:00:50.405062740 UTC

Parent: 20231018:dip-19648-1697659127:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659189 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 19:59:49.000000000 UTC

Actual recognition: 2023-10-18 20:00:50.405062740 UTC

Endpoint label: 2023-10-18 20:00:37.000000000 UTC

Endpoint known-by: 2023-10-18 20:00:50.405062740 UTC

Parent: 20231018:dip-19648-1697659189:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659248 | FLIP


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:00:48.000000000 UTC

Actual recognition: 2023-10-18 20:01:45.000489958 UTC

Endpoint label: 2023-10-18 20:02:04.000000000 UTC

Endpoint known-by: 2023-10-18 20:02:07.448812592 UTC

Parent: 20231018:dip-19648-1697659248:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659322 | FLIP


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:02:02.000000000 UTC

Actual recognition: 2023-10-18 20:02:53.622663479 UTC

Endpoint label: 2023-10-18 20:03:12.000000000 UTC

Endpoint known-by: 2023-10-18 20:03:13.317307817 UTC

Parent: 20231018:dip-19648-1697659322:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659410 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:03:30.000000000 UTC

Actual recognition: 2023-10-18 20:03:42.113656849 UTC

Endpoint label: 2023-10-18 20:04:17.000000000 UTC

Endpoint known-by: 2023-10-18 20:04:19.397351423 UTC

Parent: 20231018:dip-19648-1697659410:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659482 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:04:42.000000000 UTC

Actual recognition: 2023-10-18 20:05:33.743874682 UTC

Endpoint label: 2023-10-18 20:05:11.000000000 UTC

Endpoint known-by: 2023-10-18 20:05:12.436073712 UTC

Parent: 20231018:dip-19648-1697659482:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659561 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:06:01.000000000 UTC

Actual recognition: 2023-10-18 20:06:52.530742548 UTC

Endpoint label: 2023-10-18 20:06:04.000000000 UTC

Endpoint known-by: 2023-10-18 20:06:05.005819532 UTC

Parent: 20231018:dip-19648-1697659561:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659619 | FLIP


One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:06:59.000000000 UTC

Actual recognition: 2023-10-18 20:08:05.319945567 UTC

Endpoint label: 2023-10-18 20:08:47.000000000 UTC

Endpoint known-by: 2023-10-18 20:08:49.227620964 UTC

Parent: 20231018:dip-19648-1697659619:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659725 | FLIP


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:08:45.000000000 UTC

Actual recognition: 2023-10-18 20:09:43.096991455 UTC

Endpoint label: 2023-10-18 20:10:20.000000000 UTC

Endpoint known-by: 2023-10-18 20:10:22.197745603 UTC

Parent: 20231018:dip-19648-1697659725:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659850 | FLIP


One whole lifecycle: opposite_hold3 | 169 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:10:50.000000000 UTC

Actual recognition: 2023-10-18 20:11:41.790767450 UTC

Endpoint label: 2023-10-18 20:13:38.000000000 UTC

Endpoint known-by: 2023-10-18 20:13:40.083476542 UTC

Parent: 20231018:dip-19648-1697659850:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697659961 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:12:41.000000000 UTC

Actual recognition: 2023-10-18 20:13:33.000356546 UTC

Endpoint label: 2023-10-18 20:13:38.000000000 UTC

Endpoint known-by: 2023-10-18 20:13:40.083476542 UTC

Parent: 20231018:dip-19648-1697659961:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660017 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:13:37.000000000 UTC

Actual recognition: 2023-10-18 20:14:31.357957955 UTC

Endpoint label: 2023-10-18 20:13:59.000000000 UTC

Endpoint known-by: 2023-10-18 20:14:03.753193554 UTC

Parent: 20231018:dip-19648-1697660017:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660066 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:14:26.000000000 UTC

Actual recognition: 2023-10-18 20:15:18.280816084 UTC

Endpoint label: 2023-10-18 20:14:47.000000000 UTC

Endpoint known-by: 2023-10-18 20:14:48.877168655 UTC

Parent: 20231018:dip-19648-1697660066:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660175 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:16:15.000000000 UTC

Actual recognition: 2023-10-18 20:17:06.051370961 UTC

Endpoint label: 2023-10-18 20:17:10.000000000 UTC

Endpoint known-by: 2023-10-18 20:17:12.020700855 UTC

Parent: 20231018:dip-19648-1697660175:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660309 | SAME


One whole lifecycle: opposite_hold3 | 80 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:18:29.000000000 UTC

Actual recognition: 2023-10-18 20:19:22.592413263 UTC

Endpoint label: 2023-10-18 20:19:48.000000000 UTC

Endpoint known-by: 2023-10-18 20:19:50.337923630 UTC

Parent: 20231018:dip-19648-1697660309:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660390 | FLIP


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:19:50.000000000 UTC

Actual recognition: 2023-10-18 20:20:40.427719011 UTC

Endpoint label: 2023-10-18 20:21:10.000000000 UTC

Endpoint known-by: 2023-10-18 20:21:19.522461586 UTC

Parent: 20231018:dip-19648-1697660390:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660442 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:20:42.000000000 UTC

Actual recognition: 2023-10-18 20:22:20.108829841 UTC

Endpoint label: 2023-10-18 20:21:10.000000000 UTC

Endpoint known-by: 2023-10-18 20:21:19.522461586 UTC

Parent: 20231018:dip-19648-1697660442:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660487 | FLIP


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:21:27.000000000 UTC

Actual recognition: 2023-10-18 20:22:20.108829841 UTC

Endpoint label: 2023-10-18 20:23:39.000000000 UTC

Endpoint known-by: 2023-10-18 20:23:40.474391110 UTC

Parent: 20231018:dip-19648-1697660487:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660541 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:22:21.000000000 UTC

Actual recognition: 2023-10-18 20:23:12.908472909 UTC

Endpoint label: 2023-10-18 20:23:39.000000000 UTC

Endpoint known-by: 2023-10-18 20:23:40.474391110 UTC

Parent: 20231018:dip-19648-1697660541:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660591 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:23:11.000000000 UTC

Actual recognition: 2023-10-18 20:23:59.370771537 UTC

Endpoint label: 2023-10-18 20:23:39.000000000 UTC

Endpoint known-by: 2023-10-18 20:23:40.474391110 UTC

Parent: 20231018:dip-19648-1697660591:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660636 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:23:56.000000000 UTC

Actual recognition: 2023-10-18 20:24:51.752543525 UTC

Endpoint label: 2023-10-18 20:25:01.000000000 UTC

Endpoint known-by: 2023-10-18 20:25:02.222287398 UTC

Parent: 20231018:dip-19648-1697660636:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660691 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:24:51.000000000 UTC

Actual recognition: 2023-10-18 20:25:51.531091752 UTC

Endpoint label: 2023-10-18 20:25:01.000000000 UTC

Endpoint known-by: 2023-10-18 20:25:02.222287398 UTC

Parent: 20231018:dip-19648-1697660691:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660760 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:26:00.000000000 UTC

Actual recognition: 2023-10-18 20:26:55.429052077 UTC

Endpoint label: 2023-10-18 20:26:16.000000000 UTC

Endpoint known-by: 2023-10-18 20:26:18.497429115 UTC

Parent: 20231018:dip-19648-1697660760:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660854 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:27:34.000000000 UTC

Actual recognition: 2023-10-18 20:27:49.939622257 UTC

Endpoint label: 2023-10-18 20:27:45.000000000 UTC

Endpoint known-by: 2023-10-18 20:27:49.939622257 UTC

Parent: 20231018:dip-19648-1697660854:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660915 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:28:35.000000000 UTC

Actual recognition: 2023-10-18 20:29:26.272874912 UTC

Endpoint label: 2023-10-18 20:28:55.000000000 UTC

Endpoint known-by: 2023-10-18 20:28:56.376842742 UTC

Parent: 20231018:dip-19648-1697660915:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697660985 | SAME


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:29:45.000000000 UTC

Actual recognition: 2023-10-18 20:30:36.017813791 UTC

Endpoint label: 2023-10-18 20:30:59.000000000 UTC

Endpoint known-by: 2023-10-18 20:31:00.634571706 UTC

Parent: 20231018:dip-19648-1697660985:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661105 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:31:45.000000000 UTC

Actual recognition: 2023-10-18 20:32:43.927673411 UTC

Endpoint label: 2023-10-18 20:32:43.000000000 UTC

Endpoint known-by: 2023-10-18 20:32:56.788699651 UTC

Parent: 20231018:dip-19648-1697661105:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661200 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:33:20.000000000 UTC

Actual recognition: 2023-10-18 20:33:33.075305577 UTC

Endpoint label: 2023-10-18 20:33:38.000000000 UTC

Endpoint known-by: 2023-10-18 20:33:39.340432593 UTC

Parent: 20231018:dip-19648-1697661200:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661281 | SAME


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:34:41.000000000 UTC

Actual recognition: 2023-10-18 20:35:44.117810812 UTC

Endpoint label: 2023-10-18 20:36:28.000000000 UTC

Endpoint known-by: 2023-10-18 20:36:32.749495026 UTC

Parent: 20231018:dip-19648-1697661281:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661364 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:36:04.000000000 UTC

Actual recognition: 2023-10-18 20:36:59.891669691 UTC

Endpoint label: 2023-10-18 20:36:28.000000000 UTC

Endpoint known-by: 2023-10-18 20:36:32.749495026 UTC

Parent: 20231018:dip-19648-1697661364:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661477 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:37:57.000000000 UTC

Actual recognition: 2023-10-18 20:38:15.417990910 UTC

Endpoint label: 2023-10-18 20:38:09.000000000 UTC

Endpoint known-by: 2023-10-18 20:38:13.524356739 UTC

Parent: 20231018:dip-19648-1697661477:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661558 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:39:18.000000000 UTC

Actual recognition: 2023-10-18 20:39:35.028821104 UTC

Endpoint label: 2023-10-18 20:40:04.000000000 UTC

Endpoint known-by: 2023-10-18 20:40:07.773541168 UTC

Parent: 20231018:dip-19648-1697661558:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661603 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:40:03.000000000 UTC

Actual recognition: 2023-10-18 20:40:54.340614833 UTC

Endpoint label: 2023-10-18 20:41:08.000000000 UTC

Endpoint known-by: 2023-10-18 20:41:11.619866739 UTC

Parent: 20231018:dip-19648-1697661603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661691 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:41:31.000000000 UTC

Actual recognition: 2023-10-18 20:41:58.052489311 UTC

Endpoint label: 2023-10-18 20:42:07.000000000 UTC

Endpoint known-by: 2023-10-18 20:42:09.200891094 UTC

Parent: 20231018:dip-19648-1697661691:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661736 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:42:16.000000000 UTC

Actual recognition: 2023-10-18 20:43:07.200994148 UTC

Endpoint label: 2023-10-18 20:42:32.000000000 UTC

Endpoint known-by: 2023-10-18 20:42:36.002719487 UTC

Parent: 20231018:dip-19648-1697661736:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661781 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:43:01.000000000 UTC

Actual recognition: 2023-10-18 20:43:54.143098383 UTC

Endpoint label: 2023-10-18 20:43:06.000000000 UTC

Endpoint known-by: 2023-10-18 20:43:07.200994148 UTC

Parent: 20231018:dip-19648-1697661781:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661826 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:43:46.000000000 UTC

Actual recognition: 2023-10-18 20:44:46.012252584 UTC

Endpoint label: 2023-10-18 20:44:20.000000000 UTC

Endpoint known-by: 2023-10-18 20:44:21.951429161 UTC

Parent: 20231018:dip-19648-1697661826:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661906 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:45:06.000000000 UTC

Actual recognition: 2023-10-18 20:45:48.035699711 UTC

Endpoint label: 2023-10-18 20:45:34.000000000 UTC

Endpoint known-by: 2023-10-18 20:45:35.416564672 UTC

Parent: 20231018:dip-19648-1697661906:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697661992 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:46:32.000000000 UTC

Actual recognition: 2023-10-18 20:46:47.416079228 UTC

Endpoint label: 2023-10-18 20:47:22.000000000 UTC

Endpoint known-by: 2023-10-18 20:47:26.790099857 UTC

Parent: 20231018:dip-19648-1697661992:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662108 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:48:28.000000000 UTC

Actual recognition: 2023-10-18 20:49:24.563787751 UTC

Endpoint label: 2023-10-18 20:49:18.000000000 UTC

Endpoint known-by: 2023-10-18 20:49:24.563787751 UTC

Parent: 20231018:dip-19648-1697662108:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662153 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:49:13.000000000 UTC

Actual recognition: 2023-10-18 20:50:11.927862486 UTC

Endpoint label: 2023-10-18 20:49:18.000000000 UTC

Endpoint known-by: 2023-10-18 20:49:24.563787751 UTC

Parent: 20231018:dip-19648-1697662153:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662211 | SAME


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:50:11.000000000 UTC

Actual recognition: 2023-10-18 20:51:04.128892475 UTC

Endpoint label: 2023-10-18 20:51:18.000000000 UTC

Endpoint known-by: 2023-10-18 20:51:22.002530414 UTC

Parent: 20231018:dip-19648-1697662211:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662256 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:50:56.000000000 UTC

Actual recognition: 2023-10-18 20:51:48.157920933 UTC

Endpoint label: 2023-10-18 20:51:18.000000000 UTC

Endpoint known-by: 2023-10-18 20:51:22.002530414 UTC

Parent: 20231018:dip-19648-1697662256:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662301 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:51:41.000000000 UTC

Actual recognition: 2023-10-18 20:52:32.727181628 UTC

Endpoint label: 2023-10-18 20:51:50.000000000 UTC

Endpoint known-by: 2023-10-18 20:51:51.637524775 UTC

Parent: 20231018:dip-19648-1697662301:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662400 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:53:20.000000000 UTC

Actual recognition: 2023-10-18 20:54:13.088465891 UTC

Endpoint label: 2023-10-18 20:54:16.000000000 UTC

Endpoint known-by: 2023-10-18 20:54:38.847948498 UTC

Parent: 20231018:dip-19648-1697662400:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662478 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:54:38.000000000 UTC

Actual recognition: 2023-10-18 20:55:49.666433603 UTC

Endpoint label: 2023-10-18 20:55:51.000000000 UTC

Endpoint known-by: 2023-10-18 20:55:52.728806417 UTC

Parent: 20231018:dip-19648-1697662478:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662528 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:55:28.000000000 UTC

Actual recognition: 2023-10-18 20:56:19.017902886 UTC

Endpoint label: 2023-10-18 20:55:51.000000000 UTC

Endpoint known-by: 2023-10-18 20:55:52.728806417 UTC

Parent: 20231018:dip-19648-1697662528:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662637 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:57:17.000000000 UTC

Actual recognition: 2023-10-18 20:58:09.088151010 UTC

Endpoint label: 2023-10-18 20:57:32.000000000 UTC

Endpoint known-by: 2023-10-18 20:57:45.004060647 UTC

Parent: 20231018:dip-19648-1697662637:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662685 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:58:05.000000000 UTC

Actual recognition: 2023-10-18 20:58:56.088140890 UTC

Endpoint label: 2023-10-18 20:58:11.000000000 UTC

Endpoint known-by: 2023-10-18 20:58:12.419899319 UTC

Parent: 20231018:dip-19648-1697662685:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231018 candidate | dip-19648-1697662764 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-18 20:59:24.000000000 UTC

Actual recognition: 2023-10-18 20:59:41.146524653 UTC

Endpoint label: 2023-10-18 20:59:36.000000000 UTC

Endpoint known-by: 2023-10-18 20:59:37.062729659 UTC

Parent: 20231018:dip-19648-1697662764:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.