




SPECULATIVE M2: 20231002 FLIP; strictly before recognition; every side and event type










































SPECULATIVE M2: 20231002 NO_PREDECESSOR; strictly before recognition; every side and event type
A_B first observed seconds from birth
in / plotted / absent
candidate: 1/1/0
control1: 1/1/0
control2: 1/1/0
A_A first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/1/0
C_B first observed seconds from birth
in / plotted / absent
candidate: 1/1/0
control1: 1/1/0
control2: 1/1/0
C_A first observed seconds from birth
in / plotted / absent
candidate: 1/1/0
control1: 1/1/0
control2: 1/1/0
F_B first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
F_A first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
M_B first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
M_A first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
T_B first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
T_A first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
bid_quote first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
ask_quote first observed seconds from birth
in / plotted / absent
candidate: 1/0/1
control1: 1/1/0
control2: 1/0/1
bid_touch_size first observed seconds from birth
in / plotted / absent
candidate: 1/1/0
control1: 1/1/0
control2: 1/1/0
ask_touch_size first observed seconds from birth
in / plotted / absent
candidate: 1/1/0
control1: 1/1/0
control2: 1/1/0

SPECULATIVE M2: 20231002 SAME; strictly before recognition; every side and event type





20231002 candidate FLIP: raw levels and lots; 852 subset on Oct 18



20231002-candidate-FLIP-endpoints.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 candidate FLIP: raw levels and lots; 852 subset on Oct 18
ratio: rows in 40319; heat cells 25559; exact endpoints 193; undefined 14567
candidate row
0
50
100
150
200
250
300
350
−50
−25
0
25
50
75
100
125
seconds from birth; white is unobserved/after recognition
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00

20231002-candidate-FLIP-quotes.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-candidate-NO_PREDECESSOR-actions.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.


20231002-candidate-NO_PREDECESSOR-endpoints.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-candidate-NO_PREDECESSOR-flow.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-candidate-NO_PREDECESSOR-quotes.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.





20231002 candidate SAME: raw levels and lots; 852 subset on Oct 18




20231002-candidate-SAME-endpoints.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 candidate SAME: raw levels and lots; 852 subset on Oct 18
ratio: rows in 44238; heat cells 28671; exact endpoints 224; undefined 15343
candidate row
0
50
100
150
200
250
300
350
−60
−40
−20
0
20
40
60
80
100
seconds from birth; white is unobserved/after recognition
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00



20231002 candidate SAME: raw levels and lots; 852 subset on Oct 18
bid: rows in 44238; heat cells 43851; exact endpoints 387; undefined 0
ask: rows in 44238; heat cells 43851; exact endpoints 387; undefined 0
bid_size: rows in 44238; heat cells 43851; exact endpoints 387; undefined 0
ask_size: rows in 44238; heat cells 43851; exact endpoints 387; undefined 0
candidate row
seconds from birth; white is unobserved/after recognition

20231002 control1 FLIP: raw levels and lots; 852 subset on Oct 18




20231002-control1-FLIP-endpoints.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-FLIP-flow.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-FLIP-quotes.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-NO_PREDECESSOR-actions.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-NO_PREDECESSOR-endpoints.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-NO_PREDECESSOR-flow.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control1-NO_PREDECESSOR-quotes.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.





20231002 control1 SAME: raw levels and lots; 852 subset on Oct 18



20231002-control1-SAME-endpoints.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.





20231002 control1 SAME: raw levels and lots; 852 subset on Oct 18
ratio: rows in 44238; heat cells 24593; exact endpoints 223; undefined 19422
candidate row
0
50
100
150
200
250
300
350
−60
−40
−20
0
20
40
60
80
100
seconds from birth; white is unobserved/after recognition
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00

20231002-control1-SAME-quotes.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 control2 FLIP: raw levels and lots; 852 subset on Oct 18





20231002-control2-FLIP-endpoints.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 control2 FLIP: raw levels and lots; 852 subset on Oct 18
bid: rows in 40319; heat cells 39966; exact endpoints 353; undefined 0
ask: rows in 40319; heat cells 39966; exact endpoints 353; undefined 0
bid_size: rows in 40319; heat cells 39966; exact endpoints 353; undefined 0
ask_size: rows in 40319; heat cells 39966; exact endpoints 353; undefined 0
candidate row
seconds from birth; white is unobserved/after recognition


20231002-control2-NO_PREDECESSOR-actions.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002-control2-NO_PREDECESSOR-endpoints.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 control2 NO_PREDECESSOR: raw levels and lots; 852 subset on Oct 18
ratio: rows in 118; heat cells 20; exact endpoints 0; undefined 98
candidate row
0.0
0.2
0.4
0.6
0.8
1.0
−60
−40
−20
0
20
40
seconds from birth; white is unobserved/after recognition
−0.130
−0.135
−0.140
−0.145
−0.150
−0.155



20231002 control2 NO_PREDECESSOR: raw levels and lots; 852 subset on Oct 18
bid: rows in 118; heat cells 117; exact endpoints 1; undefined 0
ask: rows in 118; heat cells 117; exact endpoints 1; undefined 0
bid_size: rows in 118; heat cells 117; exact endpoints 1; undefined 0
ask_size: rows in 118; heat cells 117; exact endpoints 1; undefined 0
candidate row
seconds from birth; white is unobserved/after recognition


20231002 control2 SAME: raw levels and lots; 852 subset on Oct 18



20231002-control2-SAME-endpoints.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.






20231002 control2 SAME: raw levels and lots; 852 subset on Oct 18
ratio: rows in 44238; heat cells 24433; exact endpoints 224; undefined 19581
candidate row
0
50
100
150
200
250
300
350
−60
−40
−20
0
20
40
60
80
100
seconds from birth; white is unobserved/after recognition
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00


20231002-control2-SAME-quotes.png


Original published render, unchanged. Individual source tables and figure reconciliation remain linked.






nominal_lag_s
in 741; points 741; unavailable 0
ordered observation



dispatch_lag_s
in 741; points 741; unavailable 0
ordered observation



recognition_lag_s
in 741; points 741; unavailable 0
ordered observation



winning_offset_s
in 741; points 741; unavailable 0
ordered observation


observations_behind_threshold
in 741; points 741; unavailable 0
ordered observation


searched_span_seconds
in 741; points 741; unavailable 0
ordered observation



SPECULATIVE definitions: 20231002 FLIP; M2 strictly before recognition; all observations
quote_relocation
in 353; plotted 353; undefined 0
touch_size_change
in 353; plotted 353; undefined 0
wire_aggressor_run_start
in 353; plotted 353; undefined 0
recognition minus first structural event, seconds
bid_quote first time from birth
T_B first time from birth
T_A first time from birth
in / plotted / absent
candidate 353/287/66
control1 353/252/101
control2 353/224/129
candidate 353/278/75
control1 353/238/115
control2 353/218/135
candidate 353/278/75
control1 353/226/127
control2 353/208/145



SPECULATIVE definitions: 20231002 NO_PREDECESSOR; M2 strictly before recognition; all observations
quote_relocation
in 1; plotted 1; undefined 0
touch_size_change
in 1; plotted 1; undefined 0
wire_aggressor_run_start
in 1; plotted 1; undefined 0
recognition minus first structural event, seconds
bid_quote first time from birth
T_B first time from birth
T_A first time from birth
in / plotted / absent
candidate 1/0/1
control1 1/1/0
control2 1/0/1



SPECULATIVE definitions: 20231002 SAME; M2 strictly before recognition; all observations
quote_relocation
in 387; plotted 387; undefined 0
touch_size_change
in 387; plotted 387; undefined 0
wire_aggressor_run_start
in 387; plotted 387; undefined 0
recognition minus first structural event, seconds
bid_quote first time from birth
T_B first time from birth
T_A first time from birth
in / plotted / absent
candidate 387/304/83
control1 387/253/134
control2 387/265/122
candidate 387/308/79
control1 387/245/142
control2 387/251/136
candidate 387/273/114
control1 387/231/156
control2 387/231/156


20231002-operators-FLIP.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.





20231002 NO_PREDECESSOR: all residuals; no model selection
flow_sign_determines_quote
depth_sign_determines_quote
fixed_50s_nominal_lag
monotone_magnitude_decay
constant_signed_numerator
SPECULATIVE lifetime: third consecutive opposite second or censoring at tape end
in / plotted / undefined
candidate: 1/1/0
control1: 1/1/0
control2: 1/0/1
control1: 1/0/1
ordered observation



20231002 SAME: all residuals; no model selection
flow_sign_determines_quote
depth_sign_determines_quote
fixed_50s_nominal_lag
monotone_magnitude_decay
constant_signed_numerator
SPECULATIVE lifetime: third consecutive opposite second or censoring at tape end
in / plotted / undefined
candidate: 387/387/0
control1: 387/232/155
control2: 387/228/159
control1: 387/387/0
control2: 387/387/0
control1: 387/0/387
control2: 387/0/387
control1: 387/219/168
control2: 387/214/173
ordered observation


20231002 quote_levels; no preset cluster count; no normalization
Pair distances: in 274170, points 274170, excluded 0
raw cityblock distance
Merges: in 740, points 740, excluded 0
raw merge distance
Path coordinates: in 97812, cells 97812
undefined rows 0
all time coordinates, consecutive field blocks

20231002-structure-signed_ratio.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.




20231002 touch_lots; no preset cluster count; no normalization
Pair distances: in 274170, points 274170, excluded 0
raw cityblock distance
Merges: in 740, points 740, excluded 0
raw merge distance
Path coordinates: in 97812, cells 97812
undefined rows 0
all time coordinates, consecutive field blocks

20231002-structure-wire_trade_lots.png

Original published render, unchanged. Individual source tables and figure reconciliation remain linked.

