
# 20231002 candidate | dip-19632-1696206036 | NO_PREDECESSOR


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:20:36.000000000 UTC

Actual recognition: 2023-10-02 00:21:32.957453764 UTC

Endpoint label: 2023-10-02 00:21:34.000000000 UTC

Endpoint known-by: 2023-10-02 00:21:36.001463964 UTC

Parent: 20231002:dip-19632-1696206036:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206142 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:22:22.000000000 UTC

Actual recognition: 2023-10-02 00:22:56.684884279 UTC

Endpoint label: 2023-10-02 00:22:40.000000000 UTC

Endpoint known-by: 2023-10-02 00:22:41.031539744 UTC

Parent: 20231002:dip-19632-1696206142:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206187 | FLIP


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:23:07.000000000 UTC

Actual recognition: 2023-10-02 00:24:09.986903509 UTC

Endpoint label: 2023-10-02 00:25:00.000000000 UTC

Endpoint known-by: 2023-10-02 00:25:08.886407611 UTC

Parent: 20231002:dip-19632-1696206187:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206298 | FLIP


One whole lifecycle: opposite_hold3 | 345 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:24:58.000000000 UTC

Actual recognition: 2023-10-02 00:26:23.062353026 UTC

Endpoint label: 2023-10-02 00:30:42.000000000 UTC

Endpoint known-by: 2023-10-02 00:30:44.099209419 UTC

Parent: 20231002:dip-19632-1696206298:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206439 | SAME


One whole lifecycle: opposite_hold3 | 204 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:27:19.000000000 UTC

Actual recognition: 2023-10-02 00:28:29.271536313 UTC

Endpoint label: 2023-10-02 00:30:42.000000000 UTC

Endpoint known-by: 2023-10-02 00:30:44.099209419 UTC

Parent: 20231002:dip-19632-1696206439:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206593 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:29:53.000000000 UTC

Actual recognition: 2023-10-02 00:30:44.099209419 UTC

Endpoint label: 2023-10-02 00:30:42.000000000 UTC

Endpoint known-by: 2023-10-02 00:30:44.099209419 UTC

Parent: 20231002:dip-19632-1696206593:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206646 | FLIP


One whole lifecycle: opposite_hold3 | 167 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:30:46.000000000 UTC

Actual recognition: 2023-10-02 00:32:29.632168425 UTC

Endpoint label: 2023-10-02 00:33:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:33:34.572569763 UTC

Parent: 20231002:dip-19632-1696206646:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206834 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:33:54.000000000 UTC

Actual recognition: 2023-10-02 00:34:59.939519839 UTC

Endpoint label: 2023-10-02 00:34:43.000000000 UTC

Endpoint known-by: 2023-10-02 00:34:59.939519839 UTC

Parent: 20231002:dip-19632-1696206834:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206884 | FLIP


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:34:44.000000000 UTC

Actual recognition: 2023-10-02 00:35:32.368211164 UTC

Endpoint label: 2023-10-02 00:35:44.000000000 UTC

Endpoint known-by: 2023-10-02 00:35:46.816765862 UTC

Parent: 20231002:dip-19632-1696206884:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696206951 | FLIP


One whole lifecycle: opposite_hold3 | 133 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:35:51.000000000 UTC

Actual recognition: 2023-10-02 00:36:40.185428697 UTC

Endpoint label: 2023-10-02 00:38:03.000000000 UTC

Endpoint known-by: 2023-10-02 00:38:04.055332374 UTC

Parent: 20231002:dip-19632-1696206951:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207081 | FLIP


One whole lifecycle: opposite_hold3 | 197 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:38:01.000000000 UTC

Actual recognition: 2023-10-02 00:38:58.045434681 UTC

Endpoint label: 2023-10-02 00:41:17.000000000 UTC

Endpoint known-by: 2023-10-02 00:41:33.086134166 UTC

Parent: 20231002:dip-19632-1696207081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207162 | SAME


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:39:22.000000000 UTC

Actual recognition: 2023-10-02 00:40:06.690786220 UTC

Endpoint label: 2023-10-02 00:41:17.000000000 UTC

Endpoint known-by: 2023-10-02 00:41:33.086134166 UTC

Parent: 20231002:dip-19632-1696207162:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207275 | FLIP


One whole lifecycle: opposite_hold3 | 318 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:41:15.000000000 UTC

Actual recognition: 2023-10-02 00:42:18.447986548 UTC

Endpoint label: 2023-10-02 00:46:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:46:40.114232837 UTC

Parent: 20231002:dip-19632-1696207275:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207343 | SAME


One whole lifecycle: opposite_hold3 | 250 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:42:23.000000000 UTC

Actual recognition: 2023-10-02 00:43:18.669478535 UTC

Endpoint label: 2023-10-02 00:46:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:46:40.114232837 UTC

Parent: 20231002:dip-19632-1696207343:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207404 | SAME


One whole lifecycle: opposite_hold3 | 189 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:43:24.000000000 UTC

Actual recognition: 2023-10-02 00:44:17.836560564 UTC

Endpoint label: 2023-10-02 00:46:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:46:40.114232837 UTC

Parent: 20231002:dip-19632-1696207404:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207476 | SAME


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:44:36.000000000 UTC

Actual recognition: 2023-10-02 00:45:25.011755570 UTC

Endpoint label: 2023-10-02 00:46:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:46:40.114232837 UTC

Parent: 20231002:dip-19632-1696207476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207547 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:45:47.000000000 UTC

Actual recognition: 2023-10-02 00:46:40.114232837 UTC

Endpoint label: 2023-10-02 00:46:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:46:40.114232837 UTC

Parent: 20231002:dip-19632-1696207547:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207592 | FLIP


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:46:32.000000000 UTC

Actual recognition: 2023-10-02 00:47:32.985543246 UTC

Endpoint label: 2023-10-02 00:47:44.000000000 UTC

Endpoint known-by: 2023-10-02 00:47:46.554663670 UTC

Parent: 20231002:dip-19632-1696207592:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207662 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:47:42.000000000 UTC

Actual recognition: 2023-10-02 00:48:33.039000071 UTC

Endpoint label: 2023-10-02 00:48:35.000000000 UTC

Endpoint known-by: 2023-10-02 00:48:38.223403975 UTC

Parent: 20231002:dip-19632-1696207662:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207707 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:48:27.000000000 UTC

Actual recognition: 2023-10-02 00:49:25.969318790 UTC

Endpoint label: 2023-10-02 00:48:35.000000000 UTC

Endpoint known-by: 2023-10-02 00:48:38.223403975 UTC

Parent: 20231002:dip-19632-1696207707:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207765 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:49:25.000000000 UTC

Actual recognition: 2023-10-02 00:50:16.119092118 UTC

Endpoint label: 2023-10-02 00:49:47.000000000 UTC

Endpoint known-by: 2023-10-02 00:49:52.441920802 UTC

Parent: 20231002:dip-19632-1696207765:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696207866 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:51:06.000000000 UTC

Actual recognition: 2023-10-02 00:52:00.010084920 UTC

Endpoint label: 2023-10-02 00:51:20.000000000 UTC

Endpoint known-by: 2023-10-02 00:52:00.010084920 UTC

Parent: 20231002:dip-19632-1696207866:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208091 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:54:51.000000000 UTC

Actual recognition: 2023-10-02 00:56:30.358865797 UTC

Endpoint label: 2023-10-02 00:56:32.000000000 UTC

Endpoint known-by: 2023-10-02 00:56:33.403005547 UTC

Parent: 20231002:dip-19632-1696208091:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208190 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:56:30.000000000 UTC

Actual recognition: 2023-10-02 00:57:39.389827773 UTC

Endpoint label: 2023-10-02 00:57:57.000000000 UTC

Endpoint known-by: 2023-10-02 00:58:02.093740566 UTC

Parent: 20231002:dip-19632-1696208190:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208275 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:57:55.000000000 UTC

Actual recognition: 2023-10-02 00:59:02.822150435 UTC

Endpoint label: 2023-10-02 00:58:25.000000000 UTC

Endpoint known-by: 2023-10-02 00:58:31.837588174 UTC

Parent: 20231002:dip-19632-1696208275:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208339 | SAME


One whole lifecycle: opposite_hold3 | 365 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 00:58:59.000000000 UTC

Actual recognition: 2023-10-02 01:00:00.114844035 UTC

Endpoint label: 2023-10-02 01:05:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:05:12.794098852 UTC

Parent: 20231002:dip-19632-1696208339:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208400 | SAME


One whole lifecycle: opposite_hold3 | 304 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:00:00.000000000 UTC

Actual recognition: 2023-10-02 01:01:42.209651339 UTC

Endpoint label: 2023-10-02 01:05:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:05:12.794098852 UTC

Parent: 20231002:dip-19632-1696208400:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208447 | SAME


One whole lifecycle: opposite_hold3 | 257 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:00:47.000000000 UTC

Actual recognition: 2023-10-02 01:01:42.209651339 UTC

Endpoint label: 2023-10-02 01:05:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:05:12.794098852 UTC

Parent: 20231002:dip-19632-1696208447:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208583 | SAME


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:03:03.000000000 UTC

Actual recognition: 2023-10-02 01:04:29.273067837 UTC

Endpoint label: 2023-10-02 01:05:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:05:12.794098852 UTC

Parent: 20231002:dip-19632-1696208583:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208701 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:05:01.000000000 UTC

Actual recognition: 2023-10-02 01:06:07.565307601 UTC

Endpoint label: 2023-10-02 01:05:23.000000000 UTC

Endpoint known-by: 2023-10-02 01:05:26.931369766 UTC

Parent: 20231002:dip-19632-1696208701:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208767 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:06:07.000000000 UTC

Actual recognition: 2023-10-02 01:07:39.596415917 UTC

Endpoint label: 2023-10-02 01:06:58.000000000 UTC

Endpoint known-by: 2023-10-02 01:07:39.596415917 UTC

Parent: 20231002:dip-19632-1696208767:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208872 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:07:52.000000000 UTC

Actual recognition: 2023-10-02 01:08:02.005639989 UTC

Endpoint label: 2023-10-02 01:08:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:08:08.031333116 UTC

Parent: 20231002:dip-19632-1696208872:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696208954 | SAME


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:09:14.000000000 UTC

Actual recognition: 2023-10-02 01:10:19.789905458 UTC

Endpoint label: 2023-10-02 01:12:05.000000000 UTC

Endpoint known-by: 2023-10-02 01:12:15.562871238 UTC

Parent: 20231002:dip-19632-1696208954:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209103 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:11:43.000000000 UTC

Actual recognition: 2023-10-02 01:13:01.853934985 UTC

Endpoint label: 2023-10-02 01:12:05.000000000 UTC

Endpoint known-by: 2023-10-02 01:12:15.562871238 UTC

Parent: 20231002:dip-19632-1696209103:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209211 | FLIP


One whole lifecycle: opposite_hold3 | 126 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:13:31.000000000 UTC

Actual recognition: 2023-10-02 01:14:43.488288743 UTC

Endpoint label: 2023-10-02 01:15:36.000000000 UTC

Endpoint known-by: 2023-10-02 01:15:37.554505530 UTC

Parent: 20231002:dip-19632-1696209211:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209256 | SAME


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:14:16.000000000 UTC

Actual recognition: 2023-10-02 01:15:08.733533078 UTC

Endpoint label: 2023-10-02 01:15:36.000000000 UTC

Endpoint known-by: 2023-10-02 01:15:37.554505530 UTC

Parent: 20231002:dip-19632-1696209256:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209304 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:15:04.000000000 UTC

Actual recognition: 2023-10-02 01:16:35.682957364 UTC

Endpoint label: 2023-10-02 01:15:36.000000000 UTC

Endpoint known-by: 2023-10-02 01:15:37.554505530 UTC

Parent: 20231002:dip-19632-1696209304:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209357 | FLIP


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:15:57.000000000 UTC

Actual recognition: 2023-10-02 01:16:53.212762497 UTC

Endpoint label: 2023-10-02 01:17:15.000000000 UTC

Endpoint known-by: 2023-10-02 01:17:18.337435022 UTC

Parent: 20231002:dip-19632-1696209357:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209421 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:17:01.000000000 UTC

Actual recognition: 2023-10-02 01:17:56.166071115 UTC

Endpoint label: 2023-10-02 01:17:15.000000000 UTC

Endpoint known-by: 2023-10-02 01:17:18.337435022 UTC

Parent: 20231002:dip-19632-1696209421:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209466 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:17:46.000000000 UTC

Actual recognition: 2023-10-02 01:18:41.996660407 UTC

Endpoint label: 2023-10-02 01:18:20.000000000 UTC

Endpoint known-by: 2023-10-02 01:18:41.996660407 UTC

Parent: 20231002:dip-19632-1696209466:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209511 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:18:31.000000000 UTC

Actual recognition: 2023-10-02 01:19:27.207563076 UTC

Endpoint label: 2023-10-02 01:18:43.000000000 UTC

Endpoint known-by: 2023-10-02 01:19:27.207563076 UTC

Parent: 20231002:dip-19632-1696209511:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696209782 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:23:02.000000000 UTC

Actual recognition: 2023-10-02 01:23:55.240284573 UTC

Endpoint label: 2023-10-02 01:24:07.000000000 UTC

Endpoint known-by: 2023-10-02 01:24:15.131786454 UTC

Parent: 20231002:dip-19632-1696209782:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210155 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:29:15.000000000 UTC

Actual recognition: 2023-10-02 01:30:21.631204093 UTC

Endpoint label: 2023-10-02 01:29:37.000000000 UTC

Endpoint known-by: 2023-10-02 01:29:59.070654712 UTC

Parent: 20231002:dip-19632-1696210155:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210231 | SAME


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:30:31.000000000 UTC

Actual recognition: 2023-10-02 01:31:22.622745556 UTC

Endpoint label: 2023-10-02 01:32:04.000000000 UTC

Endpoint known-by: 2023-10-02 01:32:06.000365345 UTC

Parent: 20231002:dip-19632-1696210231:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210322 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:32:02.000000000 UTC

Actual recognition: 2023-10-02 01:33:01.558716403 UTC

Endpoint label: 2023-10-02 01:32:54.000000000 UTC

Endpoint known-by: 2023-10-02 01:33:01.558716403 UTC

Parent: 20231002:dip-19632-1696210322:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210372 | FLIP


One whole lifecycle: opposite_hold3 | 261 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:32:52.000000000 UTC

Actual recognition: 2023-10-02 01:34:08.103807507 UTC

Endpoint label: 2023-10-02 01:37:12.000000000 UTC

Endpoint known-by: 2023-10-02 01:37:30.472207634 UTC

Parent: 20231002:dip-19632-1696210372:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210453 | SAME


One whole lifecycle: opposite_hold3 | 180 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:34:13.000000000 UTC

Actual recognition: 2023-10-02 01:35:31.730912095 UTC

Endpoint label: 2023-10-02 01:37:12.000000000 UTC

Endpoint known-by: 2023-10-02 01:37:30.472207634 UTC

Parent: 20231002:dip-19632-1696210453:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210561 | SAME


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:36:01.000000000 UTC

Actual recognition: 2023-10-02 01:37:10.109694765 UTC

Endpoint label: 2023-10-02 01:37:12.000000000 UTC

Endpoint known-by: 2023-10-02 01:37:30.472207634 UTC

Parent: 20231002:dip-19632-1696210561:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210630 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:37:10.000000000 UTC

Actual recognition: 2023-10-02 01:38:01.649061726 UTC

Endpoint label: 2023-10-02 01:38:03.000000000 UTC

Endpoint known-by: 2023-10-02 01:38:31.691986509 UTC

Parent: 20231002:dip-19632-1696210630:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210681 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:38:01.000000000 UTC

Actual recognition: 2023-10-02 01:39:16.172691116 UTC

Endpoint label: 2023-10-02 01:38:33.000000000 UTC

Endpoint known-by: 2023-10-02 01:38:46.022439427 UTC

Parent: 20231002:dip-19632-1696210681:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210726 | FLIP

One whole lifecycle: opposite_hold3 | 86 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:38:46.000000000 UTC

Actual recognition: 2023-10-02 01:40:08.105856763 UTC

Endpoint label: 2023-10-02 01:40:11.000000000 UTC

Endpoint known-by: 2023-10-02 01:40:25.509999697 UTC

Parent: 20231002:dip-19632-1696210726:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210809 | FLIP


One whole lifecycle: opposite_hold3 | 210 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:40:09.000000000 UTC

Actual recognition: 2023-10-02 01:41:00.077172672 UTC

Endpoint label: 2023-10-02 01:43:38.000000000 UTC

Endpoint known-by: 2023-10-02 01:44:28.999079837 UTC

Parent: 20231002:dip-19632-1696210809:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696210934 | SAME


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:42:14.000000000 UTC

Actual recognition: 2023-10-02 01:43:17.019398609 UTC

Endpoint label: 2023-10-02 01:43:38.000000000 UTC

Endpoint known-by: 2023-10-02 01:44:28.999079837 UTC

Parent: 20231002:dip-19632-1696210934:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211139 | SAME


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:45:39.000000000 UTC

Actual recognition: 2023-10-02 01:47:10.219677221 UTC

Endpoint label: 2023-10-02 01:47:19.000000000 UTC

Endpoint known-by: 2023-10-02 01:47:34.187626808 UTC

Parent: 20231002:dip-19632-1696211139:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211237 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:47:17.000000000 UTC

Actual recognition: 2023-10-02 01:48:16.794093492 UTC

Endpoint label: 2023-10-02 01:48:19.000000000 UTC

Endpoint known-by: 2023-10-02 01:48:29.026836189 UTC

Parent: 20231002:dip-19632-1696211237:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211297 | FLIP


One whole lifecycle: opposite_hold3 | 332 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:48:17.000000000 UTC

Actual recognition: 2023-10-02 01:49:08.252601561 UTC

Endpoint label: 2023-10-02 01:53:48.000000000 UTC

Endpoint known-by: 2023-10-02 01:54:01.930299277 UTC

Parent: 20231002:dip-19632-1696211297:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211446 | SAME


One whole lifecycle: opposite_hold3 | 183 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:50:46.000000000 UTC

Actual recognition: 2023-10-02 01:52:33.257794073 UTC

Endpoint label: 2023-10-02 01:53:48.000000000 UTC

Endpoint known-by: 2023-10-02 01:54:01.930299277 UTC

Parent: 20231002:dip-19632-1696211446:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211553 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:52:33.000000000 UTC

Actual recognition: 2023-10-02 01:53:46.956408940 UTC

Endpoint label: 2023-10-02 01:53:48.000000000 UTC

Endpoint known-by: 2023-10-02 01:54:01.930299277 UTC

Parent: 20231002:dip-19632-1696211553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211626 | FLIP


One whole lifecycle: opposite_hold3 | 481 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:53:46.000000000 UTC

Actual recognition: 2023-10-02 01:54:41.930473909 UTC

Endpoint label: 2023-10-02 02:01:46.000000000 UTC

Endpoint known-by: 2023-10-02 02:01:54.130831661 UTC

Parent: 20231002:dip-19632-1696211626:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211671 | SAME


One whole lifecycle: opposite_hold3 | 436 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:54:31.000000000 UTC

Actual recognition: 2023-10-02 01:55:46.720994089 UTC

Endpoint label: 2023-10-02 02:01:46.000000000 UTC

Endpoint known-by: 2023-10-02 02:01:54.130831661 UTC

Parent: 20231002:dip-19632-1696211671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211809 | SAME


One whole lifecycle: opposite_hold3 | 298 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:56:49.000000000 UTC

Actual recognition: 2023-10-02 01:58:16.741890387 UTC

Endpoint label: 2023-10-02 02:01:46.000000000 UTC

Endpoint known-by: 2023-10-02 02:01:54.130831661 UTC

Parent: 20231002:dip-19632-1696211809:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696211968 | SAME


One whole lifecycle: opposite_hold3 | 139 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 01:59:28.000000000 UTC

Actual recognition: 2023-10-02 02:00:23.256582758 UTC

Endpoint label: 2023-10-02 02:01:46.000000000 UTC

Endpoint known-by: 2023-10-02 02:01:54.130831661 UTC

Parent: 20231002:dip-19632-1696211968:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212057 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:00:57.000000000 UTC

Actual recognition: 2023-10-02 02:01:54.130831661 UTC

Endpoint label: 2023-10-02 02:01:46.000000000 UTC

Endpoint known-by: 2023-10-02 02:01:54.130831661 UTC

Parent: 20231002:dip-19632-1696212057:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212125 | SAME


One whole lifecycle: opposite_hold3 | 183 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:02:05.000000000 UTC

Actual recognition: 2023-10-02 02:03:16.562635723 UTC

Endpoint label: 2023-10-02 02:05:07.000000000 UTC

Endpoint known-by: 2023-10-02 02:05:16.018925700 UTC

Parent: 20231002:dip-19632-1696212125:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212223 | SAME


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:03:43.000000000 UTC

Actual recognition: 2023-10-02 02:05:05.498221264 UTC

Endpoint label: 2023-10-02 02:05:07.000000000 UTC

Endpoint known-by: 2023-10-02 02:05:16.018925700 UTC

Parent: 20231002:dip-19632-1696212223:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212273 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:04:33.000000000 UTC

Actual recognition: 2023-10-02 02:05:40.234445306 UTC

Endpoint label: 2023-10-02 02:05:07.000000000 UTC

Endpoint known-by: 2023-10-02 02:05:16.018925700 UTC

Parent: 20231002:dip-19632-1696212273:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212318 | FLIP


One whole lifecycle: opposite_hold3 | 143 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:05:18.000000000 UTC

Actual recognition: 2023-10-02 02:06:24.934780392 UTC

Endpoint label: 2023-10-02 02:07:40.000000000 UTC

Endpoint known-by: 2023-10-02 02:07:44.292511330 UTC

Parent: 20231002:dip-19632-1696212318:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212422 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:07:02.000000000 UTC

Actual recognition: 2023-10-02 02:07:54.254587566 UTC

Endpoint label: 2023-10-02 02:07:40.000000000 UTC

Endpoint known-by: 2023-10-02 02:07:44.292511330 UTC

Parent: 20231002:dip-19632-1696212422:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212487 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:08:07.000000000 UTC

Actual recognition: 2023-10-02 02:08:59.017390030 UTC

Endpoint label: 2023-10-02 02:08:16.000000000 UTC

Endpoint known-by: 2023-10-02 02:08:17.504660328 UTC

Parent: 20231002:dip-19632-1696212487:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212544 | SAME


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:09:04.000000000 UTC

Actual recognition: 2023-10-02 02:10:04.365831369 UTC

Endpoint label: 2023-10-02 02:10:34.000000000 UTC

Endpoint known-by: 2023-10-02 02:10:36.168069170 UTC

Parent: 20231002:dip-19632-1696212544:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212590 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:09:50.000000000 UTC

Actual recognition: 2023-10-02 02:10:42.453865750 UTC

Endpoint label: 2023-10-02 02:10:34.000000000 UTC

Endpoint known-by: 2023-10-02 02:10:36.168069170 UTC

Parent: 20231002:dip-19632-1696212590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212707 | SAME


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:11:47.000000000 UTC

Actual recognition: 2023-10-02 02:13:13.344326638 UTC

Endpoint label: 2023-10-02 02:13:28.000000000 UTC

Endpoint known-by: 2023-10-02 02:13:29.013434020 UTC

Parent: 20231002:dip-19632-1696212707:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212806 | FLIP


One whole lifecycle: opposite_hold3 | 144 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:13:26.000000000 UTC

Actual recognition: 2023-10-02 02:14:35.598885180 UTC

Endpoint label: 2023-10-02 02:15:49.000000000 UTC

Endpoint known-by: 2023-10-02 02:16:34.059501585 UTC

Parent: 20231002:dip-19632-1696212806:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212875 | SAME


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:14:35.000000000 UTC

Actual recognition: 2023-10-02 02:15:26.105459628 UTC

Endpoint label: 2023-10-02 02:15:49.000000000 UTC

Endpoint known-by: 2023-10-02 02:16:34.059501585 UTC

Parent: 20231002:dip-19632-1696212875:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696212947 | FLIP


One whole lifecycle: opposite_hold3 | 132 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:15:47.000000000 UTC

Actual recognition: 2023-10-02 02:16:52.387365623 UTC

Endpoint label: 2023-10-02 02:17:58.000000000 UTC

Endpoint known-by: 2023-10-02 02:18:05.889557004 UTC

Parent: 20231002:dip-19632-1696212947:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213076 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:17:56.000000000 UTC

Actual recognition: 2023-10-02 02:19:10.703516911 UTC

Endpoint label: 2023-10-02 02:18:25.000000000 UTC

Endpoint known-by: 2023-10-02 02:18:46.627625468 UTC

Parent: 20231002:dip-19632-1696213076:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213121 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:18:41.000000000 UTC

Actual recognition: 2023-10-02 02:19:33.703928001 UTC

Endpoint label: 2023-10-02 02:21:19.000000000 UTC

Endpoint known-by: 2023-10-02 02:21:33.096657028 UTC

Parent: 20231002:dip-19632-1696213121:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213277 | FLIP


One whole lifecycle: opposite_hold3 | 170 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:21:17.000000000 UTC

Actual recognition: 2023-10-02 02:22:50.765903304 UTC

Endpoint label: 2023-10-02 02:24:06.000000000 UTC

Endpoint known-by: 2023-10-02 02:24:19.178848777 UTC

Parent: 20231002:dip-19632-1696213277:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213424 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:23:44.000000000 UTC

Actual recognition: 2023-10-02 02:24:51.332422730 UTC

Endpoint label: 2023-10-02 02:24:06.000000000 UTC

Endpoint known-by: 2023-10-02 02:24:19.178848777 UTC

Parent: 20231002:dip-19632-1696213424:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213529 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:25:29.000000000 UTC

Actual recognition: 2023-10-02 02:26:26.496503491 UTC

Endpoint label: 2023-10-02 02:25:49.000000000 UTC

Endpoint known-by: 2023-10-02 02:25:51.556624387 UTC

Parent: 20231002:dip-19632-1696213529:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213576 | SAME


One whole lifecycle: opposite_hold3 | 174 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:26:16.000000000 UTC

Actual recognition: 2023-10-02 02:27:30.091151507 UTC

Endpoint label: 2023-10-02 02:29:09.000000000 UTC

Endpoint known-by: 2023-10-02 02:29:11.548180302 UTC

Parent: 20231002:dip-19632-1696213576:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213725 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:28:45.000000000 UTC

Actual recognition: 2023-10-02 02:29:46.464788635 UTC

Endpoint label: 2023-10-02 02:29:48.000000000 UTC

Endpoint known-by: 2023-10-02 02:29:52.550247920 UTC

Parent: 20231002:dip-19632-1696213725:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213778 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:29:38.000000000 UTC

Actual recognition: 2023-10-02 02:30:47.300025056 UTC

Endpoint label: 2023-10-02 02:29:48.000000000 UTC

Endpoint known-by: 2023-10-02 02:29:52.550247920 UTC

Parent: 20231002:dip-19632-1696213778:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696213997 | SAME


One whole lifecycle: opposite_hold3 | 109 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:33:17.000000000 UTC

Actual recognition: 2023-10-02 02:34:08.113039541 UTC

Endpoint label: 2023-10-02 02:35:05.000000000 UTC

Endpoint known-by: 2023-10-02 02:35:11.928516672 UTC

Parent: 20231002:dip-19632-1696213997:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214103 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:35:03.000000000 UTC

Actual recognition: 2023-10-02 02:36:01.134814342 UTC

Endpoint label: 2023-10-02 02:35:22.000000000 UTC

Endpoint known-by: 2023-10-02 02:35:38.732366064 UTC

Parent: 20231002:dip-19632-1696214103:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214229 | SAME


One whole lifecycle: opposite_hold3 | 145 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:37:09.000000000 UTC

Actual recognition: 2023-10-02 02:38:17.060887949 UTC

Endpoint label: 2023-10-02 02:39:33.000000000 UTC

Endpoint known-by: 2023-10-02 02:39:35.713492858 UTC

Parent: 20231002:dip-19632-1696214229:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214371 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:39:31.000000000 UTC

Actual recognition: 2023-10-02 02:40:24.000508735 UTC

Endpoint label: 2023-10-02 02:40:29.000000000 UTC

Endpoint known-by: 2023-10-02 02:40:33.404536649 UTC

Parent: 20231002:dip-19632-1696214371:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214427 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:40:27.000000000 UTC

Actual recognition: 2023-10-02 02:41:39.288661579 UTC

Endpoint label: 2023-10-02 02:41:17.000000000 UTC

Endpoint known-by: 2023-10-02 02:41:39.288661579 UTC

Parent: 20231002:dip-19632-1696214427:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214475 | FLIP


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:41:15.000000000 UTC

Actual recognition: 2023-10-02 02:42:06.420172760 UTC

Endpoint label: 2023-10-02 02:43:18.000000000 UTC

Endpoint known-by: 2023-10-02 02:43:25.365388537 UTC

Parent: 20231002:dip-19632-1696214475:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214566 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:42:46.000000000 UTC

Actual recognition: 2023-10-02 02:43:02.477179267 UTC

Endpoint label: 2023-10-02 02:42:58.000000000 UTC

Endpoint known-by: 2023-10-02 02:42:59.000170807 UTC

Parent: 20231002:dip-19632-1696214566:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214611 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:43:31.000000000 UTC

Actual recognition: 2023-10-02 02:44:22.133463261 UTC

Endpoint label: 2023-10-02 02:43:58.000000000 UTC

Endpoint known-by: 2023-10-02 02:43:59.032342060 UTC

Parent: 20231002:dip-19632-1696214611:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214706 | SAME


One whole lifecycle: opposite_hold3 | 249 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:45:06.000000000 UTC

Actual recognition: 2023-10-02 02:45:22.350940734 UTC

Endpoint label: 2023-10-02 02:49:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:49:15.140409826 UTC

Parent: 20231002:dip-19632-1696214706:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214781 | FLIP


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:46:21.000000000 UTC

Actual recognition: 2023-10-02 02:47:14.588585305 UTC

Endpoint label: 2023-10-02 02:47:38.000000000 UTC

Endpoint known-by: 2023-10-02 02:47:42.126833144 UTC

Parent: 20231002:dip-19632-1696214781:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214856 | FLIP


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:47:36.000000000 UTC

Actual recognition: 2023-10-02 02:48:38.014905988 UTC

Endpoint label: 2023-10-02 02:49:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:49:15.140409826 UTC

Parent: 20231002:dip-19632-1696214856:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214901 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:48:21.000000000 UTC

Actual recognition: 2023-10-02 02:49:12.529949837 UTC

Endpoint label: 2023-10-02 02:49:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:49:15.140409826 UTC

Parent: 20231002:dip-19632-1696214901:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696214946 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:49:06.000000000 UTC

Actual recognition: 2023-10-02 02:49:58.913777982 UTC

Endpoint label: 2023-10-02 02:49:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:49:15.140409826 UTC

Parent: 20231002:dip-19632-1696214946:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696215002 | SAME


One whole lifecycle: opposite_hold3 | 112 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:50:02.000000000 UTC

Actual recognition: 2023-10-02 02:50:51.615213066 UTC

Endpoint label: 2023-10-02 02:51:53.000000000 UTC

Endpoint known-by: 2023-10-02 02:51:55.635916996 UTC

Parent: 20231002:dip-19632-1696215002:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696215047 | SAME


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:50:47.000000000 UTC

Actual recognition: 2023-10-02 02:51:47.740840767 UTC

Endpoint label: 2023-10-02 02:51:53.000000000 UTC

Endpoint known-by: 2023-10-02 02:51:55.635916996 UTC

Parent: 20231002:dip-19632-1696215047:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696215131 | SAME


One whole lifecycle: opposite_hold3 | 124 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:52:11.000000000 UTC

Actual recognition: 2023-10-02 02:53:02.457719743 UTC

Endpoint label: 2023-10-02 02:54:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:54:33.139951451 UTC

Parent: 20231002:dip-19632-1696215131:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231002 candidate | dip-19632-1696215176 | SAME


One whole lifecycle: opposite_hold3 | 79 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 02:52:56.000000000 UTC

Actual recognition: 2023-10-02 02:53:47.450155718 UTC

Endpoint label: 2023-10-02 02:54:14.000000000 UTC

Endpoint known-by: 2023-10-02 02:54:33.139951451 UTC

Parent: 20231002:dip-19632-1696215176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.