
20231002 candidate | dip-19632-1696225284 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:41:24.000000000 UTC

Actual recognition: 2023-10-02 05:42:15.101985727 UTC

Endpoint label: 2023-10-02 05:42:00.000000000 UTC

Endpoint known-by: 2023-10-02 05:42:03.824211021 UTC

Parent: 20231002:dip-19632-1696225284:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225368 | FLIP


One whole lifecycle: opposite_hold3 | 340 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:42:48.000000000 UTC

Actual recognition: 2023-10-02 05:43:43.847001993 UTC

Endpoint label: 2023-10-02 05:48:27.000000000 UTC

Endpoint known-by: 2023-10-02 05:48:47.679190947 UTC

Parent: 20231002:dip-19632-1696225368:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225491 | SAME


One whole lifecycle: opposite_hold3 | 217 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:44:51.000000000 UTC

Actual recognition: 2023-10-02 05:45:50.930699473 UTC

Endpoint label: 2023-10-02 05:48:27.000000000 UTC

Endpoint known-by: 2023-10-02 05:48:47.679190947 UTC

Parent: 20231002:dip-19632-1696225491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225685 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:48:05.000000000 UTC

Actual recognition: 2023-10-02 05:48:57.224877987 UTC

Endpoint label: 2023-10-02 05:48:27.000000000 UTC

Endpoint known-by: 2023-10-02 05:48:47.679190947 UTC

Parent: 20231002:dip-19632-1696225685:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225730 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:48:50.000000000 UTC

Actual recognition: 2023-10-02 05:49:41.200857548 UTC

Endpoint label: 2023-10-02 05:49:49.000000000 UTC

Endpoint known-by: 2023-10-02 05:50:38.621354182 UTC

Parent: 20231002:dip-19632-1696225730:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225787 | FLIP


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:49:47.000000000 UTC

Actual recognition: 2023-10-02 05:50:38.621354182 UTC

Endpoint label: 2023-10-02 05:51:23.000000000 UTC

Endpoint known-by: 2023-10-02 05:51:28.464356264 UTC

Parent: 20231002:dip-19632-1696225787:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225861 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:51:01.000000000 UTC

Actual recognition: 2023-10-02 05:51:58.909276096 UTC

Endpoint label: 2023-10-02 05:51:23.000000000 UTC

Endpoint known-by: 2023-10-02 05:51:28.464356264 UTC

Parent: 20231002:dip-19632-1696225861:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696225947 | FLIP


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:52:27.000000000 UTC

Actual recognition: 2023-10-02 05:52:39.009908149 UTC

Endpoint label: 2023-10-02 05:53:49.000000000 UTC

Endpoint known-by: 2023-10-02 05:54:28.468646730 UTC

Parent: 20231002:dip-19632-1696225947:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226027 | FLIP


One whole lifecycle: opposite_hold3 | 181 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:53:47.000000000 UTC

Actual recognition: 2023-10-02 05:55:02.270194843 UTC

Endpoint label: 2023-10-02 05:56:47.000000000 UTC

Endpoint known-by: 2023-10-02 05:56:49.606736546 UTC

Parent: 20231002:dip-19632-1696226027:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226205 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:56:45.000000000 UTC

Actual recognition: 2023-10-02 05:57:36.647342380 UTC

Endpoint label: 2023-10-02 05:57:36.000000000 UTC

Endpoint known-by: 2023-10-02 05:57:39.547583588 UTC

Parent: 20231002:dip-19632-1696226205:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226254 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:57:34.000000000 UTC

Actual recognition: 2023-10-02 05:58:36.130809241 UTC

Endpoint label: 2023-10-02 06:00:12.000000000 UTC

Endpoint known-by: 2023-10-02 06:00:13.000307563 UTC

Parent: 20231002:dip-19632-1696226254:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226391 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 05:59:51.000000000 UTC

Actual recognition: 2023-10-02 06:00:43.496576579 UTC

Endpoint label: 2023-10-02 06:00:12.000000000 UTC

Endpoint known-by: 2023-10-02 06:00:13.000307563 UTC

Parent: 20231002:dip-19632-1696226391:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226471 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:01:11.000000000 UTC

Actual recognition: 2023-10-02 06:01:59.104654071 UTC

Endpoint label: 2023-10-02 06:01:31.000000000 UTC

Endpoint known-by: 2023-10-02 06:01:40.460404243 UTC

Parent: 20231002:dip-19632-1696226471:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226548 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:02:28.000000000 UTC

Actual recognition: 2023-10-02 06:02:47.437230173 UTC

Endpoint label: 2023-10-02 06:03:14.000000000 UTC

Endpoint known-by: 2023-10-02 06:03:16.014125992 UTC

Parent: 20231002:dip-19632-1696226548:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226671 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:04:31.000000000 UTC

Actual recognition: 2023-10-02 06:05:25.751559517 UTC

Endpoint label: 2023-10-02 06:05:46.000000000 UTC

Endpoint known-by: 2023-10-02 06:05:47.877072541 UTC

Parent: 20231002:dip-19632-1696226671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226760 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:06:00.000000000 UTC

Actual recognition: 2023-10-02 06:06:50.174082257 UTC

Endpoint label: 2023-10-02 06:06:18.000000000 UTC

Endpoint known-by: 2023-10-02 06:06:26.946471940 UTC

Parent: 20231002:dip-19632-1696226760:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226810 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:06:50.000000000 UTC

Actual recognition: 2023-10-02 06:07:41.078470356 UTC

Endpoint label: 2023-10-02 06:07:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:07:41.078470356 UTC

Parent: 20231002:dip-19632-1696226810:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226857 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:07:37.000000000 UTC

Actual recognition: 2023-10-02 06:08:34.617938261 UTC

Endpoint label: 2023-10-02 06:07:51.000000000 UTC

Endpoint known-by: 2023-10-02 06:07:52.919657122 UTC

Parent: 20231002:dip-19632-1696226857:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226920 | FLIP


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:08:40.000000000 UTC

Actual recognition: 2023-10-02 06:09:33.783770073 UTC

Endpoint label: 2023-10-02 06:09:35.000000000 UTC

Endpoint known-by: 2023-10-02 06:09:37.228802419 UTC

Parent: 20231002:dip-19632-1696226920:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696226977 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:09:37.000000000 UTC

Actual recognition: 2023-10-02 06:10:24.041564715 UTC

Endpoint label: 2023-10-02 06:09:58.000000000 UTC

Endpoint known-by: 2023-10-02 06:09:59.128602089 UTC

Parent: 20231002:dip-19632-1696226977:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227070 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:11:10.000000000 UTC

Actual recognition: 2023-10-02 06:11:19.001422682 UTC

Endpoint label: 2023-10-02 06:11:40.000000000 UTC

Endpoint known-by: 2023-10-02 06:11:41.203488114 UTC

Parent: 20231002:dip-19632-1696227070:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227165 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:12:45.000000000 UTC

Actual recognition: 2023-10-02 06:13:14.709941399 UTC

Endpoint label: 2023-10-02 06:13:50.000000000 UTC

Endpoint known-by: 2023-10-02 06:13:53.260845904 UTC

Parent: 20231002:dip-19632-1696227165:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227220 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:13:40.000000000 UTC

Actual recognition: 2023-10-02 06:14:33.522249730 UTC

Endpoint label: 2023-10-02 06:13:50.000000000 UTC

Endpoint known-by: 2023-10-02 06:13:53.260845904 UTC

Parent: 20231002:dip-19632-1696227220:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227266 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:14:26.000000000 UTC

Actual recognition: 2023-10-02 06:15:48.211393283 UTC

Endpoint label: 2023-10-02 06:14:53.000000000 UTC

Endpoint known-by: 2023-10-02 06:14:54.376210718 UTC

Parent: 20231002:dip-19632-1696227266:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227314 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:15:14.000000000 UTC

Actual recognition: 2023-10-02 06:16:08.896052430 UTC

Endpoint label: 2023-10-02 06:16:50.000000000 UTC

Endpoint known-by: 2023-10-02 06:16:54.293799169 UTC

Parent: 20231002:dip-19632-1696227314:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227375 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:16:15.000000000 UTC

Actual recognition: 2023-10-02 06:17:09.780604229 UTC

Endpoint label: 2023-10-02 06:16:50.000000000 UTC

Endpoint known-by: 2023-10-02 06:16:54.293799169 UTC

Parent: 20231002:dip-19632-1696227375:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227534 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:18:54.000000000 UTC

Actual recognition: 2023-10-02 06:19:04.734142541 UTC

Endpoint label: 2023-10-02 06:19:06.000000000 UTC

Endpoint known-by: 2023-10-02 06:19:07.110128860 UTC

Parent: 20231002:dip-19632-1696227534:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227601 | SAME


One whole lifecycle: opposite_hold3 | 99 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:20:01.000000000 UTC

Actual recognition: 2023-10-02 06:20:48.360561753 UTC

Endpoint label: 2023-10-02 06:21:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:21:41.500611115 UTC

Parent: 20231002:dip-19632-1696227601:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227646 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:20:46.000000000 UTC

Actual recognition: 2023-10-02 06:21:37.188654942 UTC

Endpoint label: 2023-10-02 06:21:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:21:41.500611115 UTC

Parent: 20231002:dip-19632-1696227646:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227716 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:21:56.000000000 UTC

Actual recognition: 2023-10-02 06:23:03.004609412 UTC

Endpoint label: 2023-10-02 06:22:01.000000000 UTC

Endpoint known-by: 2023-10-02 06:22:02.181653404 UTC

Parent: 20231002:dip-19632-1696227716:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227783 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:23:03.000000000 UTC

Actual recognition: 2023-10-02 06:23:57.595174580 UTC

Endpoint label: 2023-10-02 06:24:11.000000000 UTC

Endpoint known-by: 2023-10-02 06:24:12.516349390 UTC

Parent: 20231002:dip-19632-1696227783:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227849 | FLIP


One whole lifecycle: opposite_hold3 | 68 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:24:09.000000000 UTC

Actual recognition: 2023-10-02 06:25:02.568346728 UTC

Endpoint label: 2023-10-02 06:25:16.000000000 UTC

Endpoint known-by: 2023-10-02 06:25:18.479502688 UTC

Parent: 20231002:dip-19632-1696227849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696227934 | SAME


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:25:34.000000000 UTC

Actual recognition: 2023-10-02 06:26:58.968422525 UTC

Endpoint label: 2023-10-02 06:27:00.000000000 UTC

Endpoint known-by: 2023-10-02 06:27:02.697101038 UTC

Parent: 20231002:dip-19632-1696227934:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228018 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:26:58.000000000 UTC

Actual recognition: 2023-10-02 06:28:11.398549252 UTC

Endpoint label: 2023-10-02 06:27:04.000000000 UTC

Endpoint known-by: 2023-10-02 06:27:05.611085834 UTC

Parent: 20231002:dip-19632-1696228018:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228072 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:27:52.000000000 UTC

Actual recognition: 2023-10-02 06:28:58.573637283 UTC

Endpoint label: 2023-10-02 06:28:24.000000000 UTC

Endpoint known-by: 2023-10-02 06:28:25.355698762 UTC

Parent: 20231002:dip-19632-1696228072:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228138 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:28:58.000000000 UTC

Actual recognition: 2023-10-02 06:29:41.841835571 UTC

Endpoint label: 2023-10-02 06:29:43.000000000 UTC

Endpoint known-by: 2023-10-02 06:29:44.203310835 UTC

Parent: 20231002:dip-19632-1696228138:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228240 | SAME


One whole lifecycle: opposite_hold3 | 120 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:30:40.000000000 UTC

Actual recognition: 2023-10-02 06:31:31.457934179 UTC

Endpoint label: 2023-10-02 06:32:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:32:43.084588102 UTC

Parent: 20231002:dip-19632-1696228240:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228285 | SAME


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:31:25.000000000 UTC

Actual recognition: 2023-10-02 06:32:17.852973228 UTC

Endpoint label: 2023-10-02 06:32:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:32:43.084588102 UTC

Parent: 20231002:dip-19632-1696228285:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228337 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:32:17.000000000 UTC

Actual recognition: 2023-10-02 06:33:12.276393541 UTC

Endpoint label: 2023-10-02 06:32:39.000000000 UTC

Endpoint known-by: 2023-10-02 06:32:43.084588102 UTC

Parent: 20231002:dip-19632-1696228337:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228422 | SAME


One whole lifecycle: opposite_hold3 | 229 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:33:42.000000000 UTC

Actual recognition: 2023-10-02 06:34:55.087929768 UTC

Endpoint label: 2023-10-02 06:37:30.000000000 UTC

Endpoint known-by: 2023-10-02 06:37:31.741648761 UTC

Parent: 20231002:dip-19632-1696228422:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228501 | SAME


One whole lifecycle: opposite_hold3 | 150 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:35:01.000000000 UTC

Actual recognition: 2023-10-02 06:36:04.003438329 UTC

Endpoint label: 2023-10-02 06:37:30.000000000 UTC

Endpoint known-by: 2023-10-02 06:37:31.741648761 UTC

Parent: 20231002:dip-19632-1696228501:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228553 | SAME


One whole lifecycle: opposite_hold3 | 98 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:35:53.000000000 UTC

Actual recognition: 2023-10-02 06:36:48.533481905 UTC

Endpoint label: 2023-10-02 06:37:30.000000000 UTC

Endpoint known-by: 2023-10-02 06:37:31.741648761 UTC

Parent: 20231002:dip-19632-1696228553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228671 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:37:51.000000000 UTC

Actual recognition: 2023-10-02 06:38:55.652303974 UTC

Endpoint label: 2023-10-02 06:38:57.000000000 UTC

Endpoint known-by: 2023-10-02 06:39:09.031698164 UTC

Parent: 20231002:dip-19632-1696228671:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228735 | FLIP


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:38:55.000000000 UTC

Actual recognition: 2023-10-02 06:39:48.610633204 UTC

Endpoint label: 2023-10-02 06:40:21.000000000 UTC

Endpoint known-by: 2023-10-02 06:40:22.845734930 UTC

Parent: 20231002:dip-19632-1696228735:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228788 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:39:48.000000000 UTC

Actual recognition: 2023-10-02 06:40:39.534161656 UTC

Endpoint label: 2023-10-02 06:40:21.000000000 UTC

Endpoint known-by: 2023-10-02 06:40:22.845734930 UTC

Parent: 20231002:dip-19632-1696228788:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228881 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:41:21.000000000 UTC

Actual recognition: 2023-10-02 06:41:28.108676309 UTC

Endpoint label: 2023-10-02 06:41:46.000000000 UTC

Endpoint known-by: 2023-10-02 06:41:47.674634716 UTC

Parent: 20231002:dip-19632-1696228881:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696228957 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:42:37.000000000 UTC

Actual recognition: 2023-10-02 06:43:03.540513840 UTC

Endpoint label: 2023-10-02 06:43:06.000000000 UTC

Endpoint known-by: 2023-10-02 06:43:07.064246404 UTC

Parent: 20231002:dip-19632-1696228957:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229053 | FLIP


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:44:13.000000000 UTC

Actual recognition: 2023-10-02 06:45:07.266313247 UTC

Endpoint label: 2023-10-02 06:45:29.000000000 UTC

Endpoint known-by: 2023-10-02 06:45:33.503275072 UTC

Parent: 20231002:dip-19632-1696229053:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229149 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:45:49.000000000 UTC

Actual recognition: 2023-10-02 06:46:21.437751319 UTC

Endpoint label: 2023-10-02 06:46:02.000000000 UTC

Endpoint known-by: 2023-10-02 06:46:03.214485574 UTC

Parent: 20231002:dip-19632-1696229149:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229282 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:48:02.000000000 UTC

Actual recognition: 2023-10-02 06:49:04.854226554 UTC

Endpoint label: 2023-10-02 06:48:08.000000000 UTC

Endpoint known-by: 2023-10-02 06:48:12.432115283 UTC

Parent: 20231002:dip-19632-1696229282:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229344 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:49:04.000000000 UTC

Actual recognition: 2023-10-02 06:49:57.350044706 UTC

Endpoint label: 2023-10-02 06:50:19.000000000 UTC

Endpoint known-by: 2023-10-02 06:50:33.357413791 UTC

Parent: 20231002:dip-19632-1696229344:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229417 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:50:17.000000000 UTC

Actual recognition: 2023-10-02 06:51:08.894280012 UTC

Endpoint label: 2023-10-02 06:50:46.000000000 UTC

Endpoint known-by: 2023-10-02 06:50:48.599000107 UTC

Parent: 20231002:dip-19632-1696229417:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229463 | FLIP


One whole lifecycle: opposite_hold3 | 127 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:51:03.000000000 UTC

Actual recognition: 2023-10-02 06:52:40.670976821 UTC

Endpoint label: 2023-10-02 06:53:09.000000000 UTC

Endpoint known-by: 2023-10-02 06:53:11.603658336 UTC

Parent: 20231002:dip-19632-1696229463:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229508 | SAME


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:51:48.000000000 UTC

Actual recognition: 2023-10-02 06:52:40.670976821 UTC

Endpoint label: 2023-10-02 06:53:09.000000000 UTC

Endpoint known-by: 2023-10-02 06:53:11.603658336 UTC

Parent: 20231002:dip-19632-1696229508:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229640 | SAME


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:54:00.000000000 UTC

Actual recognition: 2023-10-02 06:54:18.154028276 UTC

Endpoint label: 2023-10-02 06:54:59.000000000 UTC

Endpoint known-by: 2023-10-02 06:55:00.128548047 UTC

Parent: 20231002:dip-19632-1696229640:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229725 | SAME


One whole lifecycle: opposite_hold3 | 174 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:55:25.000000000 UTC

Actual recognition: 2023-10-02 06:55:40.204028832 UTC

Endpoint label: 2023-10-02 06:58:18.000000000 UTC

Endpoint known-by: 2023-10-02 06:58:19.165948946 UTC

Parent: 20231002:dip-19632-1696229725:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696229972 | FLIP


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 06:59:32.000000000 UTC

Actual recognition: 2023-10-02 07:00:31.108562144 UTC

Endpoint label: 2023-10-02 07:00:11.000000000 UTC

Endpoint known-by: 2023-10-02 07:00:17.673964532 UTC

Parent: 20231002:dip-19632-1696229972:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230025 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:00:25.000000000 UTC

Actual recognition: 2023-10-02 07:01:26.112611459 UTC

Endpoint label: 2023-10-02 07:01:02.000000000 UTC

Endpoint known-by: 2023-10-02 07:01:04.683439655 UTC

Parent: 20231002:dip-19632-1696230025:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230144 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:02:24.000000000 UTC

Actual recognition: 2023-10-02 07:03:12.344520474 UTC

Endpoint label: 2023-10-02 07:03:14.000000000 UTC

Endpoint known-by: 2023-10-02 07:03:17.260889021 UTC

Parent: 20231002:dip-19632-1696230144:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230192 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:03:12.000000000 UTC

Actual recognition: 2023-10-02 07:04:15.131392171 UTC

Endpoint label: 2023-10-02 07:03:34.000000000 UTC

Endpoint known-by: 2023-10-02 07:03:37.786793845 UTC

Parent: 20231002:dip-19632-1696230192:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230244 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:04:04.000000000 UTC

Actual recognition: 2023-10-02 07:04:52.310474220 UTC

Endpoint label: 2023-10-02 07:04:36.000000000 UTC

Endpoint known-by: 2023-10-02 07:04:37.181882124 UTC

Parent: 20231002:dip-19632-1696230244:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230294 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:04:54.000000000 UTC

Actual recognition: 2023-10-02 07:05:45.023184201 UTC

Endpoint label: 2023-10-02 07:05:46.000000000 UTC

Endpoint known-by: 2023-10-02 07:05:50.754815439 UTC

Parent: 20231002:dip-19632-1696230294:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230386 | SAME


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:06:26.000000000 UTC

Actual recognition: 2023-10-02 07:07:15.337735547 UTC

Endpoint label: 2023-10-02 07:07:42.000000000 UTC

Endpoint known-by: 2023-10-02 07:07:44.611225040 UTC

Parent: 20231002:dip-19632-1696230386:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230460 | FLIP


One whole lifecycle: opposite_hold3 | 107 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:07:40.000000000 UTC

Actual recognition: 2023-10-02 07:08:39.398352717 UTC

Endpoint label: 2023-10-02 07:09:26.000000000 UTC

Endpoint known-by: 2023-10-02 07:09:32.425843543 UTC

Parent: 20231002:dip-19632-1696230460:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230564 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:09:24.000000000 UTC

Actual recognition: 2023-10-02 07:10:15.453036735 UTC

Endpoint label: 2023-10-02 07:09:46.000000000 UTC

Endpoint known-by: 2023-10-02 07:09:47.473474329 UTC

Parent: 20231002:dip-19632-1696230564:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230662 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:11:02.000000000 UTC

Actual recognition: 2023-10-02 07:11:56.920352984 UTC

Endpoint label: 2023-10-02 07:11:18.000000000 UTC

Endpoint known-by: 2023-10-02 07:11:19.150790602 UTC

Parent: 20231002:dip-19632-1696230662:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230707 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:11:47.000000000 UTC

Actual recognition: 2023-10-02 07:12:39.335534759 UTC

Endpoint label: 2023-10-02 07:12:09.000000000 UTC

Endpoint known-by: 2023-10-02 07:12:10.429181004 UTC

Parent: 20231002:dip-19632-1696230707:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230761 | SAME


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:12:41.000000000 UTC

Actual recognition: 2023-10-02 07:13:27.911011425 UTC

Endpoint label: 2023-10-02 07:14:30.000000000 UTC

Endpoint known-by: 2023-10-02 07:14:33.038372876 UTC

Parent: 20231002:dip-19632-1696230761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230838 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:13:58.000000000 UTC

Actual recognition: 2023-10-02 07:14:46.209417351 UTC

Endpoint label: 2023-10-02 07:14:30.000000000 UTC

Endpoint known-by: 2023-10-02 07:14:33.038372876 UTC

Parent: 20231002:dip-19632-1696230838:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696230883 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:14:43.000000000 UTC

Actual recognition: 2023-10-02 07:15:34.216676127 UTC

Endpoint label: 2023-10-02 07:15:03.000000000 UTC

Endpoint known-by: 2023-10-02 07:15:04.168460334 UTC

Parent: 20231002:dip-19632-1696230883:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231049 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:17:29.000000000 UTC

Actual recognition: 2023-10-02 07:18:20.396984765 UTC

Endpoint label: 2023-10-02 07:18:06.000000000 UTC

Endpoint known-by: 2023-10-02 07:18:15.854574243 UTC

Parent: 20231002:dip-19632-1696231049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231098 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:18:18.000000000 UTC

Actual recognition: 2023-10-02 07:19:09.351398398 UTC

Endpoint label: 2023-10-02 07:18:21.000000000 UTC

Endpoint known-by: 2023-10-02 07:18:24.138311577 UTC

Parent: 20231002:dip-19632-1696231098:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231143 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:19:03.000000000 UTC

Actual recognition: 2023-10-02 07:19:59.130756190 UTC

Endpoint label: 2023-10-02 07:19:32.000000000 UTC

Endpoint known-by: 2023-10-02 07:19:41.696215216 UTC

Parent: 20231002:dip-19632-1696231143:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231188 | FLIP


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:19:48.000000000 UTC

Actual recognition: 2023-10-02 07:20:48.911528931 UTC

Endpoint label: 2023-10-02 07:21:12.000000000 UTC

Endpoint known-by: 2023-10-02 07:21:13.146579892 UTC

Parent: 20231002:dip-19632-1696231188:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231250 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:20:50.000000000 UTC

Actual recognition: 2023-10-02 07:21:45.425888074 UTC

Endpoint label: 2023-10-02 07:21:12.000000000 UTC

Endpoint known-by: 2023-10-02 07:21:13.146579892 UTC

Parent: 20231002:dip-19632-1696231250:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231373 | FLIP


One whole lifecycle: opposite_hold3 | 131 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:22:53.000000000 UTC

Actual recognition: 2023-10-02 07:23:09.403550982 UTC

Endpoint label: 2023-10-02 07:25:03.000000000 UTC

Endpoint known-by: 2023-10-02 07:25:06.321904142 UTC

Parent: 20231002:dip-19632-1696231373:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231501 | FLIP


One whole lifecycle: opposite_hold3 | 293 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:25:01.000000000 UTC

Actual recognition: 2023-10-02 07:26:07.079986449 UTC

Endpoint label: 2023-10-02 07:29:53.000000000 UTC

Endpoint known-by: 2023-10-02 07:29:54.000469081 UTC

Parent: 20231002:dip-19632-1696231501:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231791 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:29:51.000000000 UTC

Actual recognition: 2023-10-02 07:30:46.720618141 UTC

Endpoint label: 2023-10-02 07:30:13.000000000 UTC

Endpoint known-by: 2023-10-02 07:30:14.136619361 UTC

Parent: 20231002:dip-19632-1696231791:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231854 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:30:54.000000000 UTC

Actual recognition: 2023-10-02 07:31:32.005190868 UTC

Endpoint label: 2023-10-02 07:31:22.000000000 UTC

Endpoint known-by: 2023-10-02 07:31:32.005190868 UTC

Parent: 20231002:dip-19632-1696231854:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231924 | FLIP


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:32:04.000000000 UTC

Actual recognition: 2023-10-02 07:33:19.920904736 UTC

Endpoint label: 2023-10-02 07:34:55.000000000 UTC

Endpoint known-by: 2023-10-02 07:34:56.483462184 UTC

Parent: 20231002:dip-19632-1696231924:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696231969 | SAME


One whole lifecycle: opposite_hold3 | 127 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:32:49.000000000 UTC

Actual recognition: 2023-10-02 07:34:02.309062711 UTC

Endpoint label: 2023-10-02 07:34:55.000000000 UTC

Endpoint known-by: 2023-10-02 07:34:56.483462184 UTC

Parent: 20231002:dip-19632-1696231969:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232101 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:35:01.000000000 UTC

Actual recognition: 2023-10-02 07:35:46.675906405 UTC

Endpoint label: 2023-10-02 07:35:48.000000000 UTC

Endpoint known-by: 2023-10-02 07:35:55.298179883 UTC

Parent: 20231002:dip-19632-1696232101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232166 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:36:06.000000000 UTC

Actual recognition: 2023-10-02 07:37:01.965679596 UTC

Endpoint label: 2023-10-02 07:36:28.000000000 UTC

Endpoint known-by: 2023-10-02 07:36:31.234445254 UTC

Parent: 20231002:dip-19632-1696232166:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232241 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:37:21.000000000 UTC

Actual recognition: 2023-10-02 07:38:13.151500345 UTC

Endpoint label: 2023-10-02 07:37:49.000000000 UTC

Endpoint known-by: 2023-10-02 07:37:50.164653797 UTC

Parent: 20231002:dip-19632-1696232241:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232305 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:38:25.000000000 UTC

Actual recognition: 2023-10-02 07:39:19.054173758 UTC

Endpoint label: 2023-10-02 07:38:34.000000000 UTC

Endpoint known-by: 2023-10-02 07:38:44.227885004 UTC

Parent: 20231002:dip-19632-1696232305:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232379 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:39:39.000000000 UTC

Actual recognition: 2023-10-02 07:40:01.271674534 UTC

Endpoint label: 2023-10-02 07:39:42.000000000 UTC

Endpoint known-by: 2023-10-02 07:39:43.240593273 UTC

Parent: 20231002:dip-19632-1696232379:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232510 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:41:50.000000000 UTC

Actual recognition: 2023-10-02 07:42:41.174267333 UTC

Endpoint label: 2023-10-02 07:42:39.000000000 UTC

Endpoint known-by: 2023-10-02 07:42:40.659246633 UTC

Parent: 20231002:dip-19632-1696232510:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232557 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:42:37.000000000 UTC

Actual recognition: 2023-10-02 07:43:34.517981434 UTC

Endpoint label: 2023-10-02 07:42:59.000000000 UTC

Endpoint known-by: 2023-10-02 07:43:05.558623469 UTC

Parent: 20231002:dip-19632-1696232557:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232659 | FLIP


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:44:19.000000000 UTC

Actual recognition: 2023-10-02 07:45:10.300884885 UTC

Endpoint label: 2023-10-02 07:44:54.000000000 UTC

Endpoint known-by: 2023-10-02 07:44:55.555006301 UTC

Parent: 20231002:dip-19632-1696232659:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232748 | SAME


One whole lifecycle: opposite_hold3 | 319 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:45:48.000000000 UTC

Actual recognition: 2023-10-02 07:46:56.936746115 UTC

Endpoint label: 2023-10-02 07:51:06.000000000 UTC

Endpoint known-by: 2023-10-02 07:51:07.859178667 UTC

Parent: 20231002:dip-19632-1696232748:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696232816 | SAME


One whole lifecycle: opposite_hold3 | 251 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:46:56.000000000 UTC

Actual recognition: 2023-10-02 07:47:55.071405167 UTC

Endpoint label: 2023-10-02 07:51:06.000000000 UTC

Endpoint known-by: 2023-10-02 07:51:07.859178667 UTC

Parent: 20231002:dip-19632-1696232816:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233003 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:50:03.000000000 UTC

Actual recognition: 2023-10-02 07:50:13.265576834 UTC

Endpoint label: 2023-10-02 07:51:06.000000000 UTC

Endpoint known-by: 2023-10-02 07:51:07.859178667 UTC

Parent: 20231002:dip-19632-1696233003:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233119 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:51:59.000000000 UTC

Actual recognition: 2023-10-02 07:52:50.183949447 UTC

Endpoint label: 2023-10-02 07:52:25.000000000 UTC

Endpoint known-by: 2023-10-02 07:52:26.329496642 UTC

Parent: 20231002:dip-19632-1696233119:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233164 | SAME


One whole lifecycle: opposite_hold3 | 110 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:52:44.000000000 UTC

Actual recognition: 2023-10-02 07:53:37.431903574 UTC

Endpoint label: 2023-10-02 07:54:33.000000000 UTC

Endpoint known-by: 2023-10-02 07:54:37.446256914 UTC

Parent: 20231002:dip-19632-1696233164:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233232 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:53:52.000000000 UTC

Actual recognition: 2023-10-02 07:54:21.238050654 UTC

Endpoint label: 2023-10-02 07:54:33.000000000 UTC

Endpoint known-by: 2023-10-02 07:54:37.446256914 UTC

Parent: 20231002:dip-19632-1696233232:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233277 | FLIP


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:54:37.000000000 UTC

Actual recognition: 2023-10-02 07:55:29.473675116 UTC

Endpoint label: 2023-10-02 07:55:47.000000000 UTC

Endpoint known-by: 2023-10-02 07:55:48.170223459 UTC

Parent: 20231002:dip-19632-1696233277:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233330 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:55:30.000000000 UTC

Actual recognition: 2023-10-02 07:56:18.023914349 UTC

Endpoint label: 2023-10-02 07:55:47.000000000 UTC

Endpoint known-by: 2023-10-02 07:55:48.170223459 UTC

Parent: 20231002:dip-19632-1696233330:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233411 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:56:51.000000000 UTC

Actual recognition: 2023-10-02 07:57:42.043094763 UTC

Endpoint label: 2023-10-02 07:57:12.000000000 UTC

Endpoint known-by: 2023-10-02 07:57:21.437995533 UTC

Parent: 20231002:dip-19632-1696233411:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233483 | SAME


One whole lifecycle: opposite_hold3 | 319 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:58:03.000000000 UTC

Actual recognition: 2023-10-02 07:58:55.060812765 UTC

Endpoint label: 2023-10-02 08:03:21.000000000 UTC

Endpoint known-by: 2023-10-02 08:03:22.562434220 UTC

Parent: 20231002:dip-19632-1696233483:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696233528 | SAME


One whole lifecycle: opposite_hold3 | 274 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 07:58:48.000000000 UTC

Actual recognition: 2023-10-02 07:59:43.798092854 UTC

Endpoint label: 2023-10-02 08:03:21.000000000 UTC

Endpoint known-by: 2023-10-02 08:03:22.562434220 UTC

Parent: 20231002:dip-19632-1696233528:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.