
20231002 candidate | dip-19632-1696277453 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:10:53.000000000 UTC

Actual recognition: 2023-10-02 20:11:53.258862380 UTC

Endpoint label: 2023-10-02 20:11:02.000000000 UTC

Endpoint known-by: 2023-10-02 20:11:13.260945743 UTC

Parent: 20231002:dip-19632-1696277453:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277503 | FLIP


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:11:43.000000000 UTC

Actual recognition: 2023-10-02 20:12:34.306002175 UTC

Endpoint label: 2023-10-02 20:12:35.000000000 UTC

Endpoint known-by: 2023-10-02 20:12:36.835677904 UTC

Parent: 20231002:dip-19632-1696277503:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277553 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:12:33.000000000 UTC

Actual recognition: 2023-10-02 20:13:26.092480896 UTC

Endpoint label: 2023-10-02 20:12:54.000000000 UTC

Endpoint known-by: 2023-10-02 20:12:55.020886638 UTC

Parent: 20231002:dip-19632-1696277553:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277641 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:14:01.000000000 UTC

Actual recognition: 2023-10-02 20:14:47.016463265 UTC

Endpoint label: 2023-10-02 20:14:46.000000000 UTC

Endpoint known-by: 2023-10-02 20:14:47.016463265 UTC

Parent: 20231002:dip-19632-1696277641:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277702 | SAME


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:15:02.000000000 UTC

Actual recognition: 2023-10-02 20:15:50.197901489 UTC

Endpoint label: 2023-10-02 20:15:09.000000000 UTC

Endpoint known-by: 2023-10-02 20:15:10.014396192 UTC

Parent: 20231002:dip-19632-1696277702:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277784 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:16:24.000000000 UTC

Actual recognition: 2023-10-02 20:16:58.687882933 UTC

Endpoint label: 2023-10-02 20:17:20.000000000 UTC

Endpoint known-by: 2023-10-02 20:17:23.672862333 UTC

Parent: 20231002:dip-19632-1696277784:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277858 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:17:38.000000000 UTC

Actual recognition: 2023-10-02 20:18:31.481558751 UTC

Endpoint label: 2023-10-02 20:17:50.000000000 UTC

Endpoint known-by: 2023-10-02 20:18:01.529874516 UTC

Parent: 20231002:dip-19632-1696277858:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696277979 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:19:39.000000000 UTC

Actual recognition: 2023-10-02 20:19:51.027406930 UTC

Endpoint label: 2023-10-02 20:20:13.000000000 UTC

Endpoint known-by: 2023-10-02 20:20:24.438733119 UTC

Parent: 20231002:dip-19632-1696277979:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278024 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:20:24.000000000 UTC

Actual recognition: 2023-10-02 20:21:18.001037525 UTC

Endpoint label: 2023-10-02 20:21:14.000000000 UTC

Endpoint known-by: 2023-10-02 20:21:18.001037525 UTC

Parent: 20231002:dip-19632-1696278024:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278072 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:21:12.000000000 UTC

Actual recognition: 2023-10-02 20:22:03.398941578 UTC

Endpoint label: 2023-10-02 20:22:56.000000000 UTC

Endpoint known-by: 2023-10-02 20:22:57.040205596 UTC

Parent: 20231002:dip-19632-1696278072:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278194 | SAME


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:23:14.000000000 UTC

Actual recognition: 2023-10-02 20:24:05.238126470 UTC

Endpoint label: 2023-10-02 20:24:17.000000000 UTC

Endpoint known-by: 2023-10-02 20:24:20.089246921 UTC

Parent: 20231002:dip-19632-1696278194:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278319 | SAME


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:25:19.000000000 UTC

Actual recognition: 2023-10-02 20:25:44.243138938 UTC

Endpoint label: 2023-10-02 20:27:06.000000000 UTC

Endpoint known-by: 2023-10-02 20:27:09.068759743 UTC

Parent: 20231002:dip-19632-1696278319:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278364 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:26:04.000000000 UTC

Actual recognition: 2023-10-02 20:26:57.393079566 UTC

Endpoint label: 2023-10-02 20:27:06.000000000 UTC

Endpoint known-by: 2023-10-02 20:27:09.068759743 UTC

Parent: 20231002:dip-19632-1696278364:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278428 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:27:08.000000000 UTC

Actual recognition: 2023-10-02 20:28:05.195728278 UTC

Endpoint label: 2023-10-02 20:28:07.000000000 UTC

Endpoint known-by: 2023-10-02 20:28:08.536212078 UTC

Parent: 20231002:dip-19632-1696278428:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278507 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:28:27.000000000 UTC

Actual recognition: 2023-10-02 20:29:22.635281797 UTC

Endpoint label: 2023-10-02 20:29:07.000000000 UTC

Endpoint known-by: 2023-10-02 20:29:12.916699706 UTC

Parent: 20231002:dip-19632-1696278507:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278565 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:29:25.000000000 UTC

Actual recognition: 2023-10-02 20:30:17.526342060 UTC

Endpoint label: 2023-10-02 20:29:51.000000000 UTC

Endpoint known-by: 2023-10-02 20:29:54.030990872 UTC

Parent: 20231002:dip-19632-1696278565:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278643 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:30:43.000000000 UTC

Actual recognition: 2023-10-02 20:31:05.103907494 UTC

Endpoint label: 2023-10-02 20:31:05.000000000 UTC

Endpoint known-by: 2023-10-02 20:31:06.313619810 UTC

Parent: 20231002:dip-19632-1696278643:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278747 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:32:27.000000000 UTC

Actual recognition: 2023-10-02 20:32:49.063908017 UTC

Endpoint label: 2023-10-02 20:32:57.000000000 UTC

Endpoint known-by: 2023-10-02 20:33:04.517673939 UTC

Parent: 20231002:dip-19632-1696278747:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278854 | FLIP


One whole lifecycle: opposite_hold3 | 147 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:34:14.000000000 UTC

Actual recognition: 2023-10-02 20:35:22.860260591 UTC

Endpoint label: 2023-10-02 20:36:40.000000000 UTC

Endpoint known-by: 2023-10-02 20:36:52.909696644 UTC

Parent: 20231002:dip-19632-1696278854:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696278939 | SAME


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:35:39.000000000 UTC

Actual recognition: 2023-10-02 20:36:31.059665405 UTC

Endpoint label: 2023-10-02 20:36:40.000000000 UTC

Endpoint known-by: 2023-10-02 20:36:52.909696644 UTC

Parent: 20231002:dip-19632-1696278939:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279001 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:36:41.000000000 UTC

Actual recognition: 2023-10-02 20:37:40.995999138 UTC

Endpoint label: 2023-10-02 20:37:13.000000000 UTC

Endpoint known-by: 2023-10-02 20:37:17.464964290 UTC

Parent: 20231002:dip-19632-1696279001:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279057 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:37:37.000000000 UTC

Actual recognition: 2023-10-02 20:38:39.333980014 UTC

Endpoint label: 2023-10-02 20:39:04.000000000 UTC

Endpoint known-by: 2023-10-02 20:39:06.000326262 UTC

Parent: 20231002:dip-19632-1696279057:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279142 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:39:02.000000000 UTC

Actual recognition: 2023-10-02 20:39:55.203940184 UTC

Endpoint label: 2023-10-02 20:39:38.000000000 UTC

Endpoint known-by: 2023-10-02 20:39:41.601437614 UTC

Parent: 20231002:dip-19632-1696279142:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279240 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:40:40.000000000 UTC

Actual recognition: 2023-10-02 20:40:55.466486469 UTC

Endpoint label: 2023-10-02 20:41:29.000000000 UTC

Endpoint known-by: 2023-10-02 20:41:30.580280687 UTC

Parent: 20231002:dip-19632-1696279240:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279289 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:41:29.000000000 UTC

Actual recognition: 2023-10-02 20:42:19.346132755 UTC

Endpoint label: 2023-10-02 20:41:41.000000000 UTC

Endpoint known-by: 2023-10-02 20:41:46.981563817 UTC

Parent: 20231002:dip-19632-1696279289:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279371 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:42:51.000000000 UTC

Actual recognition: 2023-10-02 20:43:14.206422291 UTC

Endpoint label: 2023-10-02 20:43:51.000000000 UTC

Endpoint known-by: 2023-10-02 20:43:58.859698087 UTC

Parent: 20231002:dip-19632-1696279371:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279432 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:43:52.000000000 UTC

Actual recognition: 2023-10-02 20:44:49.621785233 UTC

Endpoint label: 2023-10-02 20:44:22.000000000 UTC

Endpoint known-by: 2023-10-02 20:44:25.753148664 UTC

Parent: 20231002:dip-19632-1696279432:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279477 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:44:37.000000000 UTC

Actual recognition: 2023-10-02 20:45:41.193537364 UTC

Endpoint label: 2023-10-02 20:44:51.000000000 UTC

Endpoint known-by: 2023-10-02 20:45:00.052148864 UTC

Parent: 20231002:dip-19632-1696279477:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279522 | FLIP


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:45:22.000000000 UTC

Actual recognition: 2023-10-02 20:46:15.780706453 UTC

Endpoint label: 2023-10-02 20:46:57.000000000 UTC

Endpoint known-by: 2023-10-02 20:47:00.096301259 UTC

Parent: 20231002:dip-19632-1696279522:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279643 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:47:23.000000000 UTC

Actual recognition: 2023-10-02 20:48:15.362474349 UTC

Endpoint label: 2023-10-02 20:47:33.000000000 UTC

Endpoint known-by: 2023-10-02 20:47:35.056719089 UTC

Parent: 20231002:dip-19632-1696279643:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279688 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:48:08.000000000 UTC

Actual recognition: 2023-10-02 20:49:00.309295701 UTC

Endpoint label: 2023-10-02 20:48:17.000000000 UTC

Endpoint known-by: 2023-10-02 20:48:18.007214503 UTC

Parent: 20231002:dip-19632-1696279688:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279750 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:49:10.000000000 UTC

Actual recognition: 2023-10-02 20:50:00.001560833 UTC

Endpoint label: 2023-10-02 20:49:51.000000000 UTC

Endpoint known-by: 2023-10-02 20:49:52.237141758 UTC

Parent: 20231002:dip-19632-1696279750:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279820 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:50:20.000000000 UTC

Actual recognition: 2023-10-02 20:51:11.031591503 UTC

Endpoint label: 2023-10-02 20:50:47.000000000 UTC

Endpoint known-by: 2023-10-02 20:50:48.000391730 UTC

Parent: 20231002:dip-19632-1696279820:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279865 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:51:05.000000000 UTC

Actual recognition: 2023-10-02 20:51:59.068342753 UTC

Endpoint label: 2023-10-02 20:52:38.000000000 UTC

Endpoint known-by: 2023-10-02 20:52:39.276845058 UTC

Parent: 20231002:dip-19632-1696279865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279928 | FLIP


One whole lifecycle: opposite_hold3 | 144 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:52:08.000000000 UTC

Actual recognition: 2023-10-02 20:52:59.395174440 UTC

Endpoint label: 2023-10-02 20:54:31.000000000 UTC

Endpoint known-by: 2023-10-02 20:54:32.085887296 UTC

Parent: 20231002:dip-19632-1696279928:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696279976 | SAME


One whole lifecycle: opposite_hold3 | 96 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:52:56.000000000 UTC

Actual recognition: 2023-10-02 20:54:00.003339863 UTC

Endpoint label: 2023-10-02 20:54:31.000000000 UTC

Endpoint known-by: 2023-10-02 20:54:32.085887296 UTC

Parent: 20231002:dip-19632-1696279976:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696280042 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:54:02.000000000 UTC

Actual recognition: 2023-10-02 20:54:55.032189060 UTC

Endpoint label: 2023-10-02 20:54:31.000000000 UTC

Endpoint known-by: 2023-10-02 20:54:32.085887296 UTC

Parent: 20231002:dip-19632-1696280042:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696280121 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:55:21.000000000 UTC

Actual recognition: 2023-10-02 20:55:51.326419281 UTC

Endpoint label: 2023-10-02 20:55:24.000000000 UTC

Endpoint known-by: 2023-10-02 20:55:27.136396520 UTC

Parent: 20231002:dip-19632-1696280121:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696280166 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:56:06.000000000 UTC

Actual recognition: 2023-10-02 20:57:00.090446123 UTC

Endpoint label: 2023-10-02 20:57:02.000000000 UTC

Endpoint known-by: 2023-10-02 20:57:07.903060200 UTC

Parent: 20231002:dip-19632-1696280166:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696280247 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:57:27.000000000 UTC

Actual recognition: 2023-10-02 20:57:42.841336128 UTC

Endpoint label: 2023-10-02 20:57:47.000000000 UTC

Endpoint known-by: 2023-10-02 20:57:53.805769073 UTC

Parent: 20231002:dip-19632-1696280247:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231002 candidate | dip-19632-1696280334 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 20:58:54.000000000 UTC

Actual recognition: 2023-10-02 20:59:14.169270662 UTC

Endpoint label: 2023-10-02 20:59:20.000000000 UTC

Endpoint known-by: 2023-10-02 20:59:23.924011583 UTC

Parent: 20231002:dip-19632-1696280334:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.