
20231003 candidate | dip-19633-1696305590 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 03:59:50.000000000 UTC

Actual recognition: 2023-10-03 04:01:10.145979892 UTC

Endpoint label: 2023-10-03 04:00:28.000000000 UTC

Endpoint known-by: 2023-10-03 04:00:30.244447783 UTC

Parent: 20231003:dip-19633-1696305590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305690 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:01:30.000000000 UTC

Actual recognition: 2023-10-03 04:02:02.431187405 UTC

Endpoint label: 2023-10-03 04:02:04.000000000 UTC

Endpoint known-by: 2023-10-03 04:02:09.814512403 UTC

Parent: 20231003:dip-19633-1696305690:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305786 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:03:06.000000000 UTC

Actual recognition: 2023-10-03 04:03:13.452879811 UTC

Endpoint label: 2023-10-03 04:03:33.000000000 UTC

Endpoint known-by: 2023-10-03 04:03:34.295721931 UTC

Parent: 20231003:dip-19633-1696305786:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305842 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:04:02.000000000 UTC

Actual recognition: 2023-10-03 04:04:54.678503860 UTC

Endpoint label: 2023-10-03 04:04:22.000000000 UTC

Endpoint known-by: 2023-10-03 04:04:46.101571318 UTC

Parent: 20231003:dip-19633-1696305842:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696305931 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:05:31.000000000 UTC

Actual recognition: 2023-10-03 04:05:41.072777029 UTC

Endpoint label: 2023-10-03 04:07:02.000000000 UTC

Endpoint known-by: 2023-10-03 04:07:03.192653073 UTC

Parent: 20231003:dip-19633-1696305931:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306020 | FLIP


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:07:00.000000000 UTC

Actual recognition: 2023-10-03 04:07:57.281528824 UTC

Endpoint label: 2023-10-03 04:07:59.000000000 UTC

Endpoint known-by: 2023-10-03 04:08:01.038718446 UTC

Parent: 20231003:dip-19633-1696306020:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306097 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:08:17.000000000 UTC

Actual recognition: 2023-10-03 04:09:10.620143261 UTC

Endpoint label: 2023-10-03 04:10:01.000000000 UTC

Endpoint known-by: 2023-10-03 04:10:12.437812219 UTC

Parent: 20231003:dip-19633-1696306097:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306171 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:09:31.000000000 UTC

Actual recognition: 2023-10-03 04:10:27.872737306 UTC

Endpoint label: 2023-10-03 04:10:01.000000000 UTC

Endpoint known-by: 2023-10-03 04:10:12.437812219 UTC

Parent: 20231003:dip-19633-1696306171:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306216 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:10:16.000000000 UTC

Actual recognition: 2023-10-03 04:11:07.787521095 UTC

Endpoint label: 2023-10-03 04:11:43.000000000 UTC

Endpoint known-by: 2023-10-03 04:11:47.309096171 UTC

Parent: 20231003:dip-19633-1696306216:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306293 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:11:33.000000000 UTC

Actual recognition: 2023-10-03 04:12:25.309543923 UTC

Endpoint label: 2023-10-03 04:11:43.000000000 UTC

Endpoint known-by: 2023-10-03 04:11:47.309096171 UTC

Parent: 20231003:dip-19633-1696306293:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306338 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:12:18.000000000 UTC

Actual recognition: 2023-10-03 04:13:15.404687431 UTC

Endpoint label: 2023-10-03 04:12:27.000000000 UTC

Endpoint known-by: 2023-10-03 04:12:30.206490146 UTC

Parent: 20231003:dip-19633-1696306338:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306399 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:13:19.000000000 UTC

Actual recognition: 2023-10-03 04:14:14.159508288 UTC

Endpoint label: 2023-10-03 04:13:22.000000000 UTC

Endpoint known-by: 2023-10-03 04:13:24.563790599 UTC

Parent: 20231003:dip-19633-1696306399:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306485 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:14:45.000000000 UTC

Actual recognition: 2023-10-03 04:15:05.261395075 UTC

Endpoint label: 2023-10-03 04:15:04.000000000 UTC

Endpoint known-by: 2023-10-03 04:15:05.261395075 UTC

Parent: 20231003:dip-19633-1696306485:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306588 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:16:28.000000000 UTC

Actual recognition: 2023-10-03 04:17:19.155301833 UTC

Endpoint label: 2023-10-03 04:16:50.000000000 UTC

Endpoint known-by: 2023-10-03 04:16:57.444381343 UTC

Parent: 20231003:dip-19633-1696306588:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306633 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:17:13.000000000 UTC

Actual recognition: 2023-10-03 04:18:08.652347246 UTC

Endpoint label: 2023-10-03 04:18:25.000000000 UTC

Endpoint known-by: 2023-10-03 04:18:26.859159949 UTC

Parent: 20231003:dip-19633-1696306633:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306683 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:18:03.000000000 UTC

Actual recognition: 2023-10-03 04:18:54.760572797 UTC

Endpoint label: 2023-10-03 04:18:25.000000000 UTC

Endpoint known-by: 2023-10-03 04:18:26.859159949 UTC

Parent: 20231003:dip-19633-1696306683:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306734 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:18:54.000000000 UTC

Actual recognition: 2023-10-03 04:19:52.467614700 UTC

Endpoint label: 2023-10-03 04:19:05.000000000 UTC

Endpoint known-by: 2023-10-03 04:19:06.870013590 UTC

Parent: 20231003:dip-19633-1696306734:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306779 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:19:39.000000000 UTC

Actual recognition: 2023-10-03 04:20:32.591712649 UTC

Endpoint label: 2023-10-03 04:19:54.000000000 UTC

Endpoint known-by: 2023-10-03 04:20:00.010907887 UTC

Parent: 20231003:dip-19633-1696306779:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696306862 | FLIP


One whole lifecycle: opposite_hold3 | 142 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:21:02.000000000 UTC

Actual recognition: 2023-10-03 04:21:55.830228486 UTC

Endpoint label: 2023-10-03 04:23:23.000000000 UTC

Endpoint known-by: 2023-10-03 04:23:24.000379827 UTC

Parent: 20231003:dip-19633-1696306862:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307010 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:23:30.000000000 UTC

Actual recognition: 2023-10-03 04:24:26.186754579 UTC

Endpoint label: 2023-10-03 04:24:36.000000000 UTC

Endpoint known-by: 2023-10-03 04:24:37.186287438 UTC

Parent: 20231003:dip-19633-1696307010:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307074 | FLIP


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:24:34.000000000 UTC

Actual recognition: 2023-10-03 04:25:33.371103090 UTC

Endpoint label: 2023-10-03 04:26:04.000000000 UTC

Endpoint known-by: 2023-10-03 04:26:10.087420089 UTC

Parent: 20231003:dip-19633-1696307074:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307119 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:25:19.000000000 UTC

Actual recognition: 2023-10-03 04:26:10.087420089 UTC

Endpoint label: 2023-10-03 04:26:04.000000000 UTC

Endpoint known-by: 2023-10-03 04:26:10.087420089 UTC

Parent: 20231003:dip-19633-1696307119:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307170 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:26:10.000000000 UTC

Actual recognition: 2023-10-03 04:27:01.497652503 UTC

Endpoint label: 2023-10-03 04:27:03.000000000 UTC

Endpoint known-by: 2023-10-03 04:27:06.598938615 UTC

Parent: 20231003:dip-19633-1696307170:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307221 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:27:01.000000000 UTC

Actual recognition: 2023-10-03 04:27:53.433606218 UTC

Endpoint label: 2023-10-03 04:27:23.000000000 UTC

Endpoint known-by: 2023-10-03 04:27:33.472346288 UTC

Parent: 20231003:dip-19633-1696307221:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307319 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:28:39.000000000 UTC

Actual recognition: 2023-10-03 04:29:30.082717287 UTC

Endpoint label: 2023-10-03 04:29:41.000000000 UTC

Endpoint known-by: 2023-10-03 04:29:42.128066644 UTC

Parent: 20231003:dip-19633-1696307319:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307364 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:29:24.000000000 UTC

Actual recognition: 2023-10-03 04:30:17.803151039 UTC

Endpoint label: 2023-10-03 04:29:41.000000000 UTC

Endpoint known-by: 2023-10-03 04:29:42.128066644 UTC

Parent: 20231003:dip-19633-1696307364:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307456 | FLIP


One whole lifecycle: opposite_hold3 | 164 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:30:56.000000000 UTC

Actual recognition: 2023-10-03 04:32:09.225461843 UTC

Endpoint label: 2023-10-03 04:33:39.000000000 UTC

Endpoint known-by: 2023-10-03 04:33:41.346585625 UTC

Parent: 20231003:dip-19633-1696307456:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307536 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:32:16.000000000 UTC

Actual recognition: 2023-10-03 04:33:37.171401043 UTC

Endpoint label: 2023-10-03 04:33:39.000000000 UTC

Endpoint known-by: 2023-10-03 04:33:41.346585625 UTC

Parent: 20231003:dip-19633-1696307536:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307617 | FLIP


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:33:37.000000000 UTC

Actual recognition: 2023-10-03 04:34:35.288042521 UTC

Endpoint label: 2023-10-03 04:35:13.000000000 UTC

Endpoint known-by: 2023-10-03 04:35:22.904859958 UTC

Parent: 20231003:dip-19633-1696307617:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307691 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:34:51.000000000 UTC

Actual recognition: 2023-10-03 04:35:53.136767949 UTC

Endpoint label: 2023-10-03 04:35:13.000000000 UTC

Endpoint known-by: 2023-10-03 04:35:22.904859958 UTC

Parent: 20231003:dip-19633-1696307691:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307736 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:35:36.000000000 UTC

Actual recognition: 2023-10-03 04:36:31.697118343 UTC

Endpoint label: 2023-10-03 04:37:09.000000000 UTC

Endpoint known-by: 2023-10-03 04:37:12.006707142 UTC

Parent: 20231003:dip-19633-1696307736:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307819 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:36:59.000000000 UTC

Actual recognition: 2023-10-03 04:37:54.607532610 UTC

Endpoint label: 2023-10-03 04:37:09.000000000 UTC

Endpoint known-by: 2023-10-03 04:37:12.006707142 UTC

Parent: 20231003:dip-19633-1696307819:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307864 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:37:44.000000000 UTC

Actual recognition: 2023-10-03 04:39:28.943670677 UTC

Endpoint label: 2023-10-03 04:38:22.000000000 UTC

Endpoint known-by: 2023-10-03 04:38:23.277049393 UTC

Parent: 20231003:dip-19633-1696307864:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696307920 | SAME


One whole lifecycle: opposite_hold3 | 89 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:38:40.000000000 UTC

Actual recognition: 2023-10-03 04:39:31.221749763 UTC

Endpoint label: 2023-10-03 04:40:08.000000000 UTC

Endpoint known-by: 2023-10-03 04:40:10.462281131 UTC

Parent: 20231003:dip-19633-1696307920:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308006 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:40:06.000000000 UTC

Actual recognition: 2023-10-03 04:41:14.001441447 UTC

Endpoint label: 2023-10-03 04:41:27.000000000 UTC

Endpoint known-by: 2023-10-03 04:41:29.215823293 UTC

Parent: 20231003:dip-19633-1696308006:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308101 | FLIP


One whole lifecycle: opposite_hold3 | 172 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:41:41.000000000 UTC

Actual recognition: 2023-10-03 04:42:42.818065179 UTC

Endpoint label: 2023-10-03 04:44:32.000000000 UTC

Endpoint known-by: 2023-10-03 04:44:41.195345018 UTC

Parent: 20231003:dip-19633-1696308101:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308182 | SAME


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:43:02.000000000 UTC

Actual recognition: 2023-10-03 04:43:54.994514664 UTC

Endpoint label: 2023-10-03 04:44:32.000000000 UTC

Endpoint known-by: 2023-10-03 04:44:41.195345018 UTC

Parent: 20231003:dip-19633-1696308182:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308227 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:43:47.000000000 UTC

Actual recognition: 2023-10-03 04:44:41.195345018 UTC

Endpoint label: 2023-10-03 04:44:32.000000000 UTC

Endpoint known-by: 2023-10-03 04:44:41.195345018 UTC

Parent: 20231003:dip-19633-1696308227:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308272 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:44:32.000000000 UTC

Actual recognition: 2023-10-03 04:45:28.945550340 UTC

Endpoint label: 2023-10-03 04:44:43.000000000 UTC

Endpoint known-by: 2023-10-03 04:45:00.115357780 UTC

Parent: 20231003:dip-19633-1696308272:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308468 | SAME


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:47:48.000000000 UTC

Actual recognition: 2023-10-03 04:49:08.100412174 UTC

Endpoint label: 2023-10-03 04:49:43.000000000 UTC

Endpoint known-by: 2023-10-03 04:50:35.195239308 UTC

Parent: 20231003:dip-19633-1696308468:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308581 | FLIP


One whole lifecycle: opposite_hold3 | 198 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:49:41.000000000 UTC

Actual recognition: 2023-10-03 04:50:35.195239308 UTC

Endpoint label: 2023-10-03 04:52:58.000000000 UTC

Endpoint known-by: 2023-10-03 04:53:01.410845429 UTC

Parent: 20231003:dip-19633-1696308581:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308769 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:52:49.000000000 UTC

Actual recognition: 2023-10-03 04:53:40.319293852 UTC

Endpoint label: 2023-10-03 04:52:58.000000000 UTC

Endpoint known-by: 2023-10-03 04:53:01.410845429 UTC

Parent: 20231003:dip-19633-1696308769:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696308869 | SAME


One whole lifecycle: opposite_hold3 | 338 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 04:54:29.000000000 UTC

Actual recognition: 2023-10-03 04:55:32.376708063 UTC

Endpoint label: 2023-10-03 05:00:06.000000000 UTC

Endpoint known-by: 2023-10-03 05:00:17.526804919 UTC

Parent: 20231003:dip-19633-1696308869:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309263 | SAME


One whole lifecycle: opposite_hold3 | 86 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:01:03.000000000 UTC

Actual recognition: 2023-10-03 05:01:20.372025503 UTC

Endpoint label: 2023-10-03 05:02:28.000000000 UTC

Endpoint known-by: 2023-10-03 05:02:29.111229048 UTC

Parent: 20231003:dip-19633-1696309263:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309346 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:02:26.000000000 UTC

Actual recognition: 2023-10-03 05:02:45.134876177 UTC

Endpoint label: 2023-10-03 05:02:49.000000000 UTC

Endpoint known-by: 2023-10-03 05:02:57.906924694 UTC

Parent: 20231003:dip-19633-1696309346:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309476 | SAME


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:04:36.000000000 UTC

Actual recognition: 2023-10-03 05:05:33.200567575 UTC

Endpoint label: 2023-10-03 05:06:05.000000000 UTC

Endpoint known-by: 2023-10-03 05:06:07.957086344 UTC

Parent: 20231003:dip-19633-1696309476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309563 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:06:03.000000000 UTC

Actual recognition: 2023-10-03 05:06:17.840749329 UTC

Endpoint label: 2023-10-03 05:06:25.000000000 UTC

Endpoint known-by: 2023-10-03 05:06:33.870409277 UTC

Parent: 20231003:dip-19633-1696309563:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309705 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:08:25.000000000 UTC

Actual recognition: 2023-10-03 05:09:20.233386505 UTC

Endpoint label: 2023-10-03 05:08:50.000000000 UTC

Endpoint known-by: 2023-10-03 05:08:51.194099070 UTC

Parent: 20231003:dip-19633-1696309705:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309755 | SAME


One whole lifecycle: opposite_hold3 | 128 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:09:15.000000000 UTC

Actual recognition: 2023-10-03 05:10:33.115541454 UTC

Endpoint label: 2023-10-03 05:11:22.000000000 UTC

Endpoint known-by: 2023-10-03 05:11:23.256387216 UTC

Parent: 20231003:dip-19633-1696309755:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309838 | SAME

One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:10:38.000000000 UTC

Actual recognition: 2023-10-03 05:11:29.429380610 UTC

Endpoint label: 2023-10-03 05:11:22.000000000 UTC

Endpoint known-by: 2023-10-03 05:11:23.256387216 UTC

Parent: 20231003:dip-19633-1696309838:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696309923 | SAME


One whole lifecycle: opposite_hold3 | 226 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:12:03.000000000 UTC

Actual recognition: 2023-10-03 05:13:00.639553301 UTC

Endpoint label: 2023-10-03 05:15:48.000000000 UTC

Endpoint known-by: 2023-10-03 05:15:49.825957393 UTC

Parent: 20231003:dip-19633-1696309923:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310011 | SAME


One whole lifecycle: opposite_hold3 | 138 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:13:31.000000000 UTC

Actual recognition: 2023-10-03 05:14:34.952095271 UTC

Endpoint label: 2023-10-03 05:15:48.000000000 UTC

Endpoint known-by: 2023-10-03 05:15:49.825957393 UTC

Parent: 20231003:dip-19633-1696310011:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310146 | FLIP


One whole lifecycle: opposite_hold3 | 111 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:15:46.000000000 UTC

Actual recognition: 2023-10-03 05:16:33.773448526 UTC

Endpoint label: 2023-10-03 05:17:36.000000000 UTC

Endpoint known-by: 2023-10-03 05:17:38.222572447 UTC

Parent: 20231003:dip-19633-1696310146:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310196 | SAME


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:16:36.000000000 UTC

Actual recognition: 2023-10-03 05:17:34.823820542 UTC

Endpoint label: 2023-10-03 05:17:36.000000000 UTC

Endpoint known-by: 2023-10-03 05:17:38.222572447 UTC

Parent: 20231003:dip-19633-1696310196:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310275 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:17:55.000000000 UTC

Actual recognition: 2023-10-03 05:18:22.827919939 UTC

Endpoint label: 2023-10-03 05:18:02.000000000 UTC

Endpoint known-by: 2023-10-03 05:18:22.827919939 UTC

Parent: 20231003:dip-19633-1696310275:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310330 | SAME


One whole lifecycle: opposite_hold3 | 188 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:18:50.000000000 UTC

Actual recognition: 2023-10-03 05:20:04.187243828 UTC

Endpoint label: 2023-10-03 05:21:57.000000000 UTC

Endpoint known-by: 2023-10-03 05:22:04.226854819 UTC

Parent: 20231003:dip-19633-1696310330:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310515 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:21:55.000000000 UTC

Actual recognition: 2023-10-03 05:23:43.186544559 UTC

Endpoint label: 2023-10-03 05:22:17.000000000 UTC

Endpoint known-by: 2023-10-03 05:22:25.158723348 UTC

Parent: 20231003:dip-19633-1696310515:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310642 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:24:02.000000000 UTC

Actual recognition: 2023-10-03 05:24:53.307331666 UTC

Endpoint label: 2023-10-03 05:25:45.000000000 UTC

Endpoint known-by: 2023-10-03 05:26:01.641332197 UTC

Parent: 20231003:dip-19633-1696310642:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310743 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:25:43.000000000 UTC

Actual recognition: 2023-10-03 05:26:34.943619432 UTC

Endpoint label: 2023-10-03 05:26:03.000000000 UTC

Endpoint known-by: 2023-10-03 05:26:04.193797179 UTC

Parent: 20231003:dip-19633-1696310743:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696310822 | SAME


One whole lifecycle: opposite_hold3 | 271 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:27:02.000000000 UTC

Actual recognition: 2023-10-03 05:27:29.850421411 UTC

Endpoint label: 2023-10-03 05:31:32.000000000 UTC

Endpoint known-by: 2023-10-03 05:31:34.210856908 UTC

Parent: 20231003:dip-19633-1696310822:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311023 | FLIP


One whole lifecycle: opposite_hold3 | 117 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:30:23.000000000 UTC

Actual recognition: 2023-10-03 05:31:17.088533100 UTC

Endpoint label: 2023-10-03 05:32:19.000000000 UTC

Endpoint known-by: 2023-10-03 05:32:35.386107357 UTC

Parent: 20231003:dip-19633-1696311023:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311090 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:31:30.000000000 UTC

Actual recognition: 2023-10-03 05:32:35.386107357 UTC

Endpoint label: 2023-10-03 05:32:19.000000000 UTC

Endpoint known-by: 2023-10-03 05:32:35.386107357 UTC

Parent: 20231003:dip-19633-1696311090:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311140 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:32:20.000000000 UTC

Actual recognition: 2023-10-03 05:33:26.930490286 UTC

Endpoint label: 2023-10-03 05:33:28.000000000 UTC

Endpoint known-by: 2023-10-03 05:34:06.210948471 UTC

Parent: 20231003:dip-19633-1696311140:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311185 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:33:05.000000000 UTC

Actual recognition: 2023-10-03 05:34:06.210948471 UTC

Endpoint label: 2023-10-03 05:33:28.000000000 UTC

Endpoint known-by: 2023-10-03 05:34:06.210948471 UTC

Parent: 20231003:dip-19633-1696311185:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311246 | FLIP


One whole lifecycle: opposite_hold3 | 106 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:34:06.000000000 UTC

Actual recognition: 2023-10-03 05:35:00.066417889 UTC

Endpoint label: 2023-10-03 05:35:51.000000000 UTC

Endpoint known-by: 2023-10-03 05:35:54.989107463 UTC

Parent: 20231003:dip-19633-1696311246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311300 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:35:00.000000000 UTC

Actual recognition: 2023-10-03 05:35:54.989107463 UTC

Endpoint label: 2023-10-03 05:35:51.000000000 UTC

Endpoint known-by: 2023-10-03 05:35:54.989107463 UTC

Parent: 20231003:dip-19633-1696311300:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311377 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:36:17.000000000 UTC

Actual recognition: 2023-10-03 05:36:41.852415412 UTC

Endpoint label: 2023-10-03 05:36:46.000000000 UTC

Endpoint known-by: 2023-10-03 05:36:47.280935739 UTC

Parent: 20231003:dip-19633-1696311377:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311422 | FLIP


One whole lifecycle: opposite_hold3 | 112 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:37:02.000000000 UTC

Actual recognition: 2023-10-03 05:38:51.262633439 UTC

Endpoint label: 2023-10-03 05:38:53.000000000 UTC

Endpoint known-by: 2023-10-03 05:38:54.099094930 UTC

Parent: 20231003:dip-19633-1696311422:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311531 | FLIP


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:38:51.000000000 UTC

Actual recognition: 2023-10-03 05:40:00.972580455 UTC

Endpoint label: 2023-10-03 05:40:04.000000000 UTC

Endpoint known-by: 2023-10-03 05:40:05.542571053 UTC

Parent: 20231003:dip-19633-1696311531:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311620 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:40:20.000000000 UTC

Actual recognition: 2023-10-03 05:41:18.050080550 UTC

Endpoint label: 2023-10-03 05:40:41.000000000 UTC

Endpoint known-by: 2023-10-03 05:40:52.903279740 UTC

Parent: 20231003:dip-19633-1696311620:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311689 | FLIP


One whole lifecycle: opposite_hold3 | 128 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:41:29.000000000 UTC

Actual recognition: 2023-10-03 05:42:30.582951998 UTC

Endpoint label: 2023-10-03 05:43:36.000000000 UTC

Endpoint known-by: 2023-10-03 05:43:38.012068552 UTC

Parent: 20231003:dip-19633-1696311689:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311814 | FLIP


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:43:34.000000000 UTC

Actual recognition: 2023-10-03 05:44:30.114884192 UTC

Endpoint label: 2023-10-03 05:44:38.000000000 UTC

Endpoint known-by: 2023-10-03 05:44:51.055581576 UTC

Parent: 20231003:dip-19633-1696311814:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311876 | FLIP


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:44:36.000000000 UTC

Actual recognition: 2023-10-03 05:45:28.036834961 UTC

Endpoint label: 2023-10-03 05:46:31.000000000 UTC

Endpoint known-by: 2023-10-03 05:46:33.125724531 UTC

Parent: 20231003:dip-19633-1696311876:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696311969 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:46:09.000000000 UTC

Actual recognition: 2023-10-03 05:47:36.429979475 UTC

Endpoint label: 2023-10-03 05:46:31.000000000 UTC

Endpoint known-by: 2023-10-03 05:46:33.125724531 UTC

Parent: 20231003:dip-19633-1696311969:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312056 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:47:36.000000000 UTC

Actual recognition: 2023-10-03 05:48:30.441351241 UTC

Endpoint label: 2023-10-03 05:47:59.000000000 UTC

Endpoint known-by: 2023-10-03 05:48:21.947013612 UTC

Parent: 20231003:dip-19633-1696312056:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312154 | SAME


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:49:14.000000000 UTC

Actual recognition: 2023-10-03 05:50:13.799784264 UTC

Endpoint label: 2023-10-03 05:50:35.000000000 UTC

Endpoint known-by: 2023-10-03 05:50:36.198958482 UTC

Parent: 20231003:dip-19633-1696312154:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312229 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:50:29.000000000 UTC

Actual recognition: 2023-10-03 05:51:58.250135073 UTC

Endpoint label: 2023-10-03 05:50:35.000000000 UTC

Endpoint known-by: 2023-10-03 05:50:36.198958482 UTC

Parent: 20231003:dip-19633-1696312229:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312328 | FLIP


One whole lifecycle: opposite_hold3 | 222 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:52:08.000000000 UTC

Actual recognition: 2023-10-03 05:53:17.505562497 UTC

Endpoint label: 2023-10-03 05:55:49.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:54.950132715 UTC

Parent: 20231003:dip-19633-1696312328:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312409 | SAME


One whole lifecycle: opposite_hold3 | 141 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:53:29.000000000 UTC

Actual recognition: 2023-10-03 05:54:54.253372650 UTC

Endpoint label: 2023-10-03 05:55:49.000000000 UTC

Endpoint known-by: 2023-10-03 05:55:54.950132715 UTC

Parent: 20231003:dip-19633-1696312409:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312604 | FLIP


One whole lifecycle: opposite_hold3 | 181 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:56:44.000000000 UTC

Actual recognition: 2023-10-03 05:57:06.513193733 UTC

Endpoint label: 2023-10-03 05:59:44.000000000 UTC

Endpoint known-by: 2023-10-03 05:59:51.074808134 UTC

Parent: 20231003:dip-19633-1696312604:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312782 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 05:59:42.000000000 UTC

Actual recognition: 2023-10-03 06:00:33.226564770 UTC

Endpoint label: 2023-10-03 06:00:31.000000000 UTC

Endpoint known-by: 2023-10-03 06:00:33.226564770 UTC

Parent: 20231003:dip-19633-1696312782:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312833 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:00:33.000000000 UTC

Actual recognition: 2023-10-03 06:01:24.408136477 UTC

Endpoint label: 2023-10-03 06:00:51.000000000 UTC

Endpoint known-by: 2023-10-03 06:00:53.672583426 UTC

Parent: 20231003:dip-19633-1696312833:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312900 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:01:40.000000000 UTC

Actual recognition: 2023-10-03 06:02:09.331976094 UTC

Endpoint label: 2023-10-03 06:02:43.000000000 UTC

Endpoint known-by: 2023-10-03 06:02:44.123343295 UTC

Parent: 20231003:dip-19633-1696312900:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696312981 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:03:01.000000000 UTC

Actual recognition: 2023-10-03 06:03:18.270611742 UTC

Endpoint label: 2023-10-03 06:03:30.000000000 UTC

Endpoint known-by: 2023-10-03 06:03:32.077130376 UTC

Parent: 20231003:dip-19633-1696312981:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313063 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:04:23.000000000 UTC

Actual recognition: 2023-10-03 06:04:43.052270305 UTC

Endpoint label: 2023-10-03 06:05:09.000000000 UTC

Endpoint known-by: 2023-10-03 06:05:16.740620181 UTC

Parent: 20231003:dip-19633-1696313063:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313109 | FLIP


One whole lifecycle: opposite_hold3 | 304 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:05:09.000000000 UTC

Actual recognition: 2023-10-03 06:06:00.576476899 UTC

Endpoint label: 2023-10-03 06:10:12.000000000 UTC

Endpoint known-by: 2023-10-03 06:10:20.966570741 UTC

Parent: 20231003:dip-19633-1696313109:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313223 | SAME


One whole lifecycle: opposite_hold3 | 190 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:07:03.000000000 UTC

Actual recognition: 2023-10-03 06:08:24.285683441 UTC

Endpoint label: 2023-10-03 06:10:12.000000000 UTC

Endpoint known-by: 2023-10-03 06:10:20.966570741 UTC

Parent: 20231003:dip-19633-1696313223:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313343 | SAME


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:09:03.000000000 UTC

Actual recognition: 2023-10-03 06:09:54.096202574 UTC

Endpoint label: 2023-10-03 06:10:12.000000000 UTC

Endpoint known-by: 2023-10-03 06:10:20.966570741 UTC

Parent: 20231003:dip-19633-1696313343:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313392 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:09:52.000000000 UTC

Actual recognition: 2023-10-03 06:10:53.210105369 UTC

Endpoint label: 2023-10-03 06:09:56.000000000 UTC

Endpoint known-by: 2023-10-03 06:09:58.218890477 UTC

Parent: 20231003:dip-19633-1696313392:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313453 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:10:53.000000000 UTC

Actual recognition: 2023-10-03 06:11:45.222930247 UTC

Endpoint label: 2023-10-03 06:11:19.000000000 UTC

Endpoint known-by: 2023-10-03 06:11:21.974818091 UTC

Parent: 20231003:dip-19633-1696313453:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313515 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:11:55.000000000 UTC

Actual recognition: 2023-10-03 06:12:55.163640057 UTC

Endpoint label: 2023-10-03 06:12:03.000000000 UTC

Endpoint known-by: 2023-10-03 06:12:04.647793519 UTC

Parent: 20231003:dip-19633-1696313515:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313577 | SAME


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:12:57.000000000 UTC

Actual recognition: 2023-10-03 06:13:46.963665181 UTC

Endpoint label: 2023-10-03 06:14:11.000000000 UTC

Endpoint known-by: 2023-10-03 06:14:15.121998271 UTC

Parent: 20231003:dip-19633-1696313577:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313649 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:14:09.000000000 UTC

Actual recognition: 2023-10-03 06:15:09.732042114 UTC

Endpoint label: 2023-10-03 06:14:30.000000000 UTC

Endpoint known-by: 2023-10-03 06:14:49.019749264 UTC

Parent: 20231003:dip-19633-1696313649:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313694 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:14:54.000000000 UTC

Actual recognition: 2023-10-03 06:15:52.859724637 UTC

Endpoint label: 2023-10-03 06:16:15.000000000 UTC

Endpoint known-by: 2023-10-03 06:16:18.000496864 UTC

Parent: 20231003:dip-19633-1696313694:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313773 | FLIP


One whole lifecycle: opposite_hold3 | 213 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:16:13.000000000 UTC

Actual recognition: 2023-10-03 06:17:04.022666715 UTC

Endpoint label: 2023-10-03 06:19:45.000000000 UTC

Endpoint known-by: 2023-10-03 06:19:50.170393691 UTC

Parent: 20231003:dip-19633-1696313773:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313818 | SAME


One whole lifecycle: opposite_hold3 | 168 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:16:58.000000000 UTC

Actual recognition: 2023-10-03 06:17:55.047813046 UTC

Endpoint label: 2023-10-03 06:19:45.000000000 UTC

Endpoint known-by: 2023-10-03 06:19:50.170393691 UTC

Parent: 20231003:dip-19633-1696313818:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313908 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:18:28.000000000 UTC

Actual recognition: 2023-10-03 06:19:22.032193431 UTC

Endpoint label: 2023-10-03 06:19:45.000000000 UTC

Endpoint known-by: 2023-10-03 06:19:50.170393691 UTC

Parent: 20231003:dip-19633-1696313908:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696313983 | FLIP


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:19:43.000000000 UTC

Actual recognition: 2023-10-03 06:20:14.401162115 UTC

Endpoint label: 2023-10-03 06:20:33.000000000 UTC

Endpoint known-by: 2023-10-03 06:20:35.222920586 UTC

Parent: 20231003:dip-19633-1696313983:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696314031 | FLIP


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:20:31.000000000 UTC

Actual recognition: 2023-10-03 06:21:43.382566414 UTC

Endpoint label: 2023-10-03 06:21:19.000000000 UTC

Endpoint known-by: 2023-10-03 06:21:43.382566414 UTC

Parent: 20231003:dip-19633-1696314031:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696314106 | FLIP


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 06:21:46.000000000 UTC

Actual recognition: 2023-10-03 06:22:42.942943140 UTC

Endpoint label: 2023-10-03 06:23:06.000000000 UTC

Endpoint known-by: 2023-10-03 06:23:11.728717810 UTC

Parent: 20231003:dip-19633-1696314106:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.