
20231003 candidate | dip-19633-1696356336 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:05:36.000000000 UTC

Actual recognition: 2023-10-03 18:06:00.095347111 UTC

Endpoint label: 2023-10-03 18:06:21.000000000 UTC

Endpoint known-by: 2023-10-03 18:06:22.022474961 UTC

Parent: 20231003:dip-19633-1696356336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356429 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:07:09.000000000 UTC

Actual recognition: 2023-10-03 18:07:46.144002382 UTC

Endpoint label: 2023-10-03 18:07:43.000000000 UTC

Endpoint known-by: 2023-10-03 18:07:44.804637521 UTC

Parent: 20231003:dip-19633-1696356429:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356589 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:09:49.000000000 UTC

Actual recognition: 2023-10-03 18:10:39.000577690 UTC

Endpoint label: 2023-10-03 18:10:17.000000000 UTC

Endpoint known-by: 2023-10-03 18:10:20.101862885 UTC

Parent: 20231003:dip-19633-1696356589:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356647 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:10:47.000000000 UTC

Actual recognition: 2023-10-03 18:11:40.949796150 UTC

Endpoint label: 2023-10-03 18:10:50.000000000 UTC

Endpoint known-by: 2023-10-03 18:10:51.040533422 UTC

Parent: 20231003:dip-19633-1696356647:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356693 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:11:33.000000000 UTC

Actual recognition: 2023-10-03 18:12:26.703822112 UTC

Endpoint label: 2023-10-03 18:11:51.000000000 UTC

Endpoint known-by: 2023-10-03 18:11:52.338118954 UTC

Parent: 20231003:dip-19633-1696356693:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356743 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:12:23.000000000 UTC

Actual recognition: 2023-10-03 18:13:15.302511357 UTC

Endpoint label: 2023-10-03 18:12:37.000000000 UTC

Endpoint known-by: 2023-10-03 18:12:40.497160380 UTC

Parent: 20231003:dip-19633-1696356743:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356802 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:13:22.000000000 UTC

Actual recognition: 2023-10-03 18:14:10.689082717 UTC

Endpoint label: 2023-10-03 18:13:49.000000000 UTC

Endpoint known-by: 2023-10-03 18:13:50.644575531 UTC

Parent: 20231003:dip-19633-1696356802:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356867 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:14:27.000000000 UTC

Actual recognition: 2023-10-03 18:15:19.236495795 UTC

Endpoint label: 2023-10-03 18:14:55.000000000 UTC

Endpoint known-by: 2023-10-03 18:14:56.364849885 UTC

Parent: 20231003:dip-19633-1696356867:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696356941 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:15:41.000000000 UTC

Actual recognition: 2023-10-03 18:16:32.102286530 UTC

Endpoint label: 2023-10-03 18:15:55.000000000 UTC

Endpoint known-by: 2023-10-03 18:15:56.479476501 UTC

Parent: 20231003:dip-19633-1696356941:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696357009 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:16:49.000000000 UTC

Actual recognition: 2023-10-03 18:17:40.019690227 UTC

Endpoint label: 2023-10-03 18:18:03.000000000 UTC

Endpoint known-by: 2023-10-03 18:18:04.042158698 UTC

Parent: 20231003:dip-19633-1696357009:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696357117 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:18:37.000000000 UTC

Actual recognition: 2023-10-03 18:19:28.337086312 UTC

Endpoint label: 2023-10-03 18:18:51.000000000 UTC

Endpoint known-by: 2023-10-03 18:18:52.207109234 UTC

Parent: 20231003:dip-19633-1696357117:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696357249 | SAME


One whole lifecycle: opposite_hold3 | 60 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:20:49.000000000 UTC

Actual recognition: 2023-10-03 18:21:40.199275842 UTC

Endpoint label: 2023-10-03 18:21:48.000000000 UTC

Endpoint known-by: 2023-10-03 18:21:49.038602604 UTC

Parent: 20231003:dip-19633-1696357249:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696357927 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:32:07.000000000 UTC

Actual recognition: 2023-10-03 18:32:58.325373847 UTC

Endpoint label: 2023-10-03 18:32:10.000000000 UTC

Endpoint known-by: 2023-10-03 18:32:11.966735637 UTC

Parent: 20231003:dip-19633-1696357927:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696357972 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:32:52.000000000 UTC

Actual recognition: 2023-10-03 18:33:44.303431545 UTC

Endpoint label: 2023-10-03 18:33:07.000000000 UTC

Endpoint known-by: 2023-10-03 18:33:08.385073551 UTC

Parent: 20231003:dip-19633-1696357972:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358089 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:34:49.000000000 UTC

Actual recognition: 2023-10-03 18:34:57.142460156 UTC

Endpoint label: 2023-10-03 18:34:54.000000000 UTC

Endpoint known-by: 2023-10-03 18:34:55.337155976 UTC

Parent: 20231003:dip-19633-1696358089:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358226 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:37:06.000000000 UTC

Actual recognition: 2023-10-03 18:37:59.236688417 UTC

Endpoint label: 2023-10-03 18:37:12.000000000 UTC

Endpoint known-by: 2023-10-03 18:37:13.187939569 UTC

Parent: 20231003:dip-19633-1696358226:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358283 | FLIP


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:38:03.000000000 UTC

Actual recognition: 2023-10-03 18:38:54.012746333 UTC

Endpoint label: 2023-10-03 18:38:59.000000000 UTC

Endpoint known-by: 2023-10-03 18:39:00.160476646 UTC

Parent: 20231003:dip-19633-1696358283:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358342 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:39:02.000000000 UTC

Actual recognition: 2023-10-03 18:39:49.029900305 UTC

Endpoint label: 2023-10-03 18:39:13.000000000 UTC

Endpoint known-by: 2023-10-03 18:39:14.139015256 UTC

Parent: 20231003:dip-19633-1696358342:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358440 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:40:40.000000000 UTC

Actual recognition: 2023-10-03 18:41:24.337021183 UTC

Endpoint label: 2023-10-03 18:40:53.000000000 UTC

Endpoint known-by: 2023-10-03 18:40:54.217793725 UTC

Parent: 20231003:dip-19633-1696358440:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358504 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:41:44.000000000 UTC

Actual recognition: 2023-10-03 18:42:36.284325668 UTC

Endpoint label: 2023-10-03 18:41:57.000000000 UTC

Endpoint known-by: 2023-10-03 18:42:01.100428968 UTC

Parent: 20231003:dip-19633-1696358504:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358574 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:42:54.000000000 UTC

Actual recognition: 2023-10-03 18:43:42.154073583 UTC

Endpoint label: 2023-10-03 18:43:35.000000000 UTC

Endpoint known-by: 2023-10-03 18:43:40.929972449 UTC

Parent: 20231003:dip-19633-1696358574:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358633 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:43:53.000000000 UTC

Actual recognition: 2023-10-03 18:44:44.631290230 UTC

Endpoint label: 2023-10-03 18:44:25.000000000 UTC

Endpoint known-by: 2023-10-03 18:44:26.615378943 UTC

Parent: 20231003:dip-19633-1696358633:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358754 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:45:54.000000000 UTC

Actual recognition: 2023-10-03 18:46:45.026871888 UTC

Endpoint label: 2023-10-03 18:46:12.000000000 UTC

Endpoint known-by: 2023-10-03 18:46:15.537709368 UTC

Parent: 20231003:dip-19633-1696358754:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358839 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:47:19.000000000 UTC

Actual recognition: 2023-10-03 18:48:10.399166722 UTC

Endpoint label: 2023-10-03 18:47:56.000000000 UTC

Endpoint known-by: 2023-10-03 18:47:57.054867290 UTC

Parent: 20231003:dip-19633-1696358839:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696358947 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:49:07.000000000 UTC

Actual recognition: 2023-10-03 18:49:26.249364090 UTC

Endpoint label: 2023-10-03 18:50:03.000000000 UTC

Endpoint known-by: 2023-10-03 18:50:04.057784407 UTC

Parent: 20231003:dip-19633-1696358947:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359000 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:50:00.000000000 UTC

Actual recognition: 2023-10-03 18:50:51.000741485 UTC

Endpoint label: 2023-10-03 18:50:03.000000000 UTC

Endpoint known-by: 2023-10-03 18:50:04.057784407 UTC

Parent: 20231003:dip-19633-1696359000:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359071 | SAME


One whole lifecycle: opposite_hold3 | 87 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:51:11.000000000 UTC

Actual recognition: 2023-10-03 18:52:03.120524817 UTC

Endpoint label: 2023-10-03 18:52:37.000000000 UTC

Endpoint known-by: 2023-10-03 18:52:38.141198573 UTC

Parent: 20231003:dip-19633-1696359071:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359146 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:52:26.000000000 UTC

Actual recognition: 2023-10-03 18:53:17.025770825 UTC

Endpoint label: 2023-10-03 18:52:37.000000000 UTC

Endpoint known-by: 2023-10-03 18:52:38.141198573 UTC

Parent: 20231003:dip-19633-1696359146:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359246 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:54:06.000000000 UTC

Actual recognition: 2023-10-03 18:54:18.302980885 UTC

Endpoint label: 2023-10-03 18:54:38.000000000 UTC

Endpoint known-by: 2023-10-03 18:54:40.146651758 UTC

Parent: 20231003:dip-19633-1696359246:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359305 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:55:05.000000000 UTC

Actual recognition: 2023-10-03 18:55:56.899589261 UTC

Endpoint label: 2023-10-03 18:55:31.000000000 UTC

Endpoint known-by: 2023-10-03 18:55:33.894580312 UTC

Parent: 20231003:dip-19633-1696359305:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359355 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:55:55.000000000 UTC

Actual recognition: 2023-10-03 18:56:46.003428200 UTC

Endpoint label: 2023-10-03 18:56:16.000000000 UTC

Endpoint known-by: 2023-10-03 18:56:18.329675853 UTC

Parent: 20231003:dip-19633-1696359355:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359429 | SAME


One whole lifecycle: opposite_hold3 | 127 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:57:09.000000000 UTC

Actual recognition: 2023-10-03 18:58:00.087365107 UTC

Endpoint label: 2023-10-03 18:59:15.000000000 UTC

Endpoint known-by: 2023-10-03 18:59:16.011039134 UTC

Parent: 20231003:dip-19633-1696359429:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359480 | SAME


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:58:00.000000000 UTC

Actual recognition: 2023-10-03 18:58:52.930745230 UTC

Endpoint label: 2023-10-03 18:59:15.000000000 UTC

Endpoint known-by: 2023-10-03 18:59:16.011039134 UTC

Parent: 20231003:dip-19633-1696359480:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359525 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 18:58:45.000000000 UTC

Actual recognition: 2023-10-03 18:59:36.026761204 UTC

Endpoint label: 2023-10-03 18:59:15.000000000 UTC

Endpoint known-by: 2023-10-03 18:59:16.011039134 UTC

Parent: 20231003:dip-19633-1696359525:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359649 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:00:49.000000000 UTC

Actual recognition: 2023-10-03 19:01:37.110527935 UTC

Endpoint label: 2023-10-03 19:00:57.000000000 UTC

Endpoint known-by: 2023-10-03 19:01:00.100560269 UTC

Parent: 20231003:dip-19633-1696359649:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359786 | FLIP


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:03:06.000000000 UTC

Actual recognition: 2023-10-03 19:03:13.246173830 UTC

Endpoint label: 2023-10-03 19:03:40.000000000 UTC

Endpoint known-by: 2023-10-03 19:03:42.150953745 UTC

Parent: 20231003:dip-19633-1696359786:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359850 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:04:10.000000000 UTC

Actual recognition: 2023-10-03 19:05:01.227060927 UTC

Endpoint label: 2023-10-03 19:04:19.000000000 UTC

Endpoint known-by: 2023-10-03 19:04:20.011872384 UTC

Parent: 20231003:dip-19633-1696359850:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696359940 | FLIP


One whole lifecycle: opposite_hold3 | 67 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:05:40.000000000 UTC

Actual recognition: 2023-10-03 19:05:49.114708982 UTC

Endpoint label: 2023-10-03 19:06:46.000000000 UTC

Endpoint known-by: 2023-10-03 19:06:50.285733552 UTC

Parent: 20231003:dip-19633-1696359940:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360004 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:06:44.000000000 UTC

Actual recognition: 2023-10-03 19:07:39.048733680 UTC

Endpoint label: 2023-10-03 19:07:13.000000000 UTC

Endpoint known-by: 2023-10-03 19:07:14.564138312 UTC

Parent: 20231003:dip-19633-1696360004:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360052 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:07:32.000000000 UTC

Actual recognition: 2023-10-03 19:08:23.011081896 UTC

Endpoint label: 2023-10-03 19:07:41.000000000 UTC

Endpoint known-by: 2023-10-03 19:07:42.419718586 UTC

Parent: 20231003:dip-19633-1696360052:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360112 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:08:32.000000000 UTC

Actual recognition: 2023-10-03 19:09:26.297336290 UTC

Endpoint label: 2023-10-03 19:09:08.000000000 UTC

Endpoint known-by: 2023-10-03 19:09:12.428823860 UTC

Parent: 20231003:dip-19633-1696360112:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360166 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:09:26.000000000 UTC

Actual recognition: 2023-10-03 19:10:18.642278616 UTC

Endpoint label: 2023-10-03 19:09:45.000000000 UTC

Endpoint known-by: 2023-10-03 19:09:46.476973628 UTC

Parent: 20231003:dip-19633-1696360166:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360267 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:11:07.000000000 UTC

Actual recognition: 2023-10-03 19:12:02.024789584 UTC

Endpoint label: 2023-10-03 19:11:36.000000000 UTC

Endpoint known-by: 2023-10-03 19:11:41.039297980 UTC

Parent: 20231003:dip-19633-1696360267:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360312 | FLIP


One whole lifecycle: opposite_hold3 | 76 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:11:52.000000000 UTC

Actual recognition: 2023-10-03 19:12:46.564590814 UTC

Endpoint label: 2023-10-03 19:13:07.000000000 UTC

Endpoint known-by: 2023-10-03 19:13:09.466641496 UTC

Parent: 20231003:dip-19633-1696360312:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360512 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:15:12.000000000 UTC

Actual recognition: 2023-10-03 19:16:05.094279077 UTC

Endpoint label: 2023-10-03 19:15:59.000000000 UTC

Endpoint known-by: 2023-10-03 19:16:00.091926004 UTC

Parent: 20231003:dip-19633-1696360512:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360615 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:16:55.000000000 UTC

Actual recognition: 2023-10-03 19:17:05.289616198 UTC

Endpoint label: 2023-10-03 19:17:00.000000000 UTC

Endpoint known-by: 2023-10-03 19:17:01.001738141 UTC

Parent: 20231003:dip-19633-1696360615:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360694 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:18:14.000000000 UTC

Actual recognition: 2023-10-03 19:19:06.590852139 UTC

Endpoint label: 2023-10-03 19:18:30.000000000 UTC

Endpoint known-by: 2023-10-03 19:18:33.374179225 UTC

Parent: 20231003:dip-19633-1696360694:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360837 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:20:37.000000000 UTC

Actual recognition: 2023-10-03 19:21:07.872672730 UTC

Endpoint label: 2023-10-03 19:20:51.000000000 UTC

Endpoint known-by: 2023-10-03 19:20:52.117486623 UTC

Parent: 20231003:dip-19633-1696360837:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360898 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:21:38.000000000 UTC

Actual recognition: 2023-10-03 19:22:29.100510499 UTC

Endpoint label: 2023-10-03 19:21:44.000000000 UTC

Endpoint known-by: 2023-10-03 19:21:46.290092460 UTC

Parent: 20231003:dip-19633-1696360898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696360961 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:22:41.000000000 UTC

Actual recognition: 2023-10-03 19:23:32.051930725 UTC

Endpoint label: 2023-10-03 19:23:13.000000000 UTC

Endpoint known-by: 2023-10-03 19:23:15.251381133 UTC

Parent: 20231003:dip-19633-1696360961:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361033 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:23:53.000000000 UTC

Actual recognition: 2023-10-03 19:24:49.107920930 UTC

Endpoint label: 2023-10-03 19:24:44.000000000 UTC

Endpoint known-by: 2023-10-03 19:24:49.107920930 UTC

Parent: 20231003:dip-19633-1696361033:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361089 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:24:49.000000000 UTC

Actual recognition: 2023-10-03 19:25:40.580739816 UTC

Endpoint label: 2023-10-03 19:24:53.000000000 UTC

Endpoint known-by: 2023-10-03 19:24:54.298636400 UTC

Parent: 20231003:dip-19633-1696361089:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361166 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:26:06.000000000 UTC

Actual recognition: 2023-10-03 19:26:25.723973870 UTC

Endpoint label: 2023-10-03 19:26:10.000000000 UTC

Endpoint known-by: 2023-10-03 19:26:11.884288542 UTC

Parent: 20231003:dip-19633-1696361166:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361228 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:27:08.000000000 UTC

Actual recognition: 2023-10-03 19:28:00.108905593 UTC

Endpoint label: 2023-10-03 19:27:44.000000000 UTC

Endpoint known-by: 2023-10-03 19:27:45.429970827 UTC

Parent: 20231003:dip-19633-1696361228:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361287 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:28:07.000000000 UTC

Actual recognition: 2023-10-03 19:28:58.201916714 UTC

Endpoint label: 2023-10-03 19:28:13.000000000 UTC

Endpoint known-by: 2023-10-03 19:28:15.428949206 UTC

Parent: 20231003:dip-19633-1696361287:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361371 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:29:31.000000000 UTC

Actual recognition: 2023-10-03 19:30:22.052032748 UTC

Endpoint label: 2023-10-03 19:30:10.000000000 UTC

Endpoint known-by: 2023-10-03 19:30:11.301893548 UTC

Parent: 20231003:dip-19633-1696361371:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361448 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:30:48.000000000 UTC

Actual recognition: 2023-10-03 19:31:07.459963876 UTC

Endpoint label: 2023-10-03 19:31:02.000000000 UTC

Endpoint known-by: 2023-10-03 19:31:03.034360863 UTC

Parent: 20231003:dip-19633-1696361448:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361502 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:31:42.000000000 UTC

Actual recognition: 2023-10-03 19:32:38.701388064 UTC

Endpoint label: 2023-10-03 19:31:46.000000000 UTC

Endpoint known-by: 2023-10-03 19:31:47.679796254 UTC

Parent: 20231003:dip-19633-1696361502:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361578 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:32:58.000000000 UTC

Actual recognition: 2023-10-03 19:33:52.409389949 UTC

Endpoint label: 2023-10-03 19:33:18.000000000 UTC

Endpoint known-by: 2023-10-03 19:33:20.632151839 UTC

Parent: 20231003:dip-19633-1696361578:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361645 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:34:05.000000000 UTC

Actual recognition: 2023-10-03 19:34:48.797244243 UTC

Endpoint label: 2023-10-03 19:34:08.000000000 UTC

Endpoint known-by: 2023-10-03 19:34:09.069769859 UTC

Parent: 20231003:dip-19633-1696361645:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361690 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:34:50.000000000 UTC

Actual recognition: 2023-10-03 19:35:41.034477861 UTC

Endpoint label: 2023-10-03 19:35:04.000000000 UTC

Endpoint known-by: 2023-10-03 19:35:05.560992962 UTC

Parent: 20231003:dip-19633-1696361690:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361777 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:36:17.000000000 UTC

Actual recognition: 2023-10-03 19:37:10.014780350 UTC

Endpoint label: 2023-10-03 19:36:20.000000000 UTC

Endpoint known-by: 2023-10-03 19:36:21.409363163 UTC

Parent: 20231003:dip-19633-1696361777:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361860 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:37:40.000000000 UTC

Actual recognition: 2023-10-03 19:38:06.513079093 UTC

Endpoint label: 2023-10-03 19:37:44.000000000 UTC

Endpoint known-by: 2023-10-03 19:37:47.001486646 UTC

Parent: 20231003:dip-19633-1696361860:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696361934 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:38:54.000000000 UTC

Actual recognition: 2023-10-03 19:39:45.176755993 UTC

Endpoint label: 2023-10-03 19:39:11.000000000 UTC

Endpoint known-by: 2023-10-03 19:39:12.000533150 UTC

Parent: 20231003:dip-19633-1696361934:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362039 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:40:39.000000000 UTC

Actual recognition: 2023-10-03 19:41:29.254134531 UTC

Endpoint label: 2023-10-03 19:41:04.000000000 UTC

Endpoint known-by: 2023-10-03 19:41:06.353990511 UTC

Parent: 20231003:dip-19633-1696362039:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362120 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:42:00.000000000 UTC

Actual recognition: 2023-10-03 19:42:51.229541186 UTC

Endpoint label: 2023-10-03 19:42:39.000000000 UTC

Endpoint known-by: 2023-10-03 19:42:40.329561142 UTC

Parent: 20231003:dip-19633-1696362120:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362171 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:42:51.000000000 UTC

Actual recognition: 2023-10-03 19:43:45.111511334 UTC

Endpoint label: 2023-10-03 19:43:10.000000000 UTC

Endpoint known-by: 2023-10-03 19:43:11.211946631 UTC

Parent: 20231003:dip-19633-1696362171:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362226 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:43:46.000000000 UTC

Actual recognition: 2023-10-03 19:44:39.355293677 UTC

Endpoint label: 2023-10-03 19:44:00.000000000 UTC

Endpoint known-by: 2023-10-03 19:44:01.398224555 UTC

Parent: 20231003:dip-19633-1696362226:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362293 | FLIP


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:44:53.000000000 UTC

Actual recognition: 2023-10-03 19:45:44.071373531 UTC

Endpoint label: 2023-10-03 19:46:03.000000000 UTC

Endpoint known-by: 2023-10-03 19:46:04.020637972 UTC

Parent: 20231003:dip-19633-1696362293:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362378 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:46:18.000000000 UTC

Actual recognition: 2023-10-03 19:47:09.318518728 UTC

Endpoint label: 2023-10-03 19:46:24.000000000 UTC

Endpoint known-by: 2023-10-03 19:46:25.090510697 UTC

Parent: 20231003:dip-19633-1696362378:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362423 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:47:03.000000000 UTC

Actual recognition: 2023-10-03 19:47:55.610754168 UTC

Endpoint label: 2023-10-03 19:47:26.000000000 UTC

Endpoint known-by: 2023-10-03 19:47:27.234785333 UTC

Parent: 20231003:dip-19633-1696362423:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362513 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:48:33.000000000 UTC

Actual recognition: 2023-10-03 19:48:57.522466212 UTC

Endpoint label: 2023-10-03 19:48:47.000000000 UTC

Endpoint known-by: 2023-10-03 19:48:48.857957509 UTC

Parent: 20231003:dip-19633-1696362513:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362561 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:49:21.000000000 UTC

Actual recognition: 2023-10-03 19:50:12.130531780 UTC

Endpoint label: 2023-10-03 19:49:34.000000000 UTC

Endpoint known-by: 2023-10-03 19:49:36.558066670 UTC

Parent: 20231003:dip-19633-1696362561:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362644 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:50:44.000000000 UTC

Actual recognition: 2023-10-03 19:51:36.257201996 UTC

Endpoint label: 2023-10-03 19:51:26.000000000 UTC

Endpoint known-by: 2023-10-03 19:51:27.003905515 UTC

Parent: 20231003:dip-19633-1696362644:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362697 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:51:37.000000000 UTC

Actual recognition: 2023-10-03 19:52:22.894343688 UTC

Endpoint label: 2023-10-03 19:51:50.000000000 UTC

Endpoint known-by: 2023-10-03 19:51:51.068037447 UTC

Parent: 20231003:dip-19633-1696362697:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362776 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:52:56.000000000 UTC

Actual recognition: 2023-10-03 19:53:47.182251127 UTC

Endpoint label: 2023-10-03 19:53:32.000000000 UTC

Endpoint known-by: 2023-10-03 19:53:33.131397120 UTC

Parent: 20231003:dip-19633-1696362776:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696362865 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:54:25.000000000 UTC

Actual recognition: 2023-10-03 19:54:57.650578616 UTC

Endpoint label: 2023-10-03 19:54:50.000000000 UTC

Endpoint known-by: 2023-10-03 19:54:51.025888056 UTC

Parent: 20231003:dip-19633-1696362865:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363049 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 19:57:29.000000000 UTC

Actual recognition: 2023-10-03 19:57:46.156839745 UTC

Endpoint label: 2023-10-03 19:57:41.000000000 UTC

Endpoint known-by: 2023-10-03 19:57:42.059632395 UTC

Parent: 20231003:dip-19633-1696363049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363234 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:00:34.000000000 UTC

Actual recognition: 2023-10-03 20:01:18.361869634 UTC

Endpoint label: 2023-10-03 20:01:12.000000000 UTC

Endpoint known-by: 2023-10-03 20:01:13.202005153 UTC

Parent: 20231003:dip-19633-1696363234:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363279 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:01:19.000000000 UTC

Actual recognition: 2023-10-03 20:02:10.391880574 UTC

Endpoint label: 2023-10-03 20:01:30.000000000 UTC

Endpoint known-by: 2023-10-03 20:01:33.668744457 UTC

Parent: 20231003:dip-19633-1696363279:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363368 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:02:48.000000000 UTC

Actual recognition: 2023-10-03 20:03:02.421860253 UTC

Endpoint label: 2023-10-03 20:02:52.000000000 UTC

Endpoint known-by: 2023-10-03 20:02:54.490131275 UTC

Parent: 20231003:dip-19633-1696363368:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363413 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:03:33.000000000 UTC

Actual recognition: 2023-10-03 20:04:24.121845558 UTC

Endpoint label: 2023-10-03 20:04:19.000000000 UTC

Endpoint known-by: 2023-10-03 20:04:20.252012222 UTC

Parent: 20231003:dip-19633-1696363413:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363468 | FLIP


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:04:28.000000000 UTC

Actual recognition: 2023-10-03 20:05:12.120532340 UTC

Endpoint label: 2023-10-03 20:04:58.000000000 UTC

Endpoint known-by: 2023-10-03 20:04:59.381865183 UTC

Parent: 20231003:dip-19633-1696363468:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363513 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:05:13.000000000 UTC

Actual recognition: 2023-10-03 20:06:05.319450901 UTC

Endpoint label: 2023-10-03 20:05:19.000000000 UTC

Endpoint known-by: 2023-10-03 20:05:21.038949607 UTC

Parent: 20231003:dip-19633-1696363513:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363618 | SAME


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:06:58.000000000 UTC

Actual recognition: 2023-10-03 20:07:49.231936151 UTC

Endpoint label: 2023-10-03 20:07:23.000000000 UTC

Endpoint known-by: 2023-10-03 20:07:30.120776086 UTC

Parent: 20231003:dip-19633-1696363618:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363663 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:07:43.000000000 UTC

Actual recognition: 2023-10-03 20:08:34.039941881 UTC

Endpoint label: 2023-10-03 20:08:27.000000000 UTC

Endpoint known-by: 2023-10-03 20:08:28.424536012 UTC

Parent: 20231003:dip-19633-1696363663:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363713 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:08:33.000000000 UTC

Actual recognition: 2023-10-03 20:09:24.261860433 UTC

Endpoint label: 2023-10-03 20:09:15.000000000 UTC

Endpoint known-by: 2023-10-03 20:09:16.360975738 UTC

Parent: 20231003:dip-19633-1696363713:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363758 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:09:18.000000000 UTC

Actual recognition: 2023-10-03 20:10:09.037552741 UTC

Endpoint label: 2023-10-03 20:09:43.000000000 UTC

Endpoint known-by: 2023-10-03 20:09:48.246678622 UTC

Parent: 20231003:dip-19633-1696363758:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363843 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:10:43.000000000 UTC

Actual recognition: 2023-10-03 20:10:55.126099579 UTC

Endpoint label: 2023-10-03 20:11:01.000000000 UTC

Endpoint known-by: 2023-10-03 20:11:02.402586569 UTC

Parent: 20231003:dip-19633-1696363843:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696363914 | FLIP


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:11:54.000000000 UTC

Actual recognition: 2023-10-03 20:12:46.253010755 UTC

Endpoint label: 2023-10-03 20:13:54.000000000 UTC

Endpoint known-by: 2023-10-03 20:13:58.373642993 UTC

Parent: 20231003:dip-19633-1696363914:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364004 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:13:24.000000000 UTC

Actual recognition: 2023-10-03 20:13:40.251599400 UTC

Endpoint label: 2023-10-03 20:13:54.000000000 UTC

Endpoint known-by: 2023-10-03 20:13:58.373642993 UTC

Parent: 20231003:dip-19633-1696364004:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364061 | FLIP


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:14:21.000000000 UTC

Actual recognition: 2023-10-03 20:15:12.311821922 UTC

Endpoint label: 2023-10-03 20:15:51.000000000 UTC

Endpoint known-by: 2023-10-03 20:15:54.438527477 UTC

Parent: 20231003:dip-19633-1696364061:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364121 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:15:21.000000000 UTC

Actual recognition: 2023-10-03 20:16:16.952479970 UTC

Endpoint label: 2023-10-03 20:15:51.000000000 UTC

Endpoint known-by: 2023-10-03 20:15:54.438527477 UTC

Parent: 20231003:dip-19633-1696364121:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364217 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:16:57.000000000 UTC

Actual recognition: 2023-10-03 20:17:06.475288861 UTC

Endpoint label: 2023-10-03 20:17:08.000000000 UTC

Endpoint known-by: 2023-10-03 20:17:13.138913482 UTC

Parent: 20231003:dip-19633-1696364217:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364262 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:17:42.000000000 UTC

Actual recognition: 2023-10-03 20:18:33.495513656 UTC

Endpoint label: 2023-10-03 20:18:23.000000000 UTC

Endpoint known-by: 2023-10-03 20:18:28.282658116 UTC

Parent: 20231003:dip-19633-1696364262:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364313 | FLIP


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:18:33.000000000 UTC

Actual recognition: 2023-10-03 20:19:24.717025605 UTC

Endpoint label: 2023-10-03 20:19:09.000000000 UTC

Endpoint known-by: 2023-10-03 20:19:11.852928563 UTC

Parent: 20231003:dip-19633-1696364313:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364367 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:19:27.000000000 UTC

Actual recognition: 2023-10-03 20:20:31.379981963 UTC

Endpoint label: 2023-10-03 20:20:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:20:05.482718395 UTC

Parent: 20231003:dip-19633-1696364367:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364432 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:20:32.000000000 UTC

Actual recognition: 2023-10-03 20:21:24.278727391 UTC

Endpoint label: 2023-10-03 20:20:54.000000000 UTC

Endpoint known-by: 2023-10-03 20:20:56.727694956 UTC

Parent: 20231003:dip-19633-1696364432:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364481 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:21:21.000000000 UTC

Actual recognition: 2023-10-03 20:22:13.463569551 UTC

Endpoint label: 2023-10-03 20:22:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:22:06.158424788 UTC

Parent: 20231003:dip-19633-1696364481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231003 candidate | dip-19633-1696364554 | SAME


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:22:34.000000000 UTC

Actual recognition: 2023-10-03 20:22:58.021726310 UTC

Endpoint label: 2023-10-03 20:23:20.000000000 UTC

Endpoint known-by: 2023-10-03 20:23:23.340238748 UTC

Parent: 20231003:dip-19633-1696364554:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.