
# 20231003 candidate | dip-19633-1696364599 | FLIP


One whole lifecycle: opposite_hold3 | 193 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:23:19.000000000 UTC

Actual recognition: 2023-10-03 20:24:31.332193239 UTC

Endpoint label: 2023-10-03 20:26:31.000000000 UTC

Endpoint known-by: 2023-10-03 20:26:39.296116048 UTC

Parent: 20231003:dip-19633-1696364599:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364644 | SAME


One whole lifecycle: opposite_hold3 | 148 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:24:04.000000000 UTC

Actual recognition: 2023-10-03 20:24:57.203566603 UTC

Endpoint label: 2023-10-03 20:26:31.000000000 UTC

Endpoint known-by: 2023-10-03 20:26:39.296116048 UTC

Parent: 20231003:dip-19633-1696364644:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364704 | SAME


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:25:04.000000000 UTC

Actual recognition: 2023-10-03 20:26:01.504156266 UTC

Endpoint label: 2023-10-03 20:26:31.000000000 UTC

Endpoint known-by: 2023-10-03 20:26:39.296116048 UTC

Parent: 20231003:dip-19633-1696364704:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364761 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:26:01.000000000 UTC

Actual recognition: 2023-10-03 20:26:53.584506626 UTC

Endpoint label: 2023-10-03 20:26:31.000000000 UTC

Endpoint known-by: 2023-10-03 20:26:39.296116048 UTC

Parent: 20231003:dip-19633-1696364761:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364806 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:26:46.000000000 UTC

Actual recognition: 2023-10-03 20:27:40.000404058 UTC

Endpoint label: 2023-10-03 20:27:05.000000000 UTC

Endpoint known-by: 2023-10-03 20:27:06.033760803 UTC

Parent: 20231003:dip-19633-1696364806:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364901 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:28:21.000000000 UTC

Actual recognition: 2023-10-03 20:29:13.499767526 UTC

Endpoint label: 2023-10-03 20:29:09.000000000 UTC

Endpoint known-by: 2023-10-03 20:29:10.193119974 UTC

Parent: 20231003:dip-19633-1696364901:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696364967 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:29:27.000000000 UTC

Actual recognition: 2023-10-03 20:30:18.759395512 UTC

Endpoint label: 2023-10-03 20:30:17.000000000 UTC

Endpoint known-by: 2023-10-03 20:30:18.759395512 UTC

Parent: 20231003:dip-19633-1696364967:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365017 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:30:17.000000000 UTC

Actual recognition: 2023-10-03 20:31:06.760490755 UTC

Endpoint label: 2023-10-03 20:30:23.000000000 UTC

Endpoint known-by: 2023-10-03 20:30:24.505306380 UTC

Parent: 20231003:dip-19633-1696365017:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365081 | FLIP


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:31:21.000000000 UTC

Actual recognition: 2023-10-03 20:32:23.975885431 UTC

Endpoint label: 2023-10-03 20:32:02.000000000 UTC

Endpoint known-by: 2023-10-03 20:32:03.281339280 UTC

Parent: 20231003:dip-19633-1696365081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365141 | SAME


One whole lifecycle: opposite_hold3 | 103 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:32:21.000000000 UTC

Actual recognition: 2023-10-03 20:33:15.808076304 UTC

Endpoint label: 2023-10-03 20:34:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:34:05.390835312 UTC

Parent: 20231003:dip-19633-1696365141:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365201 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:33:21.000000000 UTC

Actual recognition: 2023-10-03 20:34:23.828374248 UTC

Endpoint label: 2023-10-03 20:34:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:34:05.390835312 UTC

Parent: 20231003:dip-19633-1696365201:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365266 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:34:26.000000000 UTC

Actual recognition: 2023-10-03 20:35:58.936889385 UTC

Endpoint label: 2023-10-03 20:35:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:35:04.654295326 UTC

Parent: 20231003:dip-19633-1696365266:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365361 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:36:01.000000000 UTC

Actual recognition: 2023-10-03 20:36:32.852132929 UTC

Endpoint label: 2023-10-03 20:36:34.000000000 UTC

Endpoint known-by: 2023-10-03 20:36:36.235775076 UTC

Parent: 20231003:dip-19633-1696365361:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365442 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:37:22.000000000 UTC

Actual recognition: 2023-10-03 20:37:37.195707745 UTC

Endpoint label: 2023-10-03 20:37:37.000000000 UTC

Endpoint known-by: 2023-10-03 20:37:38.105109963 UTC

Parent: 20231003:dip-19633-1696365442:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365487 | FLIP


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:38:07.000000000 UTC

Actual recognition: 2023-10-03 20:38:58.654217171 UTC

Endpoint label: 2023-10-03 20:39:15.000000000 UTC

Endpoint known-by: 2023-10-03 20:39:21.048626120 UTC

Parent: 20231003:dip-19633-1696365487:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365541 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:39:01.000000000 UTC

Actual recognition: 2023-10-03 20:40:00.301778761 UTC

Endpoint label: 2023-10-03 20:39:15.000000000 UTC

Endpoint known-by: 2023-10-03 20:39:21.048626120 UTC

Parent: 20231003:dip-19633-1696365541:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365603 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:40:03.000000000 UTC

Actual recognition: 2023-10-03 20:40:54.924184776 UTC

Endpoint label: 2023-10-03 20:40:56.000000000 UTC

Endpoint known-by: 2023-10-03 20:40:57.293542264 UTC

Parent: 20231003:dip-19633-1696365603:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365654 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:40:54.000000000 UTC

Actual recognition: 2023-10-03 20:41:53.642846625 UTC

Endpoint label: 2023-10-03 20:41:16.000000000 UTC

Endpoint known-by: 2023-10-03 20:41:21.116472020 UTC

Parent: 20231003:dip-19633-1696365654:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365706 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:41:46.000000000 UTC

Actual recognition: 2023-10-03 20:42:43.645055916 UTC

Endpoint label: 2023-10-03 20:42:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:42:04.360945436 UTC

Parent: 20231003:dip-19633-1696365706:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365751 | SAME

One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:42:31.000000000 UTC

Actual recognition: 2023-10-03 20:43:31.929282344 UTC

Endpoint label: 2023-10-03 20:42:59.000000000 UTC

Endpoint known-by: 2023-10-03 20:43:01.504783750 UTC

Parent: 20231003:dip-19633-1696365751:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365841 | FLIP


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:44:01.000000000 UTC

Actual recognition: 2023-10-03 20:44:40.004801213 UTC

Endpoint label: 2023-10-03 20:44:59.000000000 UTC

Endpoint known-by: 2023-10-03 20:45:00.009511300 UTC

Parent: 20231003:dip-19633-1696365841:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696365937 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:45:37.000000000 UTC

Actual recognition: 2023-10-03 20:46:28.183461780 UTC

Endpoint label: 2023-10-03 20:46:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:46:04.806693072 UTC

Parent: 20231003:dip-19633-1696365937:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366043 | FLIP


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:47:23.000000000 UTC

Actual recognition: 2023-10-03 20:47:45.118089003 UTC

Endpoint label: 2023-10-03 20:48:44.000000000 UTC

Endpoint known-by: 2023-10-03 20:48:45.035204543 UTC

Parent: 20231003:dip-19633-1696366043:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366088 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:48:08.000000000 UTC

Actual recognition: 2023-10-03 20:49:00.095241458 UTC

Endpoint label: 2023-10-03 20:48:44.000000000 UTC

Endpoint known-by: 2023-10-03 20:48:45.035204543 UTC

Parent: 20231003:dip-19633-1696366088:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366176 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:49:36.000000000 UTC

Actual recognition: 2023-10-03 20:49:45.325221821 UTC

Endpoint label: 2023-10-03 20:50:03.000000000 UTC

Endpoint known-by: 2023-10-03 20:50:04.251611218 UTC

Parent: 20231003:dip-19633-1696366176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366224 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:50:24.000000000 UTC

Actual recognition: 2023-10-03 20:51:18.965219534 UTC

Endpoint label: 2023-10-03 20:51:13.000000000 UTC

Endpoint known-by: 2023-10-03 20:51:18.965219534 UTC

Parent: 20231003:dip-19633-1696366224:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366286 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:51:26.000000000 UTC

Actual recognition: 2023-10-03 20:52:18.511684387 UTC

Endpoint label: 2023-10-03 20:51:55.000000000 UTC

Endpoint known-by: 2023-10-03 20:52:01.504741128 UTC

Parent: 20231003:dip-19633-1696366286:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366336 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:52:16.000000000 UTC

Actual recognition: 2023-10-03 20:53:03.642038491 UTC

Endpoint label: 2023-10-03 20:52:33.000000000 UTC

Endpoint known-by: 2023-10-03 20:52:39.570117446 UTC

Parent: 20231003:dip-19633-1696366336:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366381 | SAME


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:53:01.000000000 UTC

Actual recognition: 2023-10-03 20:53:52.589945196 UTC

Endpoint label: 2023-10-03 20:54:53.000000000 UTC

Endpoint known-by: 2023-10-03 20:54:54.128611180 UTC

Parent: 20231003:dip-19633-1696366381:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366441 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:54:01.000000000 UTC

Actual recognition: 2023-10-03 20:54:52.038403830 UTC

Endpoint label: 2023-10-03 20:54:53.000000000 UTC

Endpoint known-by: 2023-10-03 20:54:54.128611180 UTC

Parent: 20231003:dip-19633-1696366441:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366547 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:55:47.000000000 UTC

Actual recognition: 2023-10-03 20:56:04.277524343 UTC

Endpoint label: 2023-10-03 20:55:52.000000000 UTC

Endpoint known-by: 2023-10-03 20:55:53.283515866 UTC

Parent: 20231003:dip-19633-1696366547:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366676 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:57:56.000000000 UTC

Actual recognition: 2023-10-03 20:58:33.244784480 UTC

Endpoint label: 2023-10-03 20:58:08.000000000 UTC

Endpoint known-by: 2023-10-03 20:58:09.466246798 UTC

Parent: 20231003:dip-19633-1696366676:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 candidate | dip-19633-1696366763 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-03 20:59:23.000000000 UTC

Actual recognition: unavailable

Endpoint label: 2023-10-03 20:59:36.000000000 UTC

Endpoint known-by: 2023-10-03 20:59:38.333107824 UTC

Parent: 20231003:dip-19633-1696366763:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.