
# 20231003 control2 | dip-19633-1696323794 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:23.000000000 UTC

Endpoint known-by: 2023-10-02 22:00:25.604403135 UTC

Parent: 20231003:dip-19633-1696323794:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696301491 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:23.000000000 UTC

Endpoint known-by: 2023-10-02 22:00:25.604403135 UTC

Parent: 20231003:dip-19633-1696301491:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696307010 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:43.000000000 UTC

Endpoint known-by: 2023-10-02 22:00:44.058158528 UTC

Parent: 20231003:dip-19633-1696307010:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696298486 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:43.000000000 UTC

Endpoint known-by: 2023-10-02 22:00:44.058158528 UTC

Parent: 20231003:dip-19633-1696298486:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330495 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:43.000000000 UTC

Endpoint known-by: 2023-10-02 22:00:44.058158528 UTC

Parent: 20231003:dip-19633-1696330495:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696332578 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:43.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:23.138607404 UTC

Parent: 20231003:dip-19633-1696332578:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696358226 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:54.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:00.214119862 UTC

Parent: 20231003:dip-19633-1696358226:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696353293 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:55.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:00.214119862 UTC

Parent: 20231003:dip-19633-1696353293:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696316990 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:00.214119862 UTC

Parent: 20231003:dip-19633-1696316990:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696323641 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:00:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:00:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:00.214119862 UTC

Parent: 20231003:dip-19633-1696323641:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696326136 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:23.138607404 UTC

Parent: 20231003:dip-19633-1696326136:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696304336 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:23.138607404 UTC

Parent: 20231003:dip-19633-1696304336:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696326004 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:23.138607404 UTC

Parent: 20231003:dip-19633-1696326004:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696320585 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:23.138607404 UTC

Parent: 20231003:dip-19633-1696320585:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696297285 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:36.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:38.088513111 UTC

Parent: 20231003:dip-19633-1696297285:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696300287 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:36.000000000 UTC

Endpoint known-by: 2023-10-02 22:01:38.088513111 UTC

Parent: 20231003:dip-19633-1696300287:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696366224 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:49.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:01.188546275 UTC

Parent: 20231003:dip-19633-1696366224:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696327694 | FLIP


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:01:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:01.188546275 UTC

Parent: 20231003:dip-19633-1696327694:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696320176 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:01:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:15.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:26.524961182 UTC

Parent: 20231003:dip-19633-1696320176:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696308272 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:02.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696308272:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315069 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:05.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696315069:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696307364 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:20.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696307364:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313063 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:20.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696313063:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696322397 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:21.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696322397:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315229 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696315229:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330216 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor  Red: operational endpoint  Purple: actual recognition  Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696330216:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696288893 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:27.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696288893:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696317976 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:27.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696317976:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696308227 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:28.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:36.568307847 UTC

Parent: 20231003:dip-19633-1696308227:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696303228 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:53.000000000 UTC

Endpoint known-by: 2023-10-02 22:02:54.891791545 UTC

Parent: 20231003:dip-19633-1696303228:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696289979 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:54.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:11.507871047 UTC

Parent: 20231003:dip-19633-1696289979:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313649 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:02:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:02:59.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:11.507871047 UTC

Parent: 20231003:dip-19633-1696313649:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306020 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:09.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:11.507871047 UTC

Parent: 20231003:dip-19633-1696306020:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696287578 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:10.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:11.507871047 UTC

Parent: 20231003:dip-19633-1696287578:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696307920 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:03.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:07.113695422 UTC

Parent: 20231003:dip-19633-1696307920:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306171 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:03.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:07.113695422 UTC

Parent: 20231003:dip-19633-1696306171:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696316620 | FLIP


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:03.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:07.113695422 UTC

Parent: 20231003:dip-19633-1696316620:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696315645 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:03.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:07.113695422 UTC

Parent: 20231003:dip-19633-1696315645:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696299920 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:36.000000000 UTC

Endpoint known-by: 2023-10-02 22:03:47.638856719 UTC

Parent: 20231003:dip-19633-1696299920:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696365751 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:48.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:01.979229078 UTC

Parent: 20231003:dip-19633-1696365751:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696297038 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:03:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:03:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:01.979229078 UTC

Parent: 20231003:dip-19633-1696297038:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696319001 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:55.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:01.112558444 UTC

Parent: 20231003:dip-19633-1696319001:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306779 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:42.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:42.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:53.446836343 UTC

Parent: 20231003:dip-19633-1696306779:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696326396 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:42.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:42.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:53.446836343 UTC

Parent: 20231003:dip-19633-1696326396:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696288065 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:43.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:43.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:53.446836343 UTC

Parent: 20231003:dip-19633-1696288065:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696305295 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:45.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:04:45.000000000 UTC

Endpoint known-by: 2023-10-02 22:04:53.446836343 UTC

Parent: 20231003:dip-19633-1696305295:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324572 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:04:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:15.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:17.333180652 UTC

Parent: 20231003:dip-19633-1696324572:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696363279 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:15.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:17.333180652 UTC

Parent: 20231003:dip-19633-1696363279:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313577 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:06.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:17.333180652 UTC

Parent: 20231003:dip-19633-1696313577:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696325587 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:06.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:17.333180652 UTC

Parent: 20231003:dip-19633-1696325587:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314799 | SAME


One whole lifecycle: opposite_hold3 | 324 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696314799:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696332955 | FLIP


One whole lifecycle: opposite_hold3 | 324 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696332955:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696330613 | SAME

One whole lifecycle: opposite_hold3 | 322 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:18.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696330613:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696322021 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:22.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696322021:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696361777 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:23.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:23.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696361777:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696323072 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:25.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696323072:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314633 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:26.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696314633:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696319879 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:27.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:27.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696319879:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696364061 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:29.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696364061:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696362561 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:31.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696362561:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696332310 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:35.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:43.690715234 UTC

Parent: 20231003:dip-19633-1696332310:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696331626 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:46.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:52.951974898 UTC

Parent: 20231003:dip-19633-1696331626:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696332221 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:46.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:52.951974898 UTC

Parent: 20231003:dip-19633-1696332221:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696307456 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:50.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:52.951974898 UTC

Parent: 20231003:dip-19633-1696307456:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313983 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:51.000000000 UTC

Endpoint known-by: 2023-10-02 22:05:52.951974898 UTC

Parent: 20231003:dip-19633-1696313983:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696323367 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:53.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696323367:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696305544 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean




## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696305544:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696293266 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:05:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:05:58.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696293266:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306399 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:03.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696306399:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696295772 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:04.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696295772:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696329081 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:04.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:13.107103797 UTC

Parent: 20231003:dip-19633-1696329081:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696310642 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:19.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:35.684537047 UTC

Parent: 20231003:dip-19633-1696310642:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696311090 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:40.000000000 UTC

Endpoint known-by: 2023-10-02 22:06:41.805961651 UTC

Parent: 20231003:dip-19633-1696311090:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696309476 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:50.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:50.000000000 UTC

Endpoint known-by: 2023-10-02 22:07:10.519116887 UTC

Parent: 20231003:dip-19633-1696309476:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696288006 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:06:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:06:55.000000000 UTC

Endpoint known-by: 2023-10-02 22:07:10.519116887 UTC

Parent: 20231003:dip-19633-1696288006:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696306588 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.

Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:07:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:07:12.000000000 UTC

Endpoint known-by: 2023-10-02 22:07:23.826828733 UTC

Parent: 20231003:dip-19633-1696306588:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696318684 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:09:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:09:09.000000000 UTC

Endpoint known-by: 2023-10-02 22:09:10.606644551 UTC

Parent: 20231003:dip-19633-1696318684:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696309755 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:09:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696309755:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696318220 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:09:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696318220:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696299825 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:09:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:39.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:43.676961059 UTC

Parent: 20231003:dip-19633-1696299825:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696309563 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:04.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696309563:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696302347 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:05.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696302347:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696292770 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:08.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696292770:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696326182 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:11.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696326182:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696291510 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:30.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696291510:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696295555 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:33.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696295555:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696295141 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:36.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:37.045231659 UTC

Parent: 20231003:dip-19633-1696295141:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313515 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:10:45.000000000 UTC

Endpoint known-by: 2023-10-02 22:10:50.042432980 UTC

Parent: 20231003:dip-19633-1696313515:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696307864 | FLIP


One whole lifecycle: opposite_hold3 | 101 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean





Original bid (blue) and ask (orange), price units




Fresh native classified buy (blue) / sell (orange) lots




Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:12:28.000000000 UTC

Endpoint known-by: 2023-10-02 22:12:30.736681675 UTC

Parent: 20231003:dip-19633-1696307864:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696298533 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:10:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:12:28.000000000 UTC

Endpoint known-by: 2023-10-02 22:12:30.736681675 UTC

Parent: 20231003:dip-19633-1696298533:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696322489 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:11:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:11:17.000000000 UTC

Endpoint known-by: 2023-10-02 22:11:28.114678856 UTC

Parent: 20231003:dip-19633-1696322489:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696292293 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:11:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:11:29.000000000 UTC

Endpoint known-by: 2023-10-02 22:11:54.665162975 UTC

Parent: 20231003:dip-19633-1696292293:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696331975 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:11:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:11:57.000000000 UTC

Endpoint known-by: 2023-10-02 22:11:58.840609628 UTC

Parent: 20231003:dip-19633-1696331975:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696320531 | SAME


One whole lifecycle: opposite_hold3 | 129 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:12:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:14:56.000000000 UTC

Endpoint known-by: 2023-10-02 22:15:04.166334749 UTC

Parent: 20231003:dip-19633-1696320531:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696314273 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:13:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:13:04.000000000 UTC

Endpoint known-by: 2023-10-02 22:13:29.571183032 UTC

Parent: 20231003:dip-19633-1696314273:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696293489 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:13:37.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:13:37.000000000 UTC

Endpoint known-by: 2023-10-02 22:13:45.027902622 UTC

Parent: 20231003:dip-19633-1696293489:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696313453 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:15:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:15:40.000000000 UTC

Endpoint known-by: 2023-10-02 22:15:56.517162261 UTC

Parent: 20231003:dip-19633-1696313453:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696324617 | FLIP


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:15:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:15:40.000000000 UTC

Endpoint known-by: 2023-10-02 22:15:56.517162261 UTC

Parent: 20231003:dip-19633-1696324617:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696331443 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:15:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:15:40.000000000 UTC

Endpoint known-by: 2023-10-02 22:15:56.517162261 UTC

Parent: 20231003:dip-19633-1696331443:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

# 20231003 control2 | dip-19633-1696302139 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


## Native action-midpoint classified 20s lean





## Original bid (blue) and ask (orange), price units




## Fresh native classified buy (blue) / sell (orange) lots




## Displayed best bid (blue) / ask (orange) lots




All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-02 22:15:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-02 22:15:40.000000000 UTC

Endpoint known-by: 2023-10-02 22:15:56.517162261 UTC

Parent: 20231003:dip-19633-1696302139:control2

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.