
20231017 candidate | dip-19647-1697530047 | FLIP


One whole lifecycle: opposite_hold3 | 116 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:07:27.000000000 UTC

Actual recognition: 2023-10-17 08:08:18.017183855 UTC

Endpoint label: 2023-10-17 08:09:22.000000000 UTC

Endpoint known-by: 2023-10-17 08:09:23.164277020 UTC

Parent: 20231017:dip-19647-1697530047:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530100 | SAME


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:08:20.000000000 UTC

Actual recognition: 2023-10-17 08:09:11.212626474 UTC

Endpoint label: 2023-10-17 08:09:22.000000000 UTC

Endpoint known-by: 2023-10-17 08:09:23.164277020 UTC

Parent: 20231017:dip-19647-1697530100:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530168 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:09:28.000000000 UTC

Actual recognition: 2023-10-17 08:10:20.587377052 UTC

Endpoint label: 2023-10-17 08:09:32.000000000 UTC

Endpoint known-by: 2023-10-17 08:09:33.219904002 UTC

Parent: 20231017:dip-19647-1697530168:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530245 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:10:45.000000000 UTC

Actual recognition: 2023-10-17 08:11:36.253537016 UTC

Endpoint label: 2023-10-17 08:10:50.000000000 UTC

Endpoint known-by: 2023-10-17 08:10:51.040460689 UTC

Parent: 20231017:dip-19647-1697530245:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530318 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:11:58.000000000 UTC

Actual recognition: 2023-10-17 08:12:49.072623040 UTC

Endpoint label: 2023-10-17 08:12:01.000000000 UTC

Endpoint known-by: 2023-10-17 08:12:02.006779907 UTC

Parent: 20231017:dip-19647-1697530318:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530444 | FLIP


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:14:04.000000000 UTC

Actual recognition: 2023-10-17 08:15:00.990011638 UTC

Endpoint label: 2023-10-17 08:14:36.000000000 UTC

Endpoint known-by: 2023-10-17 08:14:37.340625929 UTC

Parent: 20231017:dip-19647-1697530444:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530504 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:15:04.000000000 UTC

Actual recognition: 2023-10-17 08:15:55.479383803 UTC

Endpoint label: 2023-10-17 08:15:26.000000000 UTC

Endpoint known-by: 2023-10-17 08:15:28.541891801 UTC

Parent: 20231017:dip-19647-1697530504:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530584 | FLIP


One whole lifecycle: opposite_hold3 | 70 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:16:24.000000000 UTC

Actual recognition: 2023-10-17 08:17:11.315900004 UTC

Endpoint label: 2023-10-17 08:17:33.000000000 UTC

Endpoint known-by: 2023-10-17 08:17:50.775055045 UTC

Parent: 20231017:dip-19647-1697530584:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530631 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:17:11.000000000 UTC

Actual recognition: 2023-10-17 08:18:32.443250883 UTC

Endpoint label: 2023-10-17 08:17:33.000000000 UTC

Endpoint known-by: 2023-10-17 08:17:50.775055045 UTC

Parent: 20231017:dip-19647-1697530631:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530720 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:18:40.000000000 UTC

Actual recognition: 2023-10-17 08:19:37.990169037 UTC

Endpoint label: 2023-10-17 08:18:56.000000000 UTC

Endpoint known-by: 2023-10-17 08:19:01.503949521 UTC

Parent: 20231017:dip-19647-1697530720:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530784 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:19:44.000000000 UTC

Actual recognition: 2023-10-17 08:20:28.828347556 UTC

Endpoint label: 2023-10-17 08:20:01.000000000 UTC

Endpoint known-by: 2023-10-17 08:20:02.664638363 UTC

Parent: 20231017:dip-19647-1697530784:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530837 | FLIP


One whole lifecycle: opposite_hold3 | 75 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:20:37.000000000 UTC

Actual recognition: 2023-10-17 08:21:29.603704134 UTC

Endpoint label: 2023-10-17 08:21:51.000000000 UTC

Endpoint known-by: 2023-10-17 08:22:04.981021502 UTC

Parent: 20231017:dip-19647-1697530837:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530898 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:21:38.000000000 UTC

Actual recognition: 2023-10-17 08:22:32.385901688 UTC

Endpoint label: 2023-10-17 08:21:51.000000000 UTC

Endpoint known-by: 2023-10-17 08:22:04.981021502 UTC

Parent: 20231017:dip-19647-1697530898:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697530987 | SAME


One whole lifecycle: opposite_hold3 | 74 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:23:07.000000000 UTC

Actual recognition: 2023-10-17 08:23:23.778941522 UTC

Endpoint label: 2023-10-17 08:24:20.000000000 UTC

Endpoint known-by: 2023-10-17 08:24:21.588739373 UTC

Parent: 20231017:dip-19647-1697530987:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531049 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:24:09.000000000 UTC

Actual recognition: 2023-10-17 08:25:00.016869764 UTC

Endpoint label: 2023-10-17 08:24:42.000000000 UTC

Endpoint known-by: 2023-10-17 08:24:43.608486628 UTC

Parent: 20231017:dip-19647-1697531049:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531094 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:24:54.000000000 UTC

Actual recognition: 2023-10-17 08:25:46.279326353 UTC

Endpoint label: 2023-10-17 08:25:02.000000000 UTC

Endpoint known-by: 2023-10-17 08:25:04.517186578 UTC

Parent: 20231017:dip-19647-1697531094:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531192 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:26:32.000000000 UTC

Actual recognition: 2023-10-17 08:27:41.813815215 UTC

Endpoint label: 2023-10-17 08:27:14.000000000 UTC

Endpoint known-by: 2023-10-17 08:27:15.588200435 UTC

Parent: 20231017:dip-19647-1697531192:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531250 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:27:30.000000000 UTC

Actual recognition: 2023-10-17 08:28:28.696422912 UTC

Endpoint label: 2023-10-17 08:27:52.000000000 UTC

Endpoint known-by: 2023-10-17 08:27:53.855595024 UTC

Parent: 20231017:dip-19647-1697531250:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531338 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:28:58.000000000 UTC

Actual recognition: 2023-10-17 08:29:26.291357113 UTC

Endpoint label: 2023-10-17 08:29:22.000000000 UTC

Endpoint known-by: 2023-10-17 08:29:26.291357113 UTC

Parent: 20231017:dip-19647-1697531338:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531390 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:29:50.000000000 UTC

Actual recognition: 2023-10-17 08:30:44.160123168 UTC

Endpoint label: 2023-10-17 08:30:04.000000000 UTC

Endpoint known-by: 2023-10-17 08:30:05.042480252 UTC

Parent: 20231017:dip-19647-1697531390:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531450 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:30:50.000000000 UTC

Actual recognition: 2023-10-17 08:31:43.720147443 UTC

Endpoint label: 2023-10-17 08:30:59.000000000 UTC

Endpoint known-by: 2023-10-17 08:31:00.882185135 UTC

Parent: 20231017:dip-19647-1697531450:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531554 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:32:34.000000000 UTC

Actual recognition: 2023-10-17 08:33:25.059403167 UTC

Endpoint label: 2023-10-17 08:33:03.000000000 UTC

Endpoint known-by: 2023-10-17 08:33:08.340150062 UTC

Parent: 20231017:dip-19647-1697531554:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531608 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:33:28.000000000 UTC

Actual recognition: 2023-10-17 08:34:19.447029982 UTC

Endpoint label: 2023-10-17 08:34:11.000000000 UTC

Endpoint known-by: 2023-10-17 08:34:19.447029982 UTC

Parent: 20231017:dip-19647-1697531608:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531666 | FLIP


One whole lifecycle: opposite_hold3 | 108 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:34:26.000000000 UTC

Actual recognition: 2023-10-17 08:35:19.531092575 UTC

Endpoint label: 2023-10-17 08:36:13.000000000 UTC

Endpoint known-by: 2023-10-17 08:36:16.925918394 UTC

Parent: 20231017:dip-19647-1697531666:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531719 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:35:19.000000000 UTC

Actual recognition: 2023-10-17 08:36:11.385430667 UTC

Endpoint label: 2023-10-17 08:36:13.000000000 UTC

Endpoint known-by: 2023-10-17 08:36:16.925918394 UTC

Parent: 20231017:dip-19647-1697531719:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531771 | FLIP


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:36:11.000000000 UTC

Actual recognition: 2023-10-17 08:37:03.253831654 UTC

Endpoint label: 2023-10-17 08:36:44.000000000 UTC

Endpoint known-by: 2023-10-17 08:36:51.605690976 UTC

Parent: 20231017:dip-19647-1697531771:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531816 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:36:56.000000000 UTC

Actual recognition: 2023-10-17 08:37:48.580288538 UTC

Endpoint label: 2023-10-17 08:37:18.000000000 UTC

Endpoint known-by: 2023-10-17 08:37:21.017585373 UTC

Parent: 20231017:dip-19647-1697531816:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531912 | SAME


One whole lifecycle: opposite_hold3 | 130 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:38:32.000000000 UTC

Actual recognition: 2023-10-17 08:38:47.609815047 UTC

Endpoint label: 2023-10-17 08:40:41.000000000 UTC

Endpoint known-by: 2023-10-17 08:40:59.193020511 UTC

Parent: 20231017:dip-19647-1697531912:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697531997 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:39:57.000000000 UTC

Actual recognition: 2023-10-17 08:40:59.193020511 UTC

Endpoint label: 2023-10-17 08:40:14.000000000 UTC

Endpoint known-by: 2023-10-17 08:40:15.152667584 UTC

Parent: 20231017:dip-19647-1697531997:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532042 | SAME


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:40:42.000000000 UTC

Actual recognition: 2023-10-17 08:41:50.816755927 UTC

Endpoint label: 2023-10-17 08:41:31.000000000 UTC

Endpoint known-by: 2023-10-17 08:41:50.816755927 UTC

Parent: 20231017:dip-19647-1697532042:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532089 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:41:29.000000000 UTC

Actual recognition: 2023-10-17 08:42:21.297598576 UTC

Endpoint label: 2023-10-17 08:42:31.000000000 UTC

Endpoint known-by: 2023-10-17 08:42:32.426954563 UTC

Parent: 20231017:dip-19647-1697532089:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532155 | FLIP


One whole lifecycle: opposite_hold3 | 198 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:42:35.000000000 UTC

Actual recognition: 2023-10-17 08:43:26.083860858 UTC

Endpoint label: 2023-10-17 08:45:52.000000000 UTC

Endpoint known-by: 2023-10-17 08:45:56.875565872 UTC

Parent: 20231017:dip-19647-1697532155:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532262 | SAME


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:44:22.000000000 UTC

Actual recognition: 2023-10-17 08:44:58.663135074 UTC

Endpoint label: 2023-10-17 08:45:52.000000000 UTC

Endpoint known-by: 2023-10-17 08:45:56.875565872 UTC

Parent: 20231017:dip-19647-1697532262:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532307 | SAME


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:45:07.000000000 UTC

Actual recognition: 2023-10-17 08:46:04.325280615 UTC

Endpoint label: 2023-10-17 08:45:52.000000000 UTC

Endpoint known-by: 2023-10-17 08:45:56.875565872 UTC

Parent: 20231017:dip-19647-1697532307:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532352 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:45:52.000000000 UTC

Actual recognition: 2023-10-17 08:46:46.128544093 UTC

Endpoint label: 2023-10-17 08:46:12.000000000 UTC

Endpoint known-by: 2023-10-17 08:46:19.733740438 UTC

Parent: 20231017:dip-19647-1697532352:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532439 | FLIP


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:47:19.000000000 UTC

Actual recognition: 2023-10-17 08:47:40.417357092 UTC

Endpoint label: 2023-10-17 08:49:12.000000000 UTC

Endpoint known-by: 2023-10-17 08:49:33.168783035 UTC

Parent: 20231017:dip-19647-1697532439:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532499 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:48:19.000000000 UTC

Actual recognition: 2023-10-17 08:49:10.624132010 UTC

Endpoint label: 2023-10-17 08:49:12.000000000 UTC

Endpoint known-by: 2023-10-17 08:49:33.168783035 UTC

Parent: 20231017:dip-19647-1697532499:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532550 | FLIP


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:49:10.000000000 UTC

Actual recognition: 2023-10-17 08:50:05.538455293 UTC

Endpoint label: 2023-10-17 08:50:40.000000000 UTC

Endpoint known-by: 2023-10-17 08:50:59.135870098 UTC

Parent: 20231017:dip-19647-1697532550:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532677 | FLIP


One whole lifecycle: opposite_hold3 | 63 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:51:17.000000000 UTC

Actual recognition: 2023-10-17 08:51:47.486454452 UTC

Endpoint label: 2023-10-17 08:52:19.000000000 UTC

Endpoint known-by: 2023-10-17 08:52:21.428224684 UTC

Parent: 20231017:dip-19647-1697532677:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532757 | SAME


One whole lifecycle: opposite_hold3 | 431 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:52:37.000000000 UTC

Actual recognition: 2023-10-17 08:53:01.469883116 UTC

Endpoint label: 2023-10-17 08:59:47.000000000 UTC

Endpoint known-by: 2023-10-17 08:59:50.983390518 UTC

Parent: 20231017:dip-19647-1697532757:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532802 | SAME


One whole lifecycle: opposite_hold3 | 386 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:53:22.000000000 UTC

Actual recognition: 2023-10-17 08:55:02.332858850 UTC

Endpoint label: 2023-10-17 08:59:47.000000000 UTC

Endpoint known-by: 2023-10-17 08:59:50.983390518 UTC

Parent: 20231017:dip-19647-1697532802:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532847 | SAME


One whole lifecycle: opposite_hold3 | 341 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:54:07.000000000 UTC

Actual recognition: 2023-10-17 08:55:02.332858850 UTC

Endpoint label: 2023-10-17 08:59:47.000000000 UTC

Endpoint known-by: 2023-10-17 08:59:50.983390518 UTC

Parent: 20231017:dip-19647-1697532847:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697532998 | SAME


One whole lifecycle: opposite_hold3 | 190 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:56:38.000000000 UTC

Actual recognition: 2023-10-17 08:57:50.231998657 UTC

Endpoint label: 2023-10-17 08:59:47.000000000 UTC

Endpoint known-by: 2023-10-17 08:59:50.983390518 UTC

Parent: 20231017:dip-19647-1697532998:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533185 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 08:59:45.000000000 UTC

Actual recognition: 2023-10-17 09:00:36.394914662 UTC

Endpoint label: 2023-10-17 09:00:10.000000000 UTC

Endpoint known-by: 2023-10-17 09:00:17.346389238 UTC

Parent: 20231017:dip-19647-1697533185:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533256 | SAME


One whole lifecycle: opposite_hold3 | 151 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:00:56.000000000 UTC

Actual recognition: 2023-10-17 09:01:51.119556002 UTC

Endpoint label: 2023-10-17 09:03:26.000000000 UTC

Endpoint known-by: 2023-10-17 09:04:06.489850985 UTC

Parent: 20231017:dip-19647-1697533256:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533404 | FLIP


One whole lifecycle: opposite_hold3 | 216 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:03:24.000000000 UTC

Actual recognition: 2023-10-17 09:04:27.731759119 UTC

Endpoint label: 2023-10-17 09:06:59.000000000 UTC

Endpoint known-by: 2023-10-17 09:07:01.188552018 UTC

Parent: 20231017:dip-19647-1697533404:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533539 | SAME


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:05:39.000000000 UTC

Actual recognition: 2023-10-17 09:06:42.154327005 UTC

Endpoint label: 2023-10-17 09:06:59.000000000 UTC

Endpoint known-by: 2023-10-17 09:07:01.188552018 UTC

Parent: 20231017:dip-19647-1697533539:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533637 | FLIP


One whole lifecycle: opposite_hold3 | 281 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:07:17.000000000 UTC

Actual recognition: 2023-10-17 09:08:09.664721621 UTC

Endpoint label: 2023-10-17 09:11:57.000000000 UTC

Endpoint known-by: 2023-10-17 09:12:09.083269911 UTC

Parent: 20231017:dip-19647-1697533637:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533696 | SAME


One whole lifecycle: opposite_hold3 | 222 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:08:16.000000000 UTC

Actual recognition: 2023-10-17 09:09:08.878337009 UTC

Endpoint label: 2023-10-17 09:11:57.000000000 UTC

Endpoint known-by: 2023-10-17 09:12:09.083269911 UTC

Parent: 20231017:dip-19647-1697533696:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533840 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:10:40.000000000 UTC

Actual recognition: 2023-10-17 09:11:42.340246972 UTC

Endpoint label: 2023-10-17 09:11:57.000000000 UTC

Endpoint known-by: 2023-10-17 09:12:09.083269911 UTC

Parent: 20231017:dip-19647-1697533840:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533915 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:11:55.000000000 UTC

Actual recognition: 2023-10-17 09:12:50.741055937 UTC

Endpoint label: 2023-10-17 09:12:58.000000000 UTC

Endpoint known-by: 2023-10-17 09:12:59.664550219 UTC

Parent: 20231017:dip-19647-1697533915:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697533976 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:12:56.000000000 UTC

Actual recognition: 2023-10-17 09:13:50.035105672 UTC

Endpoint label: 2023-10-17 09:13:13.000000000 UTC

Endpoint known-by: 2023-10-17 09:13:17.767575729 UTC

Parent: 20231017:dip-19647-1697533976:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534031 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:13:51.000000000 UTC

Actual recognition: 2023-10-17 09:14:54.660869923 UTC

Endpoint label: 2023-10-17 09:14:39.000000000 UTC

Endpoint known-by: 2023-10-17 09:14:54.660869923 UTC

Parent: 20231017:dip-19647-1697534031:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534081 | FLIP


One whole lifecycle: opposite_hold3 | 219 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:14:41.000000000 UTC

Actual recognition: 2023-10-17 09:15:57.374690743 UTC

Endpoint label: 2023-10-17 09:18:19.000000000 UTC

Endpoint known-by: 2023-10-17 09:18:22.320050912 UTC

Parent: 20231017:dip-19647-1697534081:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534317 | FLIP


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:18:37.000000000 UTC

Actual recognition: 2023-10-17 09:19:30.422335585 UTC

Endpoint label: 2023-10-17 09:19:49.000000000 UTC

Endpoint known-by: 2023-10-17 09:19:52.696641785 UTC

Parent: 20231017:dip-19647-1697534317:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534387 | FLIP


One whole lifecycle: opposite_hold3 | 156 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:19:47.000000000 UTC

Actual recognition: 2023-10-17 09:21:00.975146779 UTC

Endpoint label: 2023-10-17 09:22:22.000000000 UTC

Endpoint known-by: 2023-10-17 09:22:48.727397132 UTC

Parent: 20231017:dip-19647-1697534387:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534540 | FLIP


One whole lifecycle: opposite_hold3 | 102 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:22:20.000000000 UTC

Actual recognition: 2023-10-17 09:23:13.113214752 UTC

Endpoint label: 2023-10-17 09:24:01.000000000 UTC

Endpoint known-by: 2023-10-17 09:24:14.288920738 UTC

Parent: 20231017:dip-19647-1697534540:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534590 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:23:10.000000000 UTC

Actual recognition: 2023-10-17 09:24:00.086575729 UTC

Endpoint label: 2023-10-17 09:24:01.000000000 UTC

Endpoint known-by: 2023-10-17 09:24:14.288920738 UTC

Parent: 20231017:dip-19647-1697534590:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534641 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:24:01.000000000 UTC

Actual recognition: 2023-10-17 09:24:50.839948839 UTC

Endpoint label: 2023-10-17 09:24:22.000000000 UTC

Endpoint known-by: 2023-10-17 09:24:25.113734864 UTC

Parent: 20231017:dip-19647-1697534641:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534756 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:25:56.000000000 UTC

Actual recognition: 2023-10-17 09:26:10.671558848 UTC

Endpoint label: 2023-10-17 09:26:42.000000000 UTC

Endpoint known-by: 2023-10-17 09:26:48.206993174 UTC

Parent: 20231017:dip-19647-1697534756:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534803 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:26:43.000000000 UTC

Actual recognition: 2023-10-17 09:27:33.111937428 UTC

Endpoint label: 2023-10-17 09:26:56.000000000 UTC

Endpoint known-by: 2023-10-17 09:26:57.326450299 UTC

Parent: 20231017:dip-19647-1697534803:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534908 | SAME


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:28:28.000000000 UTC

Actual recognition: 2023-10-17 09:28:50.245142287 UTC

Endpoint label: 2023-10-17 09:28:52.000000000 UTC

Endpoint known-by: 2023-10-17 09:28:56.034671522 UTC

Parent: 20231017:dip-19647-1697534908:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534953 | FLIP


One whole lifecycle: opposite_hold3 | 83 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:29:13.000000000 UTC

Actual recognition: 2023-10-17 09:30:05.727381569 UTC

Endpoint label: 2023-10-17 09:30:35.000000000 UTC

Endpoint known-by: 2023-10-17 09:30:50.927941666 UTC

Parent: 20231017:dip-19647-1697534953:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697534998 | SAME


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:29:58.000000000 UTC

Actual recognition: 2023-10-17 09:30:50.927941666 UTC

Endpoint label: 2023-10-17 09:30:35.000000000 UTC

Endpoint known-by: 2023-10-17 09:30:50.927941666 UTC

Parent: 20231017:dip-19647-1697534998:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535043 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:30:43.000000000 UTC

Actual recognition: 2023-10-17 09:31:34.402423999 UTC

Endpoint label: 2023-10-17 09:31:26.000000000 UTC

Endpoint known-by: 2023-10-17 09:31:34.402423999 UTC

Parent: 20231017:dip-19647-1697535043:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535088 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:31:28.000000000 UTC

Actual recognition: 2023-10-17 09:32:19.131693744 UTC

Endpoint label: 2023-10-17 09:31:44.000000000 UTC

Endpoint known-by: 2023-10-17 09:31:47.310261354 UTC

Parent: 20231017:dip-19647-1697535088:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535176 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:32:56.000000000 UTC

Actual recognition: 2023-10-17 09:33:04.295917131 UTC

Endpoint label: 2023-10-17 09:33:45.000000000 UTC

Endpoint known-by: 2023-10-17 09:33:46.010473332 UTC

Parent: 20231017:dip-19647-1697535176:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535247 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:34:07.000000000 UTC

Actual recognition: 2023-10-17 09:34:59.122016272 UTC

Endpoint label: 2023-10-17 09:34:28.000000000 UTC

Endpoint known-by: 2023-10-17 09:34:30.787098696 UTC

Parent: 20231017:dip-19647-1697535247:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535330 | SAME


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:35:30.000000000 UTC

Actual recognition: 2023-10-17 09:36:18.249188254 UTC

Endpoint label: 2023-10-17 09:36:57.000000000 UTC

Endpoint known-by: 2023-10-17 09:36:59.891857269 UTC

Parent: 20231017:dip-19647-1697535330:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535415 | FLIP


One whole lifecycle: opposite_hold3 | 179 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:36:55.000000000 UTC

Actual recognition: 2023-10-17 09:37:55.847587923 UTC

Endpoint label: 2023-10-17 09:39:53.000000000 UTC

Endpoint known-by: 2023-10-17 09:39:55.661221829 UTC

Parent: 20231017:dip-19647-1697535415:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535488 | SAME


One whole lifecycle: opposite_hold3 | 106 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:38:08.000000000 UTC

Actual recognition: 2023-10-17 09:39:08.279606590 UTC

Endpoint label: 2023-10-17 09:39:53.000000000 UTC

Endpoint known-by: 2023-10-17 09:39:55.661221829 UTC

Parent: 20231017:dip-19647-1697535488:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535591 | FLIP


One whole lifecycle: opposite_hold3 | 249 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:39:51.000000000 UTC

Actual recognition: 2023-10-17 09:40:50.885152666 UTC

Endpoint label: 2023-10-17 09:43:59.000000000 UTC

Endpoint known-by: 2023-10-17 09:44:01.089227823 UTC

Parent: 20231017:dip-19647-1697535591:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535868 | FLIP


One whole lifecycle: opposite_hold3 | 64 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:44:28.000000000 UTC

Actual recognition: 2023-10-17 09:45:22.295707644 UTC

Endpoint label: 2023-10-17 09:45:31.000000000 UTC

Endpoint known-by: 2023-10-17 09:45:33.765095918 UTC

Parent: 20231017:dip-19647-1697535868:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697535913 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:45:13.000000000 UTC

Actual recognition: 2023-10-17 09:46:04.035528955 UTC

Endpoint label: 2023-10-17 09:45:31.000000000 UTC

Endpoint known-by: 2023-10-17 09:45:33.765095918 UTC

Parent: 20231017:dip-19647-1697535913:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536268 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:51:08.000000000 UTC

Actual recognition: 2023-10-17 09:52:11.429567853 UTC

Endpoint label: 2023-10-17 09:52:13.000000000 UTC

Endpoint known-by: 2023-10-17 09:52:24.804693577 UTC

Parent: 20231017:dip-19647-1697536268:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536481 | SAME


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:54:41.000000000 UTC

Actual recognition: 2023-10-17 09:56:01.046365142 UTC

Endpoint label: 2023-10-17 09:56:10.000000000 UTC

Endpoint known-by: 2023-10-17 09:56:11.037501613 UTC

Parent: 20231017:dip-19647-1697536481:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536632 | SAME


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:57:12.000000000 UTC

Actual recognition: 2023-10-17 09:58:04.384963900 UTC

Endpoint label: 2023-10-17 09:57:52.000000000 UTC

Endpoint known-by: 2023-10-17 09:57:55.587369486 UTC

Parent: 20231017:dip-19647-1697536632:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536677 | FLIP


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:57:57.000000000 UTC

Actual recognition: 2023-10-17 09:58:54.510225735 UTC

Endpoint label: 2023-10-17 09:58:40.000000000 UTC

Endpoint known-by: 2023-10-17 09:58:43.525267506 UTC

Parent: 20231017:dip-19647-1697536677:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536734 | SAME


One whole lifecycle: opposite_hold3 | 72 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:58:54.000000000 UTC

Actual recognition: 2023-10-17 09:59:48.061364456 UTC

Endpoint label: 2023-10-17 10:00:05.000000000 UTC

Endpoint known-by: 2023-10-17 10:00:06.102759976 UTC

Parent: 20231017:dip-19647-1697536734:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536788 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 09:59:48.000000000 UTC

Actual recognition: 2023-10-17 10:00:42.310865310 UTC

Endpoint label: 2023-10-17 10:00:05.000000000 UTC

Endpoint known-by: 2023-10-17 10:00:06.102759976 UTC

Parent: 20231017:dip-19647-1697536788:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536866 | SAME


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:01:06.000000000 UTC

Actual recognition: 2023-10-17 10:01:41.500512794 UTC

Endpoint label: 2023-10-17 10:01:44.000000000 UTC

Endpoint known-by: 2023-10-17 10:01:49.553631984 UTC

Parent: 20231017:dip-19647-1697536866:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697536921 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:02:01.000000000 UTC

Actual recognition: 2023-10-17 10:02:45.658813723 UTC

Endpoint label: 2023-10-17 10:02:04.000000000 UTC

Endpoint known-by: 2023-10-17 10:02:12.801205483 UTC

Parent: 20231017:dip-19647-1697536921:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537006 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:03:26.000000000 UTC

Actual recognition: 2023-10-17 10:04:20.917309447 UTC

Endpoint label: 2023-10-17 10:04:22.000000000 UTC

Endpoint known-by: 2023-10-17 10:04:31.762243918 UTC

Parent: 20231017:dip-19647-1697537006:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537057 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:04:17.000000000 UTC

Actual recognition: 2023-10-17 10:05:10.410486171 UTC

Endpoint label: 2023-10-17 10:04:22.000000000 UTC

Endpoint known-by: 2023-10-17 10:04:31.762243918 UTC

Parent: 20231017:dip-19647-1697537057:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537112 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:05:12.000000000 UTC

Actual recognition: 2023-10-17 10:06:00.716814547 UTC

Endpoint label: 2023-10-17 10:07:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:07:51.538586020 UTC

Parent: 20231017:dip-19647-1697537112:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537157 | SAME


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:05:57.000000000 UTC

Actual recognition: 2023-10-17 10:06:57.466090545 UTC

Endpoint label: 2023-10-17 10:07:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:07:51.538586020 UTC

Parent: 20231017:dip-19647-1697537157:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537288 | FLIP


One whole lifecycle: opposite_hold3 | 265 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:08:08.000000000 UTC

Actual recognition: 2023-10-17 10:09:12.026284503 UTC

Endpoint label: 2023-10-17 10:12:32.000000000 UTC

Endpoint known-by: 2023-10-17 10:12:35.003771036 UTC

Parent: 20231017:dip-19647-1697537288:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537453 | SAME


One whole lifecycle: opposite_hold3 | 100 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:10:53.000000000 UTC

Actual recognition: 2023-10-17 10:11:55.859796900 UTC

Endpoint label: 2023-10-17 10:12:32.000000000 UTC

Endpoint known-by: 2023-10-17 10:12:35.003771036 UTC

Parent: 20231017:dip-19647-1697537453:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537550 | FLIP


One whole lifecycle: opposite_hold3 | 100 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:12:30.000000000 UTC

Actual recognition: 2023-10-17 10:13:32.796888026 UTC

Endpoint label: 2023-10-17 10:14:09.000000000 UTC

Endpoint known-by: 2023-10-17 10:14:40.419759486 UTC

Parent: 20231017:dip-19647-1697537550:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537647 | FLIP


One whole lifecycle: opposite_hold3 | 164 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:14:07.000000000 UTC

Actual recognition: 2023-10-17 10:15:00.660240362 UTC

Endpoint label: 2023-10-17 10:16:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:16:51.404601951 UTC

Parent: 20231017:dip-19647-1697537647:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537734 | SAME


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:15:34.000000000 UTC

Actual recognition: 2023-10-17 10:15:44.639978736 UTC

Endpoint label: 2023-10-17 10:16:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:16:51.404601951 UTC

Parent: 20231017:dip-19647-1697537734:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537808 | FLIP


One whole lifecycle: opposite_hold3 | 39 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:16:48.000000000 UTC

Actual recognition: 2023-10-17 10:19:01.364796793 UTC

Endpoint label: 2023-10-17 10:17:26.000000000 UTC

Endpoint known-by: 2023-10-17 10:19:01.364796793 UTC

Parent: 20231017:dip-19647-1697537808:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697537853 | FLIP


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:17:33.000000000 UTC

Actual recognition: 2023-10-17 10:19:01.364796793 UTC

Endpoint label: 2023-10-17 10:19:03.000000000 UTC

Endpoint known-by: 2023-10-17 10:19:06.330558359 UTC

Parent: 20231017:dip-19647-1697537853:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538013 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:20:13.000000000 UTC

Actual recognition: 2023-10-17 10:21:08.595714989 UTC

Endpoint label: 2023-10-17 10:20:22.000000000 UTC

Endpoint known-by: 2023-10-17 10:20:26.044095400 UTC

Parent: 20231017:dip-19647-1697538013:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538074 | SAME


One whole lifecycle: opposite_hold3 | 121 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:21:14.000000000 UTC

Actual recognition: 2023-10-17 10:22:10.691216616 UTC

Endpoint label: 2023-10-17 10:23:14.000000000 UTC

Endpoint known-by: 2023-10-17 10:23:17.260385783 UTC

Parent: 20231017:dip-19647-1697538074:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538137 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:22:17.000000000 UTC

Actual recognition: 2023-10-17 10:23:12.252416294 UTC

Endpoint label: 2023-10-17 10:23:14.000000000 UTC

Endpoint known-by: 2023-10-17 10:23:17.260385783 UTC

Parent: 20231017:dip-19647-1697538137:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538185 | FLIP


One whole lifecycle: opposite_hold3 | 199 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:23:05.000000000 UTC

Actual recognition: 2023-10-17 10:23:56.693081436 UTC

Endpoint label: 2023-10-17 10:26:23.000000000 UTC

Endpoint known-by: 2023-10-17 10:26:24.457325179 UTC

Parent: 20231017:dip-19647-1697538185:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538249 | SAME


One whole lifecycle: opposite_hold3 | 135 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:24:09.000000000 UTC

Actual recognition: 2023-10-17 10:25:00.994656850 UTC

Endpoint label: 2023-10-17 10:26:23.000000000 UTC

Endpoint known-by: 2023-10-17 10:26:24.457325179 UTC

Parent: 20231017:dip-19647-1697538249:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538328 | SAME


One whole lifecycle: opposite_hold3 | 56 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:25:28.000000000 UTC

Actual recognition: 2023-10-17 10:26:16.149918982 UTC

Endpoint label: 2023-10-17 10:26:23.000000000 UTC

Endpoint known-by: 2023-10-17 10:26:24.457325179 UTC

Parent: 20231017:dip-19647-1697538328:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538401 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:26:41.000000000 UTC

Actual recognition: 2023-10-17 10:27:32.088442790 UTC

Endpoint label: 2023-10-17 10:27:34.000000000 UTC

Endpoint known-by: 2023-10-17 10:27:36.456256619 UTC

Parent: 20231017:dip-19647-1697538401:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.