
20231017 candidate | dip-19647-1697538447 | FLIP


One whole lifecycle: opposite_hold3 | 93 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:27:27.000000000 UTC

Actual recognition: 2023-10-17 10:28:34.820480058 UTC

Endpoint label: 2023-10-17 10:28:59.000000000 UTC

Endpoint known-by: 2023-10-17 10:29:00.892715640 UTC

Parent: 20231017:dip-19647-1697538447:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538537 | FLIP


One whole lifecycle: opposite_hold3 | 105 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:28:57.000000000 UTC

Actual recognition: 2023-10-17 10:30:00.659469722 UTC

Endpoint label: 2023-10-17 10:30:41.000000000 UTC

Endpoint known-by: 2023-10-17 10:30:42.107413934 UTC

Parent: 20231017:dip-19647-1697538537:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538583 | SAME


One whole lifecycle: opposite_hold3 | 59 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:29:43.000000000 UTC

Actual recognition: 2023-10-17 10:30:33.960701414 UTC

Endpoint label: 2023-10-17 10:30:41.000000000 UTC

Endpoint known-by: 2023-10-17 10:30:42.107413934 UTC

Parent: 20231017:dip-19647-1697538583:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538659 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:30:59.000000000 UTC

Actual recognition: 2023-10-17 10:31:50.771847708 UTC

Endpoint label: 2023-10-17 10:31:52.000000000 UTC

Endpoint known-by: 2023-10-17 10:31:55.130548355 UTC

Parent: 20231017:dip-19647-1697538659:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538710 | FLIP


One whole lifecycle: opposite_hold3 | 181 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:31:50.000000000 UTC

Actual recognition: 2023-10-17 10:32:48.001383799 UTC

Endpoint label: 2023-10-17 10:34:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:34:52.675553009 UTC

Parent: 20231017:dip-19647-1697538710:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538799 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:33:19.000000000 UTC

Actual recognition: 2023-10-17 10:34:11.713159353 UTC

Endpoint label: 2023-10-17 10:34:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:34:52.675553009 UTC

Parent: 20231017:dip-19647-1697538799:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538849 | SAME


One whole lifecycle: opposite_hold3 | 42 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:34:09.000000000 UTC

Actual recognition: 2023-10-17 10:35:01.671354681 UTC

Endpoint label: 2023-10-17 10:34:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:34:52.675553009 UTC

Parent: 20231017:dip-19647-1697538849:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538912 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:35:12.000000000 UTC

Actual recognition: 2023-10-17 10:36:01.429666567 UTC

Endpoint label: 2023-10-17 10:36:17.000000000 UTC

Endpoint known-by: 2023-10-17 10:36:18.076378444 UTC

Parent: 20231017:dip-19647-1697538912:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697538971 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:36:11.000000000 UTC

Actual recognition: 2023-10-17 10:37:10.967713706 UTC

Endpoint label: 2023-10-17 10:36:17.000000000 UTC

Endpoint known-by: 2023-10-17 10:36:18.076378444 UTC

Parent: 20231017:dip-19647-1697538971:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539099 | SAME


One whole lifecycle: opposite_hold3 | 142 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:38:19.000000000 UTC

Actual recognition: 2023-10-17 10:39:11.064761168 UTC

Endpoint label: 2023-10-17 10:40:40.000000000 UTC

Endpoint known-by: 2023-10-17 10:41:21.234738111 UTC

Parent: 20231017:dip-19647-1697539099:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539144 | SAME


One whole lifecycle: opposite_hold3 | 97 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:39:04.000000000 UTC

Actual recognition: 2023-10-17 10:39:58.200154411 UTC

Endpoint label: 2023-10-17 10:40:40.000000000 UTC

Endpoint known-by: 2023-10-17 10:41:21.234738111 UTC

Parent: 20231017:dip-19647-1697539144:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539208 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:40:08.000000000 UTC

Actual recognition: 2023-10-17 10:41:21.234738111 UTC

Endpoint label: 2023-10-17 10:40:40.000000000 UTC

Endpoint known-by: 2023-10-17 10:41:21.234738111 UTC

Parent: 20231017:dip-19647-1697539208:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539253 | FLIP


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:40:53.000000000 UTC

Actual recognition: 2023-10-17 10:41:44.484069305 UTC

Endpoint label: 2023-10-17 10:41:46.000000000 UTC

Endpoint known-by: 2023-10-17 10:42:02.808366098 UTC

Parent: 20231017:dip-19647-1697539253:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539304 | FLIP


One whole lifecycle: opposite_hold3 | 149 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:41:44.000000000 UTC

Actual recognition: 2023-10-17 10:42:44.460297730 UTC

Endpoint label: 2023-10-17 10:44:12.000000000 UTC

Endpoint known-by: 2023-10-17 10:45:00.000802504 UTC

Parent: 20231017:dip-19647-1697539304:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539450 | FLIP


One whole lifecycle: opposite_hold3 | 165 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:44:10.000000000 UTC

Actual recognition: 2023-10-17 10:45:05.618532463 UTC

Endpoint label: 2023-10-17 10:46:54.000000000 UTC

Endpoint known-by: 2023-10-17 10:46:55.086038739 UTC

Parent: 20231017:dip-19647-1697539450:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539612 | FLIP


One whole lifecycle: opposite_hold3 | 104 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:46:52.000000000 UTC

Actual recognition: 2023-10-17 10:47:46.698321662 UTC

Endpoint label: 2023-10-17 10:48:35.000000000 UTC

Endpoint known-by: 2023-10-17 10:48:41.864117096 UTC

Parent: 20231017:dip-19647-1697539612:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539680 | SAME


One whole lifecycle: opposite_hold3 | 36 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:48:00.000000000 UTC

Actual recognition: 2023-10-17 10:48:51.500411827 UTC

Endpoint label: 2023-10-17 10:48:35.000000000 UTC

Endpoint known-by: 2023-10-17 10:48:41.864117096 UTC

Parent: 20231017:dip-19647-1697539680:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539725 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:48:45.000000000 UTC

Actual recognition: 2023-10-17 10:49:38.499993952 UTC

Endpoint label: 2023-10-17 10:49:03.000000000 UTC

Endpoint known-by: 2023-10-17 10:49:17.619749581 UTC

Parent: 20231017:dip-19647-1697539725:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539788 | FLIP


One whole lifecycle: opposite_hold3 | 159 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:49:48.000000000 UTC

Actual recognition: 2023-10-17 10:50:41.613144429 UTC

Endpoint label: 2023-10-17 10:52:26.000000000 UTC

Endpoint known-by: 2023-10-17 10:52:29.316228474 UTC

Parent: 20231017:dip-19647-1697539788:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539869 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:51:09.000000000 UTC

Actual recognition: 2023-10-17 10:52:01.333713837 UTC

Endpoint label: 2023-10-17 10:52:26.000000000 UTC

Endpoint known-by: 2023-10-17 10:52:29.316228474 UTC

Parent: 20231017:dip-19647-1697539869:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697539934 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:52:14.000000000 UTC

Actual recognition: 2023-10-17 10:53:11.019514982 UTC

Endpoint label: 2023-10-17 10:52:26.000000000 UTC

Endpoint known-by: 2023-10-17 10:52:29.316228474 UTC

Parent: 20231017:dip-19647-1697539934:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540008 | FLIP


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:53:28.000000000 UTC

Actual recognition: 2023-10-17 10:54:23.267806558 UTC

Endpoint label: 2023-10-17 10:53:50.000000000 UTC

Endpoint known-by: 2023-10-17 10:53:56.001311368 UTC

Parent: 20231017:dip-19647-1697540008:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540053 | FLIP


One whole lifecycle: opposite_hold3 | 81 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:54:13.000000000 UTC

Actual recognition: 2023-10-17 10:55:05.037484432 UTC

Endpoint label: 2023-10-17 10:55:33.000000000 UTC

Endpoint known-by: 2023-10-17 10:55:38.884926629 UTC

Parent: 20231017:dip-19647-1697540053:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540142 | FLIP


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:55:42.000000000 UTC

Actual recognition: 2023-10-17 10:55:57.483835687 UTC

Endpoint label: 2023-10-17 10:57:13.000000000 UTC

Endpoint known-by: 2023-10-17 10:57:15.763910740 UTC

Parent: 20231017:dip-19647-1697540142:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540230 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:57:10.000000000 UTC

Actual recognition: 2023-10-17 10:57:34.227505257 UTC

Endpoint label: 2023-10-17 10:57:13.000000000 UTC

Endpoint known-by: 2023-10-17 10:57:15.763910740 UTC

Parent: 20231017:dip-19647-1697540230:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540275 | FLIP


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:57:55.000000000 UTC

Actual recognition: 2023-10-17 10:58:50.052789679 UTC

Endpoint label: 2023-10-17 10:59:29.000000000 UTC

Endpoint known-by: 2023-10-17 10:59:35.553809027 UTC

Parent: 20231017:dip-19647-1697540275:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540373 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 10:59:33.000000000 UTC

Actual recognition: 2023-10-17 11:00:18.451036043 UTC

Endpoint label: 2023-10-17 10:59:57.000000000 UTC

Endpoint known-by: 2023-10-17 10:59:59.032152379 UTC

Parent: 20231017:dip-19647-1697540373:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540448 | SAME


One whole lifecycle: opposite_hold3 | 51 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:00:48.000000000 UTC

Actual recognition: 2023-10-17 11:01:44.511264308 UTC

Endpoint label: 2023-10-17 11:01:38.000000000 UTC

Endpoint known-by: 2023-10-17 11:01:44.511264308 UTC

Parent: 20231017:dip-19647-1697540448:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540496 | FLIP


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:01:36.000000000 UTC

Actual recognition: 2023-10-17 11:02:30.768974180 UTC

Endpoint label: 2023-10-17 11:02:24.000000000 UTC

Endpoint known-by: 2023-10-17 11:02:30.768974180 UTC

Parent: 20231017:dip-19647-1697540496:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540562 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:02:42.000000000 UTC

Actual recognition: 2023-10-17 11:03:35.555864247 UTC

Endpoint label: 2023-10-17 11:02:53.000000000 UTC

Endpoint known-by: 2023-10-17 11:02:58.784852871 UTC

Parent: 20231017:dip-19647-1697540562:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540622 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:03:42.000000000 UTC

Actual recognition: 2023-10-17 11:04:36.830792364 UTC

Endpoint label: 2023-10-17 11:03:53.000000000 UTC

Endpoint known-by: 2023-10-17 11:03:54.160490673 UTC

Parent: 20231017:dip-19647-1697540622:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540683 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:04:43.000000000 UTC

Actual recognition: 2023-10-17 11:05:19.200212850 UTC

Endpoint label: 2023-10-17 11:05:25.000000000 UTC

Endpoint known-by: 2023-10-17 11:05:28.764506179 UTC

Parent: 20231017:dip-19647-1697540683:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540728 | FLIP


One whole lifecycle: opposite_hold3 | 95 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:05:28.000000000 UTC

Actual recognition: 2023-10-17 11:06:26.928652116 UTC

Endpoint label: 2023-10-17 11:07:02.000000000 UTC

Endpoint known-by: 2023-10-17 11:07:06.130234479 UTC

Parent: 20231017:dip-19647-1697540728:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540829 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:07:09.000000000 UTC

Actual recognition: 2023-10-17 11:07:52.065454212 UTC

Endpoint label: 2023-10-17 11:07:17.000000000 UTC

Endpoint known-by: 2023-10-17 11:07:35.211935794 UTC

Parent: 20231017:dip-19647-1697540829:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540874 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:07:54.000000000 UTC

Actual recognition: 2023-10-17 11:09:01.332958957 UTC

Endpoint label: 2023-10-17 11:08:09.000000000 UTC

Endpoint known-by: 2023-10-17 11:08:11.546321437 UTC

Parent: 20231017:dip-19647-1697540874:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540922 | SAME


One whole lifecycle: opposite_hold3 | 31 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:08:42.000000000 UTC

Actual recognition: 2023-10-17 11:09:33.291129365 UTC

Endpoint label: 2023-10-17 11:09:12.000000000 UTC

Endpoint known-by: 2023-10-17 11:09:22.104130884 UTC

Parent: 20231017:dip-19647-1697540922:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697540997 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:09:57.000000000 UTC

Actual recognition: 2023-10-17 11:10:48.123724474 UTC

Endpoint label: 2023-10-17 11:11:24.000000000 UTC

Endpoint known-by: 2023-10-17 11:11:28.348575553 UTC

Parent: 20231017:dip-19647-1697540997:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541042 | SAME


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:10:42.000000000 UTC

Actual recognition: 2023-10-17 11:11:34.482612557 UTC

Endpoint label: 2023-10-17 11:11:24.000000000 UTC

Endpoint known-by: 2023-10-17 11:11:28.348575553 UTC

Parent: 20231017:dip-19647-1697541042:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541093 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:11:33.000000000 UTC

Actual recognition: 2023-10-17 11:12:40.196606470 UTC

Endpoint label: 2023-10-17 11:11:56.000000000 UTC

Endpoint known-by: 2023-10-17 11:12:00.741414949 UTC

Parent: 20231017:dip-19647-1697541093:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541149 | SAME


One whole lifecycle: opposite_hold3 | 73 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:12:29.000000000 UTC

Actual recognition: 2023-10-17 11:13:20.808178761 UTC

Endpoint label: 2023-10-17 11:13:41.000000000 UTC

Endpoint known-by: 2023-10-17 11:13:43.403150702 UTC

Parent: 20231017:dip-19647-1697541149:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541219 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:13:39.000000000 UTC

Actual recognition: 2023-10-17 11:14:30.794919928 UTC

Endpoint label: 2023-10-17 11:14:07.000000000 UTC

Endpoint known-by: 2023-10-17 11:14:08.407767914 UTC

Parent: 20231017:dip-19647-1697541219:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541264 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:14:24.000000000 UTC

Actual recognition: 2023-10-17 11:15:16.486995120 UTC

Endpoint label: 2023-10-17 11:14:42.000000000 UTC

Endpoint known-by: 2023-10-17 11:14:45.394414306 UTC

Parent: 20231017:dip-19647-1697541264:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541398 | SAME


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:16:38.000000000 UTC

Actual recognition: 2023-10-17 11:16:58.302853631 UTC

Endpoint label: 2023-10-17 11:17:29.000000000 UTC

Endpoint known-by: 2023-10-17 11:17:30.220553502 UTC

Parent: 20231017:dip-19647-1697541398:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541480 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:18:00.000000000 UTC

Actual recognition: 2023-10-17 11:18:18.080533122 UTC

Endpoint label: 2023-10-17 11:18:20.000000000 UTC

Endpoint known-by: 2023-10-17 11:18:21.340556025 UTC

Parent: 20231017:dip-19647-1697541480:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541566 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:19:26.000000000 UTC

Actual recognition: 2023-10-17 11:19:36.157047968 UTC

Endpoint label: 2023-10-17 11:19:53.000000000 UTC

Endpoint known-by: 2023-10-17 11:19:54.454461630 UTC

Parent: 20231017:dip-19647-1697541566:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541640 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:20:40.000000000 UTC

Actual recognition: 2023-10-17 11:21:04.958943873 UTC

Endpoint label: 2023-10-17 11:21:31.000000000 UTC

Endpoint known-by: 2023-10-17 11:21:34.964725782 UTC

Parent: 20231017:dip-19647-1697541640:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541714 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:21:54.000000000 UTC

Actual recognition: 2023-10-17 11:22:49.073970632 UTC

Endpoint label: 2023-10-17 11:22:31.000000000 UTC

Endpoint known-by: 2023-10-17 11:22:33.626288354 UTC

Parent: 20231017:dip-19647-1697541714:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541911 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:25:11.000000000 UTC

Actual recognition: 2023-10-17 11:26:00.459363172 UTC

Endpoint label: 2023-10-17 11:25:25.000000000 UTC

Endpoint known-by: 2023-10-17 11:25:26.239754685 UTC

Parent: 20231017:dip-19647-1697541911:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697541967 | FLIP


One whole lifecycle: opposite_hold3 | 94 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:26:07.000000000 UTC

Actual recognition: 2023-10-17 11:26:51.131667626 UTC

Endpoint label: 2023-10-17 11:27:40.000000000 UTC

Endpoint known-by: 2023-10-17 11:27:41.700665703 UTC

Parent: 20231017:dip-19647-1697541967:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542012 | SAME


One whole lifecycle: opposite_hold3 | 49 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:26:52.000000000 UTC

Actual recognition: 2023-10-17 11:27:43.089279737 UTC

Endpoint label: 2023-10-17 11:27:40.000000000 UTC

Endpoint known-by: 2023-10-17 11:27:41.700665703 UTC

Parent: 20231017:dip-19647-1697542012:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542091 | FLIP


One whole lifecycle: opposite_hold3 | 26 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:28:11.000000000 UTC

Actual recognition: 2023-10-17 11:29:03.168700497 UTC

Endpoint label: 2023-10-17 11:28:36.000000000 UTC

Endpoint known-by: 2023-10-17 11:28:41.158773169 UTC

Parent: 20231017:dip-19647-1697542091:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542167 | FLIP


One whole lifecycle: opposite_hold3 | 165 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:29:27.000000000 UTC

Actual recognition: 2023-10-17 11:29:49.838413473 UTC

Endpoint label: 2023-10-17 11:32:11.000000000 UTC

Endpoint known-by: 2023-10-17 11:32:14.535982297 UTC

Parent: 20231017:dip-19647-1697542167:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542250 | SAME


One whole lifecycle: opposite_hold3 | 82 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:30:50.000000000 UTC

Actual recognition: 2023-10-17 11:31:44.123920552 UTC

Endpoint label: 2023-10-17 11:32:11.000000000 UTC

Endpoint known-by: 2023-10-17 11:32:14.535982297 UTC

Parent: 20231017:dip-19647-1697542250:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542295 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:31:35.000000000 UTC

Actual recognition: 2023-10-17 11:32:26.301296543 UTC

Endpoint label: 2023-10-17 11:32:11.000000000 UTC

Endpoint known-by: 2023-10-17 11:32:14.535982297 UTC

Parent: 20231017:dip-19647-1697542295:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542404 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:33:24.000000000 UTC

Actual recognition: 2023-10-17 11:34:15.033220160 UTC

Endpoint label: 2023-10-17 11:33:45.000000000 UTC

Endpoint known-by: 2023-10-17 11:33:48.342986906 UTC

Parent: 20231017:dip-19647-1697542404:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542528 | FLIP


One whole lifecycle: opposite_hold3 | 122 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:35:28.000000000 UTC

Actual recognition: 2023-10-17 11:35:46.189180682 UTC

Endpoint label: 2023-10-17 11:37:29.000000000 UTC

Endpoint known-by: 2023-10-17 11:37:30.006760032 UTC

Parent: 20231017:dip-19647-1697542528:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542593 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:36:33.000000000 UTC

Actual recognition: 2023-10-17 11:37:24.845889177 UTC

Endpoint label: 2023-10-17 11:37:29.000000000 UTC

Endpoint known-by: 2023-10-17 11:37:30.006760032 UTC

Parent: 20231017:dip-19647-1697542593:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542768 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:39:28.000000000 UTC

Actual recognition: 2023-10-17 11:40:00.672244876 UTC

Endpoint label: 2023-10-17 11:40:05.000000000 UTC

Endpoint known-by: 2023-10-17 11:40:06.094237964 UTC

Parent: 20231017:dip-19647-1697542768:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542825 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:40:25.000000000 UTC

Actual recognition: 2023-10-17 11:41:20.034874229 UTC

Endpoint label: 2023-10-17 11:40:45.000000000 UTC

Endpoint known-by: 2023-10-17 11:40:46.028371326 UTC

Parent: 20231017:dip-19647-1697542825:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697542892 | FLIP


One whole lifecycle: opposite_hold3 | 43 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:41:32.000000000 UTC

Actual recognition: 2023-10-17 11:42:08.349295828 UTC

Endpoint label: 2023-10-17 11:42:14.000000000 UTC

Endpoint known-by: 2023-10-17 11:42:15.240018067 UTC

Parent: 20231017:dip-19647-1697542892:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543035 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:43:55.000000000 UTC

Actual recognition: 2023-10-17 11:44:50.101057227 UTC

Endpoint label: 2023-10-17 11:44:12.000000000 UTC

Endpoint known-by: 2023-10-17 11:44:13.966330514 UTC

Parent: 20231017:dip-19647-1697543035:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543080 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:44:40.000000000 UTC

Actual recognition: 2023-10-17 11:45:32.832193860 UTC

Endpoint label: 2023-10-17 11:45:13.000000000 UTC

Endpoint known-by: 2023-10-17 11:45:18.275843457 UTC

Parent: 20231017:dip-19647-1697543080:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543166 | SAME


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:46:06.000000000 UTC

Actual recognition: 2023-10-17 11:46:57.593581025 UTC

Endpoint label: 2023-10-17 11:46:15.000000000 UTC

Endpoint known-by: 2023-10-17 11:46:16.106915854 UTC

Parent: 20231017:dip-19647-1697543166:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543263 | SAME


One whole lifecycle: opposite_hold3 | 53 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:47:43.000000000 UTC

Actual recognition: 2023-10-17 11:48:33.015979957 UTC

Endpoint label: 2023-10-17 11:48:35.000000000 UTC

Endpoint known-by: 2023-10-17 11:48:39.430603330 UTC

Parent: 20231017:dip-19647-1697543263:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543320 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:48:40.000000000 UTC

Actual recognition: 2023-10-17 11:49:31.609583810 UTC

Endpoint label: 2023-10-17 11:48:54.000000000 UTC

Endpoint known-by: 2023-10-17 11:48:55.124483021 UTC

Parent: 20231017:dip-19647-1697543320:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543380 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:49:40.000000000 UTC

Actual recognition: 2023-10-17 11:50:31.277630301 UTC

Endpoint label: 2023-10-17 11:49:47.000000000 UTC

Endpoint known-by: 2023-10-17 11:49:50.019938501 UTC

Parent: 20231017:dip-19647-1697543380:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543438 | SAME


One whole lifecycle: opposite_hold3 | 32 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:50:38.000000000 UTC

Actual recognition: 2023-10-17 11:51:31.803659618 UTC

Endpoint label: 2023-10-17 11:51:09.000000000 UTC

Endpoint known-by: 2023-10-17 11:51:10.953777877 UTC

Parent: 20231017:dip-19647-1697543438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543491 | SAME


One whole lifecycle: opposite_hold3 | 78 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:51:31.000000000 UTC

Actual recognition: 2023-10-17 11:52:30.146241990 UTC

Endpoint label: 2023-10-17 11:52:48.000000000 UTC

Endpoint known-by: 2023-10-17 11:52:50.929155803 UTC

Parent: 20231017:dip-19647-1697543491:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543549 | FLIP


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:52:29.000000000 UTC

Actual recognition: 2023-10-17 11:53:22.925193671 UTC

Endpoint label: 2023-10-17 11:52:32.000000000 UTC

Endpoint known-by: 2023-10-17 11:52:38.993318240 UTC

Parent: 20231017:dip-19647-1697543549:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543596 | FLIP


One whole lifecycle: opposite_hold3 | 114 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:53:16.000000000 UTC

Actual recognition: 2023-10-17 11:54:07.911436648 UTC

Endpoint label: 2023-10-17 11:55:09.000000000 UTC

Endpoint known-by: 2023-10-17 11:55:10.723532427 UTC

Parent: 20231017:dip-19647-1697543596:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543727 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:55:27.000000000 UTC

Actual recognition: 2023-10-17 11:56:18.034823160 UTC

Endpoint label: 2023-10-17 11:55:31.000000000 UTC

Endpoint known-by: 2023-10-17 11:55:33.396861074 UTC

Parent: 20231017:dip-19647-1697543727:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543797 | SAME


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:56:37.000000000 UTC

Actual recognition: 2023-10-17 11:57:34.373838491 UTC

Endpoint label: 2023-10-17 11:57:03.000000000 UTC

Endpoint known-by: 2023-10-17 11:57:04.110771189 UTC

Parent: 20231017:dip-19647-1697543797:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543860 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:57:40.000000000 UTC

Actual recognition: 2023-10-17 11:58:29.142586645 UTC

Endpoint label: 2023-10-17 11:57:58.000000000 UTC

Endpoint known-by: 2023-10-17 11:58:00.806313078 UTC

Parent: 20231017:dip-19647-1697543860:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697543932 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 11:58:52.000000000 UTC

Actual recognition: 2023-10-17 11:59:43.903167211 UTC

Endpoint label: 2023-10-17 11:59:07.000000000 UTC

Endpoint known-by: 2023-10-17 11:59:10.798689702 UTC

Parent: 20231017:dip-19647-1697543932:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697544126 | FLIP


One whole lifecycle: opposite_hold3 | 38 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:02:06.000000000 UTC

Actual recognition: 2023-10-17 12:03:00.198042072 UTC

Endpoint label: 2023-10-17 12:02:43.000000000 UTC

Endpoint known-by: 2023-10-17 12:02:45.595711706 UTC

Parent: 20231017:dip-19647-1697544126:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697544469 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:07:49.000000000 UTC

Actual recognition: 2023-10-17 12:08:34.046410299 UTC

Endpoint label: 2023-10-17 12:08:03.000000000 UTC

Endpoint known-by: 2023-10-17 12:08:04.994007713 UTC

Parent: 20231017:dip-19647-1697544469:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697545438 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:23:58.000000000 UTC

Actual recognition: 2023-10-17 12:24:50.119847332 UTC

Endpoint label: 2023-10-17 12:24:06.000000000 UTC

Endpoint known-by: 2023-10-17 12:24:07.003169823 UTC

Parent: 20231017:dip-19647-1697545438:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697545621 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:27:01.000000000 UTC

Actual recognition: 2023-10-17 12:27:50.446531569 UTC

Endpoint label: 2023-10-17 12:27:04.000000000 UTC

Endpoint known-by: 2023-10-17 12:27:05.523167214 UTC

Parent: 20231017:dip-19647-1697545621:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697545683 | SAME


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:28:03.000000000 UTC

Actual recognition: 2023-10-17 12:28:55.288625503 UTC

Endpoint label: 2023-10-17 12:28:19.000000000 UTC

Endpoint known-by: 2023-10-17 12:28:20.077855423 UTC

Parent: 20231017:dip-19647-1697545683:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697545757 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:29:17.000000000 UTC

Actual recognition: 2023-10-17 12:30:08.107748282 UTC

Endpoint label: 2023-10-17 12:29:37.000000000 UTC

Endpoint known-by: 2023-10-17 12:29:39.853952818 UTC

Parent: 20231017:dip-19647-1697545757:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697546567 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:42:47.000000000 UTC

Actual recognition: 2023-10-17 12:43:38.138521009 UTC

Endpoint label: 2023-10-17 12:43:52.000000000 UTC

Endpoint known-by: 2023-10-17 12:43:55.260817714 UTC

Parent: 20231017:dip-19647-1697546567:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697546681 | FLIP


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:44:41.000000000 UTC

Actual recognition: 2023-10-17 12:45:32.909238965 UTC

Endpoint label: 2023-10-17 12:45:01.000000000 UTC

Endpoint known-by: 2023-10-17 12:45:02.194342662 UTC

Parent: 20231017:dip-19647-1697546681:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697546750 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:45:50.000000000 UTC

Actual recognition: 2023-10-17 12:46:35.551112159 UTC

Endpoint label: 2023-10-17 12:46:05.000000000 UTC

Endpoint known-by: 2023-10-17 12:46:07.002931469 UTC

Parent: 20231017:dip-19647-1697546750:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697546801 | SAME


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:46:41.000000000 UTC

Actual recognition: 2023-10-17 12:47:26.113193440 UTC

Endpoint label: 2023-10-17 12:46:45.000000000 UTC

Endpoint known-by: 2023-10-17 12:46:47.506069648 UTC

Parent: 20231017:dip-19647-1697546801:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697547056 | SAME


One whole lifecycle: opposite_hold3 | 45 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:50:56.000000000 UTC

Actual recognition: 2023-10-17 12:51:47.004398006 UTC

Endpoint label: 2023-10-17 12:51:40.000000000 UTC

Endpoint known-by: 2023-10-17 12:51:41.367838100 UTC

Parent: 20231017:dip-19647-1697547056:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697547196 | SAME


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:53:16.000000000 UTC

Actual recognition: 2023-10-17 12:53:30.544415410 UTC

Endpoint label: 2023-10-17 12:54:10.000000000 UTC

Endpoint known-by: 2023-10-17 12:54:11.042633646 UTC

Parent: 20231017:dip-19647-1697547196:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697547244 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:54:04.000000000 UTC

Actual recognition: 2023-10-17 12:54:55.078298883 UTC

Endpoint label: 2023-10-17 12:54:10.000000000 UTC

Endpoint known-by: 2023-10-17 12:54:11.042633646 UTC

Parent: 20231017:dip-19647-1697547244:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697547450 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 12:57:30.000000000 UTC

Actual recognition: 2023-10-17 12:58:21.013392210 UTC

Endpoint label: 2023-10-17 12:57:49.000000000 UTC

Endpoint known-by: 2023-10-17 12:57:50.152150971 UTC

Parent: 20231017:dip-19647-1697547450:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697548321 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:12:01.000000000 UTC

Actual recognition: 2023-10-17 13:12:52.003190956 UTC

Endpoint label: 2023-10-17 13:12:27.000000000 UTC

Endpoint known-by: 2023-10-17 13:12:28.298159814 UTC

Parent: 20231017:dip-19647-1697548321:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697548476 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:14:36.000000000 UTC

Actual recognition: 2023-10-17 13:15:29.434979506 UTC

Endpoint label: 2023-10-17 13:14:41.000000000 UTC

Endpoint known-by: 2023-10-17 13:14:42.091642911 UTC

Parent: 20231017:dip-19647-1697548476:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697548656 | FLIP


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:17:36.000000000 UTC

Actual recognition: 2023-10-17 13:18:27.208912842 UTC

Endpoint label: 2023-10-17 13:17:59.000000000 UTC

Endpoint known-by: 2023-10-17 13:18:01.772028170 UTC

Parent: 20231017:dip-19647-1697548656:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697548833 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:20:33.000000000 UTC

Actual recognition: 2023-10-17 13:20:47.192137566 UTC

Endpoint label: 2023-10-17 13:20:44.000000000 UTC

Endpoint known-by: 2023-10-17 13:20:45.104989654 UTC

Parent: 20231017:dip-19647-1697548833:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697549341 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:29:01.000000000 UTC

Actual recognition: 2023-10-17 13:29:52.112380095 UTC

Endpoint label: 2023-10-17 13:29:17.000000000 UTC

Endpoint known-by: 2023-10-17 13:29:20.307574389 UTC

Parent: 20231017:dip-19647-1697549341:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697549992 | FLIP


One whole lifecycle: opposite_hold3 | 61 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:39:52.000000000 UTC

Actual recognition: 2023-10-17 13:40:43.602764570 UTC

Endpoint label: 2023-10-17 13:40:52.000000000 UTC

Endpoint known-by: 2023-10-17 13:40:53.004276300 UTC

Parent: 20231017:dip-19647-1697549992:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697550327 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:45:27.000000000 UTC

Actual recognition: 2023-10-17 13:45:35.688986658 UTC

Endpoint label: 2023-10-17 13:45:47.000000000 UTC

Endpoint known-by: 2023-10-17 13:45:48.782013264 UTC

Parent: 20231017:dip-19647-1697550327:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697550611 | SAME


One whole lifecycle: opposite_hold3 | 37 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 13:50:11.000000000 UTC

Actual recognition: 2023-10-17 13:51:02.000856525 UTC

Endpoint label: 2023-10-17 13:50:47.000000000 UTC

Endpoint known-by: 2023-10-17 13:50:49.272324893 UTC

Parent: 20231017:dip-19647-1697550611:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697551497 | SAME


One whole lifecycle: opposite_hold3 | 113 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:04:57.000000000 UTC

Actual recognition: 2023-10-17 14:05:48.062103271 UTC

Endpoint label: 2023-10-17 14:06:49.000000000 UTC

Endpoint known-by: 2023-10-17 14:06:50.312911061 UTC

Parent: 20231017:dip-19647-1697551497:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697551858 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:10:58.000000000 UTC

Actual recognition: 2023-10-17 14:11:49.223244634 UTC

Endpoint label: 2023-10-17 14:11:10.000000000 UTC

Endpoint known-by: 2023-10-17 14:11:11.030109140 UTC

Parent: 20231017:dip-19647-1697551858:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697551919 | SAME


One whole lifecycle: opposite_hold3 | 84 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:11:59.000000000 UTC

Actual recognition: 2023-10-17 14:12:50.550036009 UTC

Endpoint label: 2023-10-17 14:13:22.000000000 UTC

Endpoint known-by: 2023-10-17 14:13:23.233677682 UTC

Parent: 20231017:dip-19647-1697551919:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 candidate | dip-19647-1697551981 | SAME


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 14:13:01.000000000 UTC

Actual recognition: 2023-10-17 14:13:52.282541036 UTC

Endpoint label: 2023-10-17 14:13:22.000000000 UTC

Endpoint known-by: 2023-10-17 14:13:23.233677682 UTC

Parent: 20231017:dip-19647-1697551981:candidate

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.