
20231017 control1 | dip-19647-1697565878 | SAME


One whole lifecycle: opposite_hold3 | 44 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:19.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:39:02.000000000 UTC

Endpoint known-by: 2023-10-17 15:39:03.146746264 UTC

Parent: 20231017:dip-19647-1697565878:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555171 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:39:02.000000000 UTC

Endpoint known-by: 2023-10-17 15:39:03.146746264 UTC

Parent: 20231017:dip-19647-1697555171:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559009 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:38:42.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:39:02.000000000 UTC

Endpoint known-by: 2023-10-17 15:39:03.146746264 UTC

Parent: 20231017:dip-19647-1697559009:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559684 | FLIP


One whole lifecycle: opposite_hold3 | 5 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:41:53.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:41:57.000000000 UTC

Endpoint known-by: 2023-10-17 15:41:58.600270576 UTC

Parent: 20231017:dip-19647-1697559684:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562115 | FLIP


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:42:39.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:43:44.000000000 UTC

Endpoint known-by: 2023-10-17 15:43:45.215820102 UTC

Parent: 20231017:dip-19647-1697562115:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697550327 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:43:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:43:44.000000000 UTC

Endpoint known-by: 2023-10-17 15:43:45.215820102 UTC

Parent: 20231017:dip-19647-1697550327:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561549 | SAME


One whole lifecycle: opposite_hold3 | 24 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:45:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:46:03.000000000 UTC

Endpoint known-by: 2023-10-17 15:46:04.000855061 UTC

Parent: 20231017:dip-19647-1697561549:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697556353 | FLIP


One whole lifecycle: opposite_hold3 | 50 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:50:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:50:49.000000000 UTC

Endpoint known-by: 2023-10-17 15:50:50.310254854 UTC

Parent: 20231017:dip-19647-1697556353:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552039 | SAME


One whole lifecycle: opposite_hold3 | 35 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 15:58:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 15:59:03.000000000 UTC

Endpoint known-by: 2023-10-17 15:59:04.543840769 UTC

Parent: 20231017:dip-19647-1697552039:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552385 | SAME


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:00:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:00:24.000000000 UTC

Endpoint known-by: 2023-10-17 16:00:25.008220295 UTC

Parent: 20231017:dip-19647-1697552385:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559218 | FLIP


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:00:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:00:24.000000000 UTC

Endpoint known-by: 2023-10-17 16:00:25.008220295 UTC

Parent: 20231017:dip-19647-1697559218:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573926 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:03:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:04:15.000000000 UTC

Endpoint known-by: 2023-10-17 16:04:16.101215807 UTC

Parent: 20231017:dip-19647-1697573926:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559064 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:03:40.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:03:40.000000000 UTC

Endpoint known-by: 2023-10-17 16:03:42.715716445 UTC

Parent: 20231017:dip-19647-1697559064:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697567700 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:03:46.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:03:46.000000000 UTC

Endpoint known-by: 2023-10-17 16:03:49.309090904 UTC

Parent: 20231017:dip-19647-1697567700:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697558697 | SAME


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:03:48.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:03:48.000000000 UTC

Endpoint known-by: 2023-10-17 16:03:49.309090904 UTC

Parent: 20231017:dip-19647-1697558697:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543797 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:16:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:16:51.000000000 UTC

Endpoint known-by: 2023-10-17 16:16:52.132857407 UTC

Parent: 20231017:dip-19647-1697543797:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554969 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:23:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:24:09.000000000 UTC

Endpoint known-by: 2023-10-17 16:24:10.188575224 UTC

Parent: 20231017:dip-19647-1697554969:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566590 | FLIP


One whole lifecycle: opposite_hold3 | 55 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:34:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:35:03.000000000 UTC

Endpoint known-by: 2023-10-17 16:35:04.080586114 UTC

Parent: 20231017:dip-19647-1697566590:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697549992 | FLIP


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:37:44.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:37:59.000000000 UTC

Endpoint known-by: 2023-10-17 16:38:00.286734925 UTC

Parent: 20231017:dip-19647-1697549992:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571985 | FLIP


One whole lifecycle: opposite_hold3 | 27 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:38:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:38:43.000000000 UTC

Endpoint known-by: 2023-10-17 16:38:44.074699348 UTC

Parent: 20231017:dip-19647-1697571985:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563595 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:39:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:39:22.000000000 UTC

Endpoint known-by: 2023-10-17 16:39:23.108899129 UTC

Parent: 20231017:dip-19647-1697563595:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561632 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:41:58.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:42:08.000000000 UTC

Endpoint known-by: 2023-10-17 16:42:09.021362426 UTC

Parent: 20231017:dip-19647-1697561632:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697545621 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:42:29.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:42:40.000000000 UTC

Endpoint known-by: 2023-10-17 16:42:41.509538950 UTC

Parent: 20231017:dip-19647-1697545621:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697544126 | FLIP


One whole lifecycle: opposite_hold3 | 41 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:49:24.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:50:04.000000000 UTC

Endpoint known-by: 2023-10-17 16:50:05.005409237 UTC

Parent: 20231017:dip-19647-1697544126:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542091 | FLIP


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:55:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:55:24.000000000 UTC

Endpoint known-by: 2023-10-17 16:55:25.110951664 UTC

Parent: 20231017:dip-19647-1697542091:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560392 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:57:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:57:59.000000000 UTC

Endpoint known-by: 2023-10-17 16:58:00.126961410 UTC

Parent: 20231017:dip-19647-1697560392:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697561439 | SAME


One whole lifecycle: opposite_hold3 | 33 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 16:58:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 16:59:02.000000000 UTC

Endpoint known-by: 2023-10-17 16:59:03.338704893 UTC

Parent: 20231017:dip-19647-1697561439:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697575834 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:00:30.000000000 UTC

Endpoint known-by: 2023-10-17 17:00:31.038131073 UTC

Parent: 20231017:dip-19647-1697575834:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697535043 | SAME


One whole lifecycle: opposite_hold3 | 92 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:31.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697535043:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573102 | FLIP


One whole lifecycle: opposite_hold3 | 91 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697573102:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540275 | FLIP


One whole lifecycle: opposite_hold3 | 90 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:33.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697540275:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697575357 | FLIP


One whole lifecycle: opposite_hold3 | 88 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697575357:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697554075 | FLIP


One whole lifecycle: opposite_hold3 | 85 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:00:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:02:02.000000000 UTC

Endpoint known-by: 2023-10-17 17:02:03.140494169 UTC

Parent: 20231017:dip-19647-1697554075:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697560566 | SAME


One whole lifecycle: opposite_hold3 | 12 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:03:42.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:03:53.000000000 UTC

Endpoint known-by: 2023-10-17 17:03:54.083486153 UTC

Parent: 20231017:dip-19647-1697560566:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571586 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:08:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:08:17.000000000 UTC

Endpoint known-by: 2023-10-17 17:08:19.520599495 UTC

Parent: 20231017:dip-19647-1697571586:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540448 | SAME


One whole lifecycle: opposite_hold3 | 28 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:09:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:09:40.000000000 UTC

Endpoint known-by: 2023-10-17 17:09:42.680270970 UTC

Parent: 20231017:dip-19647-1697540448:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697556158 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:10:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:10:20.000000000 UTC

Endpoint known-by: 2023-10-17 17:10:21.367626047 UTC

Parent: 20231017:dip-19647-1697556158:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559958 | SAME


One whole lifecycle: opposite_hold3 | 13 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:10:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:10:20.000000000 UTC

Endpoint known-by: 2023-10-17 17:10:21.367626047 UTC

Parent: 20231017:dip-19647-1697559958:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568324 | SAME


One whole lifecycle: opposite_hold3 | 34 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:20:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:21:24.000000000 UTC

Endpoint known-by: 2023-10-17 17:21:25.302522297 UTC

Parent: 20231017:dip-19647-1697568324:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572202 | FLIP


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:20:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:21:24.000000000 UTC

Endpoint known-by: 2023-10-17 17:21:25.302522297 UTC

Parent: 20231017:dip-19647-1697572202:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543860 | SAME


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:20:56.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:21:24.000000000 UTC

Endpoint known-by: 2023-10-17 17:21:25.302522297 UTC

Parent: 20231017:dip-19647-1697543860:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569686 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:21:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:21:24.000000000 UTC

Endpoint known-by: 2023-10-17 17:21:25.302522297 UTC

Parent: 20231017:dip-19647-1697569686:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568423 | SAME


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:23:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:23:20.000000000 UTC

Endpoint known-by: 2023-10-17 17:23:22.923477934 UTC

Parent: 20231017:dip-19647-1697568423:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563199 | SAME


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:23:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:23:40.000000000 UTC

Endpoint known-by: 2023-10-17 17:23:42.180582589 UTC

Parent: 20231017:dip-19647-1697563199:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568695 | FLIP


One whole lifecycle: opposite_hold3 | 25 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:25:27.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:30.708561617 UTC

Parent: 20231017:dip-19647-1697568695:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570532 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:05.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:25:27.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:30.708561617 UTC

Parent: 20231017:dip-19647-1697570532:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697530837 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:25:10.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:11.573629891 UTC

Parent: 20231017:dip-19647-1697530837:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697535247 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:11.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:25:11.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:12.140384763 UTC

Parent: 20231017:dip-19647-1697535247:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697502948 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:25:27.000000000 UTC

Endpoint known-by: 2023-10-17 17:25:30.708561617 UTC

Parent: 20231017:dip-19647-1697502948:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573714 | FLIP


One whole lifecycle: opposite_hold3 | 47 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:25:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:26:16.000000000 UTC

Endpoint known-by: 2023-10-17 17:26:18.889622783 UTC

Parent: 20231017:dip-19647-1697573714:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697565953 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:32:12.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:32:34.000000000 UTC

Endpoint known-by: 2023-10-17 17:32:35.113651014 UTC

Parent: 20231017:dip-19647-1697565953:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697535868 | FLIP


One whole lifecycle: opposite_hold3 | 71 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:33:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:34:35.000000000 UTC

Endpoint known-by: 2023-10-17 17:34:36.407025798 UTC

Parent: 20231017:dip-19647-1697535868:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697515229 | SAME


One whole lifecycle: opposite_hold3 | 21 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:13.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697515229:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697526541 | SAME


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697526541:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697575250 | FLIP


One whole lifecycle: opposite_hold3 | 19 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:15.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697575250:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697529294 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697529294:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697531666 | FLIP


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697531666:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540622 | FLIP


One whole lifecycle: opposite_hold3 | 17 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697540622:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563851 | FLIP


One whole lifecycle: opposite_hold3 | 14 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:38:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:38:33.000000000 UTC

Endpoint known-by: 2023-10-17 17:38:35.352597858 UTC

Parent: 20231017:dip-19647-1697563851:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697548321 | FLIP


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:42:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:42:23.000000000 UTC

Endpoint known-by: 2023-10-17 17:42:24.584566687 UTC

Parent: 20231017:dip-19647-1697548321:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552190 | SAME


One whole lifecycle: opposite_hold3 | 7 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:42:22.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:42:28.000000000 UTC

Endpoint known-by: 2023-10-17 17:42:30.225915647 UTC

Parent: 20231017:dip-19647-1697552190:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566062 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:42:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:42:28.000000000 UTC

Endpoint known-by: 2023-10-17 17:42:30.225915647 UTC

Parent: 20231017:dip-19647-1697566062:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572295 | FLIP


One whole lifecycle: opposite_hold3 | 46 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:42:28.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:43:13.000000000 UTC

Endpoint known-by: 2023-10-17 17:43:14.232761313 UTC

Parent: 20231017:dip-19647-1697572295:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552852 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:45:32.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:46:29.000000000 UTC

Endpoint known-by: 2023-10-17 17:46:30.145884035 UTC

Parent: 20231017:dip-19647-1697552852:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697546750 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:45:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:46:29.000000000 UTC

Endpoint known-by: 2023-10-17 17:46:30.145884035 UTC

Parent: 20231017:dip-19647-1697546750:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562837 | SAME


One whole lifecycle: opposite_hold3 | 54 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:45:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:46:29.000000000 UTC

Endpoint known-by: 2023-10-17 17:46:30.145884035 UTC

Parent: 20231017:dip-19647-1697562837:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697550611 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:50:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:51:04.000000000 UTC

Endpoint known-by: 2023-10-17 17:51:07.004491789 UTC

Parent: 20231017:dip-19647-1697550611:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697569185 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:50:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:51:04.000000000 UTC

Endpoint known-by: 2023-10-17 17:51:07.004491789 UTC

Parent: 20231017:dip-19647-1697569185:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697567564 | SAME


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:04.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:51:23.000000000 UTC

Endpoint known-by: 2023-10-17 17:51:27.408697614 UTC

Parent: 20231017:dip-19647-1697567564:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697571785 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:17.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:51:17.000000000 UTC

Endpoint known-by: 2023-10-17 17:51:18.036000209 UTC

Parent: 20231017:dip-19647-1697571785:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563695 | FLIP


One whole lifecycle: undefined_anchor_direction | 1 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:20.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:51:20.000000000 UTC

Endpoint known-by: 2023-10-17 17:51:21.460527429 UTC

Parent: 20231017:dip-19647-1697563695:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572030 | SAME


One whole lifecycle: opposite_hold3 | 58 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:52:22.000000000 UTC

Endpoint known-by: 2023-10-17 17:52:23.735184373 UTC

Parent: 20231017:dip-19647-1697572030:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697573277 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:35.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:52:22.000000000 UTC

Endpoint known-by: 2023-10-17 17:52:23.735184373 UTC

Parent: 20231017:dip-19647-1697573277:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563488 | FLIP


One whole lifecycle: opposite_hold3 | 29 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:51:54.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:52:22.000000000 UTC

Endpoint known-by: 2023-10-17 17:52:23.735184373 UTC

Parent: 20231017:dip-19647-1697563488:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543263 | SAME


One whole lifecycle: opposite_hold3 | 4 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:53:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:53:24.000000000 UTC

Endpoint known-by: 2023-10-17 17:53:25.161417656 UTC

Parent: 20231017:dip-19647-1697543263:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697563804 | SAME


One whole lifecycle: opposite_hold3 | 23 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:53:25.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:53:47.000000000 UTC

Endpoint known-by: 2023-10-17 17:53:48.417198224 UTC

Parent: 20231017:dip-19647-1697563804:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559475 | FLIP


One whole lifecycle: opposite_hold3 | 52 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:54:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 17:55:01.000000000 UTC

Endpoint known-by: 2023-10-17 17:55:02.093523612 UTC

Parent: 20231017:dip-19647-1697559475:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570396 | SAME


One whole lifecycle: opposite_hold3 | 66 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 17:59:51.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:00:56.000000000 UTC

Endpoint known-by: 2023-10-17 18:00:57.478365702 UTC

Parent: 20231017:dip-19647-1697570396:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697551919 | SAME


One whole lifecycle: opposite_hold3 | 48 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:00:09.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:00:56.000000000 UTC

Endpoint known-by: 2023-10-17 18:00:57.478365702 UTC

Parent: 20231017:dip-19647-1697551919:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697546567 | SAME


One whole lifecycle: opposite_hold3 | 77 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:01:47.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:03:03.000000000 UTC

Endpoint known-by: 2023-10-17 18:03:04.001148833 UTC

Parent: 20231017:dip-19647-1697546567:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697537453 | SAME


One whole lifecycle: opposite_hold3 | 69 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:01:55.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:03:03.000000000 UTC

Endpoint known-by: 2023-10-17 18:03:04.001148833 UTC

Parent: 20231017:dip-19647-1697537453:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697543380 | FLIP


One whole lifecycle: opposite_hold3 | 65 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:01:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:03:03.000000000 UTC

Endpoint known-by: 2023-10-17 18:03:04.001148833 UTC

Parent: 20231017:dip-19647-1697543380:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697572767 | SAME


One whole lifecycle: opposite_hold3 | 62 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:02:02.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:03:03.000000000 UTC

Endpoint known-by: 2023-10-17 18:03:04.001148833 UTC

Parent: 20231017:dip-19647-1697572767:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697546801 | SAME


One whole lifecycle: opposite_hold3 | 57 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:02:07.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:03:03.000000000 UTC

Endpoint known-by: 2023-10-17 18:03:04.001148833 UTC

Parent: 20231017:dip-19647-1697546801:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697568831 | SAME


One whole lifecycle: opposite_hold3 | 30 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:17:38.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:18:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:18:08.007689614 UTC

Parent: 20231017:dip-19647-1697568831:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697562167 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:18:00.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:18:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:18:08.007689614 UTC

Parent: 20231017:dip-19647-1697562167:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697566260 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:18:08.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:18:15.000000000 UTC

Endpoint known-by: 2023-10-17 18:18:16.058232626 UTC

Parent: 20231017:dip-19647-1697566260:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540562 | SAME


One whole lifecycle: opposite_hold3 | 40 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:19:30.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:20:09.000000000 UTC

Endpoint known-by: 2023-10-17 18:20:10.196956272 UTC

Parent: 20231017:dip-19647-1697540562:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555217 | SAME


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:21:41.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:21:46.000000000 UTC

Endpoint known-by: 2023-10-17 18:21:47.988945373 UTC

Parent: 20231017:dip-19647-1697555217:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697559138 | FLIP


One whole lifecycle: opposite_hold3 | 8 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:22:03.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:22:10.000000000 UTC

Endpoint known-by: 2023-10-17 18:22:11.365799312 UTC

Parent: 20231017:dip-19647-1697559138:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697540922 | SAME


One whole lifecycle: opposite_hold3 | 16 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:25:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:25:36.000000000 UTC

Endpoint known-by: 2023-10-17 18:25:37.068738013 UTC

Parent: 20231017:dip-19647-1697540922:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697542892 | FLIP


One whole lifecycle: opposite_hold3 | 11 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:32:57.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:08.274040974 UTC

Parent: 20231017:dip-19647-1697542892:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570818 | FLIP


One whole lifecycle: opposite_hold3 | 9 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:32:59.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:07.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:08.274040974 UTC

Parent: 20231017:dip-19647-1697570818:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697516971 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:06.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:15.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:16.269064046 UTC

Parent: 20231017:dip-19647-1697516971:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564889 | FLIP


One whole lifecycle: opposite_hold3 | 6 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:10.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:15.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:16.269064046 UTC

Parent: 20231017:dip-19647-1697564889:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697564414 | FLIP


One whole lifecycle: opposite_hold3 | 22 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:14.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:35.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:42.808589303 UTC

Parent: 20231017:dip-19647-1697564414:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697552133 | FLIP


One whole lifecycle: opposite_hold3 | 20 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:16.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:35.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:42.808589303 UTC

Parent: 20231017:dip-19647-1697552133:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697570988 | SAME


One whole lifecycle: opposite_hold3 | 15 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:21.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:35.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:42.808589303 UTC

Parent: 20231017:dip-19647-1697570988:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697555319 | FLIP


One whole lifecycle: opposite_hold3 | 10 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:26.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:35.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:42.808589303 UTC

Parent: 20231017:dip-19647-1697555319:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.


Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.

20231017 control1 | dip-19647-1697556752 | SAME


One whole lifecycle: opposite_hold3 | 18 original seconds including anchor

Green: anchor Red: operational endpoint Purple: actual recognition Context extends outside the whole.


Native action-midpoint classified 20s lean




Original bid (blue) and ask (orange), price units



Fresh native classified buy (blue) / sell (orange) lots



Displayed best bid (blue) / ask (orange) lots



All panels: elapsed seconds from this instance's anchor. Original values; no smoothing, scaling or averaging.

Anchor label: 2023-10-17 18:33:36.000000000 UTC

Actual recognition: unavailable (controls have no detector recognition)

Endpoint label: 2023-10-17 18:33:53.000000000 UTC

Endpoint known-by: 2023-10-17 18:33:54.407920848 UTC

Parent: 20231017:dip-19647-1697556752:control1

Exact event/receive/known-by/source cursors remain in audited tables. Undefined values are gaps inside the same parent.

Endpoint = third opposite second (or censoring), not proven natural event death. Control anchors are independent instances.